S4885-1-U

NEBRASKA

1992



Vital Statistics Report

NEBRASKA

DEPARTMENT OF HEALTH

1992 VITAL STATISTICS REPORT

E. BENJAMIN NELSON

Governor

Mark B. Horton, M.D., M.S.P.H.
Director of Health

James D. McGee, Director
Division of Health Data Systems

Stanley S. Cooper, M.S., Ph.D.
Director, Bureau of Vital Statistics

Report Prepared by:

Division of Health Data Systems

FOREWORD

Nebraska statute requires that records of birth, death, fetal death, marriage, and divorce be filed with the Bureau of Vital Statistics of the Department of Health. Approximately 60,000 records of vital events occurring in Nebraska are filed annually, and are added to the nearly 5.6 million such records already on file. Over 100,000 certified copies from those records are issued each year.

Responsibility for filing certificates of birth lies with the individual in attendance at birth, usually a physician. Funeral directors are responsible for filing certificates of death and of fetal death when burial takes place. Hospitals are to file fetal death certificates when hospital disposal is performed. County judges and district court clerks are, respectively, responsible for filing records of marriage and divorce.

The excellent cooperation of all the individuals mentioned is appreciated, and permits development of the tabulations presented in this report. Providing useful data stands as the goal of this report, and any questions or comments regarding the report, or requests for more detailed information, should be directed to:

Division of Health Data Systems
Nebraska Department of Health
301 Centennial Mall South
P.O. Box 95007
Lincoln, NE 68509
Phone: 402/471-2241

TABLE OF CONTENTS

Page

Introduction 1

Definitions of Terms 2-4

Graph 1: birth and death rates, 1925-1992 5

Graph 2: marriage and divorce rates, 1925-1992 6

Table 1: births, deaths, marriages and divorces by number and rate per 1,000 estimated population, 1930-1992 7

Table 2: population by county, 1950-1992 8-9

Table 3: summary of vital statistics, 1992 10-11

BIRTH SECTION

Birth Highlights 12-13

Map 1: births by county of residence, 1992 14

Table 4: births by place of occurrence and by usual residence of mother, 1990-1992, rate for 1992 15-18

Table 5: births by sex, race and Hispanic origin by place of residence, 1992 19-22

Graph 3: percent of all births by age of mother, 1988-1992 . . . 23

Graph 4: average age of mother giving birth, 1975-1992 23

Table 6: birth order by age of mother, 1992 24

Table 7: teen births by place of residence, 1992 and 1988-1992 25-26

Graph 5: trimester prenatal care began by age of mother, 1992 . 27

Table 8: births by trimester prenatal care began (percent) by number of prenatal visits, 1992 28

Table 9: births by number of prenatal visits (percent) by age of mother, 1992 28

Table 10: number of prenatal visits (percent) by education of mother, 1992 29

Table 11: number of prenatal visits (percent) by birth weight of child, 1992 29

Table 12: number of prenatal visits (percent) by race/Hispanic origin of mother, 1992 29

Table 13: births by trimester prenatal care began and percent receiving inadequate care, 1992 30-31

TABLE OF CONTENTS

Page

Graph 6: low and very low birth weight rates, 1970-1992 32

Table 14: births by weight groups, 1992 33

Table 15: births, very low and low birth weight by place of residence, 1992 and 1988-1992 34-35

Table 16: medical history factors of the mother, 1992 36

Table 17: obstetric procedures, 1992 36

Table 18: events of labor and/or delivery, 1992 37

Table 19: method of delivery, 1992 37

Table 20: conditions of the newborn, 1992 38

Graph 7: average birth weight by tobacco usage, 1992 39

Graph 8: tobacco use by race/Hispanic origin, 1992 40

Graph 9: alcohol use by race/Hispanic origin, 1992 40

Graph 10: percent using tobacco by occupation, 1992 41

Graph 11: percent using tobacco by industry, 1992 41

Graph 12: percent using alcohol by occupation, 1992 42

Graph 13: percent using alcohol by industry, 1992 42

Graph 14: out-of-wedlock birth rates, 1960-1992 43

Table 21: out-of-wedlock births by place of residence, 1992 and 1988-1992 44-46

Table 22: out-of-wedlock births by age of mother, 1988-1992 . . 47

Table 23: out-of-wedlock births by age and race/Hispanic origin of mother, 1992 47

Table 24: percent of race/Hispanic origin out-of-wedlock, 1980-1992 48

Table 25: percent of age group out-of-wedlock, 1980-1992 48

Table 26: birth order of out-of-wedlock births by age of mother, 1992 49

Table 27: birth defects by number and rate, 1992 and 1988-1992 50-51

Table 28: comparison of selected birth defect rates with MACDP, 1988-1992 52

TABLE OF CONTENTS

Page

Table 29: birth defects by place of residence, 1992 and 1988-1992 53-54

Table 30: birth defects by month, 1992 55

Table 31: birth defects by age of mother, 1992 55

Table 32: birth defects by age of father, 1992 55

Table 33: birth defects by race, 1992 55

DEATH SECTION

Death Highlights 56-57

Map 2: deaths by county of residence, 1992 58

Table 34: deaths by place of occurrence and by usual residence of deceased, 1990-1992 59-62

Table 35: deaths by sex and race by place of residence, 1992 63-66

Table 36: deaths by principal and other causes, 1988-1992 . . . 67

Table 37: deaths by principal and other causes, crude rates per 100,000 population, 1988-1992 68

Table 38: deaths by principal and other causes, age-adjusted rates per 100,000 population, 1988-1992 69

Table 39: cancer deaths by selected sites and sex, 1988-1992 . . 70

Table 40: age-adjusted cancer death rates by selected sites and sex, 1988-1992 70

Graph 15: average age at time of deaths, 1925-1992 71

Graph 16: average age at death by sex, 1960-1992 71

Table 41: deaths by age group and sex, 1992 72

Table 42: deaths by age group and average age by place of residence, 1992 73-74

Graph 17: ten leading causes of death, 1992 75

Graphs 18-23: leading causes of death by selected age groups and sex, 1992 75-78
- graph 17: all ages 75
- graph 18: by sex 76
- graph 19: ages 1-14 76
- graph 20: ages 15-29 77
- graph 21: ages 30-44 77
- graph 22: ages 45-59 78
- graph 23: ages 60+ 78

TABLE OF CONTENTS

Page

Tables 43-52 and maps 3-12: Ten leading causes of death by place of residence, 1992 and 1988-1992 79-118
- map 3 and table 43: heart disease 79-82
- map 4 and table 44: cancer 83-86
- map 5 and table 45: cerebrovascular disease 87-90
- map 6 and table 46: pneumonia 91-94
- map 7 and table 47: accidents 95-98
- map 8 and table 48: chronic lung disease 99-102
- map 9 and table 49: diabetes mellitus 103-106
- map 10 and table 50: atherosclerosis 107-110
- map 11 and table 51: suicide 111-114
- map 12 and table 52: nephritis and nephrosis 115-118

Table 53: accidental deaths by cause, 1988-1992 119

Graph 24: accidental deaths, leading causes, 1992 120

Table 54: accidental deaths by principal and other causes by place of residence, 1992 121-124

Table 55: drownings by site, sex and age group, 1992 125

Table 56: farm fatalities by type, sex and age group, 1992 . . . 125

Graph 25: suicide mortality, 1918-1992 126

Table 57: suicides by type, sex and age groups, 1992 127

Graph 26: infant and neonatal deaths, 1925-1992 128

Table 58: infant and neonatal deaths by place of residence, 1992 and 1988-1992 129-131

Table 59: deaths under one year of age by cause, 1992 132

Table 60: deaths under one year of age by race/Hispanic origin and sex, 1992 132

Table 61: deaths under one year of age by birth weight groups, 1992 132

Table 62: perinatal and fetal deaths by place of residence, 1992 and 1988-1992 133-135

Table 63: fetal deaths by cause of death, 1992 and 1988-1992 136-137

Table 64: fetal deaths by age group of mother, sex, race, Hispanic origin and place of delivery, 1992 137

MARRIAGE AND DIVORCE SECTION

Marriage and Divorce Highlights 138

Map 13: marriages by county of occurrence, 1992 139

Table 65: marriages by number and rate by county, 1989-1992 140-141

Table 66: number of marriages by race of bride and groom, 1992 142

Table 67: number of this marriage, bride and groom, 1992 142

TABLE OF CONTENTS

Page

Table 68: number of marriages by previous marital status, bride and groom, 1992 142

Table 69: number of this marriage by age of bride, 1992 143

Table 70: number of this marriage by age of groom, 1992 143

Table 71: number of marriages by age of bride and groom, 1992 . 144

Table 72: number of first marriages by age of bride and groom, 1992 145

Map 14: divorces by county of occurrence, 1992 146

Table 73: divorces by number and rate by county, 1989-1992 147-148

Table 74: number of divorces by age of husband and wife, 1992 149

Table 75: divorces by duration of marriage, 1990-1992 150

Table 76: number of divorces by race of husband and wife, 1992 151

Table 77: number of this marriage of husband and wife, 1992 . . 151

Table 78: number of divorces by settlements made, 1992 152

Table 79: number of children affected, 1992 152

Table 80: custody and number of children awarded to, 1992 . . . 152

INTRODUCTION

The information presented in this report is drawn from the vital records of the State of Nebraska. Records of events which occur in other states for Nebraska residents received through an Interstate Exchange Agreement are also utilized. The primary period covered is calendar year 1992, but selected data from previous years are also included. Data from 1992 records received after April 15, 1993 by the Bureau of Vital Statistics are not included in the tabulations in this report. However, the number of such records is minimal and their statistical effect negligible.

The birth defect data presented in the report are taken from the Nebraska Birth Defects Registry, with the exception of the death data. Information for the Registry is provided by reporting personnel in approximately 100 Nebraska hospitals.

The state, county, city and balance of county populations figures used in the calculation of rates are 1992 estimates provided by the Nebraska Department of Health. U.S. vital event data, presented for comparative purposes, are from the National Center for Health Statistics.

Characteristics of the population, such as its size and its age structure, can bear a great influence on vital statistics data. Only 27 counties and 14 cities in Nebraska had populations over 10,000 at the 1990 Census. Ten counties had less than 1,000 residents. In any area with a population under 10,000, wide variations in numbers or rates of events can appear from year to year, and no single year may be truly representative of the population. Counties with a high proportion of young people will show relatively higher crude birth rates and lower crude death rates than counties with a greater number of older residents.

Information for towns having populations of 2,500 or more (in 1980) are included in this report, but information is available for towns with a population of 1,000 or more persons.

DEFINITIONS OF TERMS

GEOGRAPHIC ALLOCATION

RESIDENCE DATA - A person's usual place of abode. This means, in general, the place where one lives and sleeps most of the time. However, when usual residence is in a nursing home or other institution, residence is considered the place where the person lived prior to admission to the institution.

OCCURRENCE - The location in which an event takes place irrespective of the usual residence of persons involved.

BIRTHS

BIRTH WEIGHT - The first weight of the fetus or newborn obtained after birth. This weight should be measured preferably within the first hour of life before significant postnatal weight loss has occurred.

LOW BIRTH WEIGHT - A birth weight under 2500 grams or 5 pounds, 9 ounces.

VERY LOW BIRTH WEIGHT - A birth weight under 1500 grams or 3 pounds, 5 ounces.

LENGTH OF PREGNANCY - The duration of gestation, in completed weeks, as calculated from the first day of the last normal menses to the date of birth.

LIVE BIRTH - The complete expulsion or extraction of a product of conception from its mother, irrespective of the period of gestation, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached, and is reportable.

LIVE BIRTH ORDER - The number of live born children including the current birth.

DEATHS

CAUSE OF DEATH - Deaths, by cause, are classified according to the International Classification of Diseases, Ninth Revision, of the World Health Organization.

FETAL DEATH - Death prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration or pregnancy. Until the pregnancy has reached 20 weeks duration, it is not required that such a death be reported.

INFANT DEATH - Death of a person under one year of age.

NEONATAL DEATH - Death of a person under 28 days of age.

DEFINITIONS OF TERMS

DEATHS

PERINATAL DEATH - Fetal deaths plus neonatal deaths.

MATERNAL DEATH - Deaths attributable to delivery or the complications of pregnancy, childbirth or the puerperium.

DEFINITIONS AND FORMULAS OF RATES AND RATIOS

CRUDE BIRTH RATE = The number of live births per 1,000 population.

$$\frac{\text{Number of Live Births}}{\text{Population of Area}} \times 1,000$$

FERTILITY RATE = The number of live births per 1,000 females 15-44 years of age.

$$\frac{\text{Number of Live Births}}{\text{Female Population (ages 15-44)}} \times 1,000$$

OUT-OF-WEDLOCK BIRTH RATE = The number of out-of-wedlock births per 1,000 live births.

$$\frac{\text{Number of Out-of-Wedlock Live Births}}{\text{Number of Live Births}} \times 1,000$$

SEX RATIO = The number of male births for each 1,000 female births.

$$\frac{\text{Number of Male Live Births}}{\text{Number of Female Live Births}} \times 1,000$$

CRUDE DEATH RATE = The number of deaths per 1,000 population.

$$\frac{\text{Number of Deaths}}{\text{Population of Area}} \times 1,000$$

FETAL DEATH RATIO = The number of fetal deaths per 1,000 live births.

$$\frac{\text{Number of Fetal Deaths}}{\text{Number of Live Births}} \times 1,000$$

INFANT DEATH RATE = The number of infant deaths per 1,000 live births.

$$\frac{\text{Number of Infant Deaths}}{\text{Number of Live Births}} \times 1,000$$

NEONATAL DEATH RATE - The number of neonatal deaths per 1,000 live births.

$$\frac{\text{Number of Neonatal Deaths}}{\text{Number of Live Births}} \times 1,000$$

DEFINITIONS OF TERMS

DEATHS

PERINATAL DEATH RATE = The number of perinatal deaths per 1,000 live births plus fetal deaths.

$$\frac{\text{Number of Perinatal Deaths}}{\text{Number of Live Births + Number of Fetal Deaths}} \quad \text{X } 1{,}000$$

MATERNAL DEATH RATE = The number of maternal deaths per 100,000 live births.

$$\frac{\text{Number of Maternal Deaths}}{\text{Number of Live Births}} \quad \text{X } 100{,}000$$

AGE-SPECIFIC DEATH RATE = Number of deaths in a specific age group per 100,000 population in the specific age group.

$$\frac{\text{Number of Deaths in Age Group}}{\text{Population in Age Group}} \quad \text{X } 100{,}000$$

AGE-ADJUSTED DEATH RATE = A weighted averaging of a crude death rate according to a standard age distribution. An age-adjusted death rate represents what the crude death rate would be if the population for which the rate is adjusted and the standard population had the same age distribution. This procedure allows for the comparison of death rates among populations having different age distributions. The death rates in this report have been adjusted according to the age distribution of the United States population in 1970.

$$\text{The sum of} \quad \frac{\text{Age-Specific Death Rates, for Each Age Group} \quad \text{X} \quad \text{Standard Population in each Age Group}}{\text{Total Standard Population}}$$

CAUSE-SPECIFIC DEATH RATE = The number of deaths from a specific cause per 100,000 population.

$$\frac{\text{Number of Deaths for a Specific Cause}}{\text{Population of Area}} \quad \text{X } 100{,}000$$

GRAPH 1
BIRTH AND DEATH RATES
NEBRASKA, 1925-1992



GRAPH 2
MARRIAGE AND DIVORCE RATES
NEBRASKA, 1925-1992



TABLE 1: BIRTHS, DEATHS, MARRIAGES AND DIVORCES BY NUMBER AND RATE PER 1,000 ESTIMATED POPULATION NEBRASKA, 1930-1991

YEAR	ESTIMATED POPULATION	BIRTHS	RATE	DEATHS	RATE	MAR-RIAGES	RATE	DI-VORCES	RATE
1930	1,377,963	27,006	19.6	13,280	9.6	10,248	7.4	1,635	1.2
1931	1,384,000	26,610	19.2	12,905	9.3	11,005	8.0	1,531	1.1
1932	1,388,000	25,160	18.1	12,923	9.3	11,757	8.5	1,454	1.1
1933	1,392,000	24,187	17.4	12,925	9.3	11,466	8.2	1,944	1.4
1934	1,395,000	25,087	18.0	13,372	9.6	12,611	9.0	2,269	1.6
1935	1,364,000	23,326	17.1	13,179	9.7	12,402	9.1	2,167	1.6
1936	1,364,000	23,799	17.4	13,756	10.1	12,701	9.3	2,137	1.6
1937	1,364,000	22,256	16.3	13,200	9.7	11,898	8.7	2,074	1.5
1938	1,364,000	22,402	16.4	11,960	8.8	11,610	8.5	1,892	1.4
1939	1,364,000	22,326	16.4	12,188	8.9	12,866	9.4	1,987	1.5
1940	1,315,834	22,153	16.8	12,593	9.6	15,977	12.1	2,028	1.5
1941	1,315,834	22,186	16.9	12,203	9.3	18,802	14.3	2,089	1.6
1942	1,315,834	23,950	18.2	12,293	9.3	18,462	14.0	1,805	1.4
1943	1,176,023	25,091	21.3	12,956	11.0	13,818	11.8	2,218	1.9
1944	1,213,792	24,694	20.3	12,560	10.3	9,115	7.5	2,471	2.0
1945	1,198,482	24,292	20.3	12,446	10.0	10,358	8.6	3,176	2.7
1946	1,198,482	27,753	23.2	12,365	10.3	14,130	11.8	4,504	3.8
1947	1,301,000	32,018	24.7	12,823	9.9	14,726	11.3	3,180	2.4
1948	1,301,000	31,066	23.9	12,569	9.7	14,928	11.5	2,648	2.0
1949	1,285,000	31,482	24.5	12,607	9.8	12,743	9.9	2,521	2.0
1950	1,325,510	31,713	23.9	12,548	9.5	13,828	10.4	2,471	1.9
1951	1,348,000	33,595	24.9	12,880	9.6	12,399	9.2	2,290	1.7
1952	1,371,000	33,809	24.7	13,056	9.5	11,484	8.4	2,363	1.7
1953	1,358,000	32,633	24.0	13,298	9.8	11,575	8.5	2,287	1.7
1954	1,358,000	33,617	24.8	12,741	9.4	11,307	8.3	2,355	1.7
1955	1,369,000	34,087	24.9	13,001	9.5	11,892	8.7	2,350	1.7
1956	1,402,000	33,855	24.1	13,161	9.4	11,364	8.1	2,284	1.6
1957	1,439,000	33,161	23.0	13,797	9.6	10,702	7.4	2,130	1.5
1958	1,444,000	32,935	23.0	13,680	9.5	10,607	7.3	2,062	1.4
1959	1,441,000	34,162	23.7	13,887	9.6	10,724	7.4	2,124	1.5
1960	1,411,330	34,257	24.3	14,071	10.0	10,635	7.5	2,092	1.5
1961	1,431,000	34,544	24.1	13,812	9.7	10,976	7.7	2,311	1.6
1962	1,484,000	33,886	22.8	14,305	9.6	11,185	7.5	2,301	1.6
1963	1,460,000	32,624	22.3	14,657	10.0	11,711	8.0	2,378	1.6
1964	1,480,000	30,727	20.8	14,758	10.0	11,920	8.1	2,455	1.7
1965	1,477,000	27,829	18.8	14,799	10.0	12,069	8.2	2,448	1.7
1966	1,456,000	25,618	17.6	14,799	10.2	12,390	8.5	2,531	1.7
1967	1,435,000	24,259	16.9	14,465	10.1	13,161	9.2	2,825	2.0
1968	1,439,000	24,236	16.8	15,017	10.4	14,287	9.9	2,940	2.0
1969	1,449,000	24,801	17.1	14,898	10.3	15,145	10.4	3,194	2.2
1970	1,483,791	25,877	17.4	15,016	10.1	15,666	10.6	3,629	2.4
1971	1,512,000	25,507	16.9	15,182	10.0	15,080	10.0	3,946	2.6
1972	1,525,000	23,473	15.4	15,540	10.2	14,106	9.2	4,326	2.8
1973	1,542,000	22,771	14.8	14,977	9.7	13,957	9.1	4,849	3.1
1974	1,543,000	23,695	15.4	15,016	9.7	13,873	9.0	5,114	3.3
1975	1,542,000	23,658	15.3	14,569	9.4	13,087	8.5	5,504	3.6
1976	1,553,000	23,767	15.3	14,536	9.4	13,431	8.6	5,788	3.7
1977	1,561,155	25,158	16.1	14,316	9.2	13,387	8.6	6,047	3.9
1978	1,565,390	25,103	16.0	14,408	9.2	13,711	8.8	6,010	3.8
1979	1,573,946	26,199	16.6	14,228	9.0	14,074	8.9	6,220	4.0
1980	1,569,825	27,335	17.4	14,465	9.2	14,239	9.1	6,368	4.1
1981	1,577,000	27,164	17.2	14,580	9.2	14,363	9.1	6,769	4.3
1982	1,586,000	26,954	17.0	14,567	9.2	14,350	9.0	6,357	4.0
1983	1,597,000	26,254	16.4	14,695	9.2	13,703	8.6	6,172	3.9
1984	1,606,000	26,099	16.3	14,633	9.1	13,274	8.3	6,348	4.0
1985	1,605,574	25,540	15.9	14,895	9.3	12,696	7.9	6,318	3.9
1986	1,598,000	24,425	15.3	14,662	9.2	12,107	7.6	6,127	3.8
1987	1,594,000	23,813	14.9	14,820	9.3	11,808	7.4	6,189	3.9
1988	1,602,000	23,904	14.9	14,858	9.3	12,242	7.6	6,225	3.9
1989	1,611,000	24,205	15.0	14,776	9.2	12,709	7.9	6,273	3.9
1990	1,578,385	24,362	15.4	14,751	9.3	12,625	8.0	6,454	4.1
1991	1,580,950	23,947	15.1	14,647	9.3	12,555	7.9	6,624	4.2
1992	1,582,900	23,336	14.7	14,577	9.2	12,437	7.9	6,516	4.1

TABLE 2: POPULATION BY COUNTY
NEBRASKA, 1950-1992

COUNTY	1950	1960	1970	1980	1990	1992
Adams	28,855	28,944	30,553	30,656	29,625	29,500
Antelope	11,624	10,176	9,047	8,675	7,965	7,800
Arthur	803	680	606	513	462	450
Banner	1,325	1,269	1,034	918	852	850
Blaine	1,203	1,016	847	867	675	650
Boone	10,721	9,134	8,190	7,391	6,667	6,550
Box Butte	12,279	11,688	10,094	13,696	13,130	13,000
Boyd	4,911	4,513	3,752	3,331	2,835	2,750
Brown	5,164	4,436	4,021	4,377	3,657	3,500
Buffalo	25,134	26,236	31,222	34,797	37,447	37,850
Burt	11,536	10,192	9,247	8,813	7,868	7,700
Butler	11,432	10,312	9,461	9,330	8,601	8,500
Cass	16,361	17,821	18,076	20,297	21,318	21,500
Cedar	13,843	13,368	12,192	11,375	10,131	9,900
Chase	5,176	4,317	4,129	4,758	4,381	4,300
Cherry	8,397	8,218	6,846	6,758	6,307	6,200
Cheyenne	12,081	14,828	10,778	10,057	9,494	9,400
Clay	8,700	8,717	8,266	8,106	7,123	7,000
Colfax	10,010	9,595	9,498	9,890	9,139	9,050
Cuming	12,994	12,435	12,034	11,664	10,117	10,000
Custer	19,170	16,517	14,092	13,877	12,270	12,000
Dakota	10,401	12,168	13,137	16,573	16,742	16,850
Dawes	9,708	9,536	9,693	9,609	9,021	8,950
Dawson	19,393	19,405	19,467	22,304	19,940	19,900
Deuel	3,330	3,125	2,717	2,462	2,237	2,200
Dixon	9,129	8,106	7,453	7,137	6,143	6,000
Dodge	26,265	32,471	34,782	35,847	34,500	34,000
Douglas	281,020	343,490	389,455	397,038	416,444	420,500
Dundy	4,354	3,570	2,926	2,861	2,582	2,500
Fillmore	9,610	9,425	8,137	7,920	7,103	7,000
Franklin	7,096	5,449	4,566	4,377	3,938	3,850
Frontier	5,282	4,311	3,982	3,647	3,101	3,000
Furnas	9,385	7,711	6,897	6,486	5,553	5,400
Gage	28,052	26,818	25,719	24,456	22,794	22,500
Garden	4,114	3,472	2,929	2,802	2,460	2,400
Garfield	2,912	2,699	2,411	2,363	2,141	2,100
Gosper	2,734	2,489	2,178	2,140	1,928	1,900
Grant	1,057	1,009	1,019	877	769	750
Greeley	5,575	4,595	4,000	3,462	3,006	2,950
Hall	32,186	35,757	42,851	47,690	48,925	49,200
Hamilton	8,778	8,714	8,867	9,301	8,862	8,800
Harlan	7,189	5,081	4,357	4,292	3,810	3,700
Hayes	2,404	1,919	1,530	1,356	1,222	1,200
Hitchcock	5,867	4,829	4,051	4,079	3,750	3,700
Holt	14,859	13,722	12,933	13,552	12,599	12,500
Hooker	1,061	1,130	939	990	793	750
Howard	7,226	6,541	6,807	6,773	6,055	5,950
Jefferson	13,623	11,620	10,436	9,817	8,759	8,550
Johnson	7,251	6,281	5,743	5,285	4,673	4,550
Kearney	6,409	6,580	6,707	7,053	6,629	6,550

TABLE 2: POPULATION BY COUNTY
NEBRASKA, 1950-1992 (continued)

COUNTY	1950	1960	1970	1980	1990	1992
Keith	7,449	7,958	8,487	9,364	8,584	8,450
Keya Paha	2,160	1,672	1,340	1,301	1,029	1,000
Kimball	4,283	7,975	6,009	4,882	4,108	4,000
Knox	14,820	13,300	11,723	11,457	9,534	9,300
Lancaster	119,742	155,272	167,972	192,884	213,641	217,600
Lincoln	27,380	28,491	29,538	36,455	32,508	32,400
Logan	1,357	1,108	991	983	878	850
Loup	1,348	1,097	854	859	683	650
McPherson	825	735	623	593	546	550
Madison	24,338	25,147	27,402	31,382	32,655	32,900
Merrick	8,812	8,363	8,751	8,945	8,042	7,900
Morrill	8,263	7,057	5,813	6,085	5,423	5,350
Nance	6,512	5,635	5,142	4,740	4,275	4,200
Nemaha	10,973	9,099	8,976	8,367	7,980	7,900
Nuckolls	9,609	8,217	7,404	6,726	5,786	5,600
Otoe	17,056	16,503	15,576	15,183	14,252	14,050
Pawnee	6,744	5,356	4,473	3,937	3,317	3,200
Perkins	4,809	4,189	3,423	3,637	3,367	3,300
Phelps	9,048	9,800	9,553	9,769	9,715	9,750
Pierce	9,405	8,722	8,493	8,481	7,827	7,700
Platte	19,910	23,992	26,508	25,852	29,820	30,400
Polk	8,044	7,210	6,468	6,320	5,675	5,550
Red Willow	12,977	12,940	12,191	12,615	11,705	11,600
Richardson	16,886	13,903	12,277	11,315	9,937	9,650
Rock	3,026	2,554	2,231	2,383	2,019	1,950
Saline	14,046	12,542	12,809	13,131	12,715	12,650
Sarpy	15,693	31,281	63,696	86,015	102,583	105,500
Saunders	16,923	17,270	17,018	18,716	18,285	18,250
Scotts Bluff	33,939	33,809	36,432	38,344	36,025	35,800
Seward	13,155	13,581	14,460	15,789	15,450	15,400
Sheridan	9,539	9,049	7,285	7,544	6,750	6,600
Sherman	6,421	5,382	4,725	4,226	3,718	3,650
Sioux	3,124	2,575	2,034	1,845	1,549	1,500
Stanton	6,387	5,783	5,758	6,549	6,244	6,200
Thayer	10,563	9,118	7,779	7,582	6,635	6,500
Thomas	1,206	1,078	954	973	851	850
Thurston	8,590	7,237	6,942	7,186	6,936	6,950
Valley	7,252	6,590	5,783	5,633	5,169	5,100
Washington	11,511	12,103	13,310	15,508	16,607	16,700
Wayne	10,129	9,959	10,400	9,858	9,364	9,350
Webster	7,395	6,224	6,477	4,858	4,279	4,150
Wheeler	1,526	1,297	1,054	1,060	948	950
York	14,346	13,724	13,685	14,798	14,428	14,350
TOTAL	1,325,510	1,411,330	1,483,493	1,569,825	1,578,385	1,582,900

1950-1990 population figures are from the United States Bureau of the Census.

1992 figures are estimates from the Nebraska Department of Health, Division of Health Data Systems.

TABLE 3: SUMMARY OF VITAL STATISTICS
FIRST SIX MONTHS
NEBRASKA, 1992

	JAN.	FEB.	MAR.	APR.	MAY	JUNE
LIVE BIRTHS	2,004	1,813	1,919	2,044	2,023	1,986
Sex:						
Male	981	950	1,003	1,023	1,011	1,017
Female	1,023	863	916	1,021	1,012	969
Race:						
White	1,846	1,663	1,751	1,883	1,851	1,814
Black	113	115	116	111	107	96
American Indian	28	20	23	26	40	43
All Other	15	15	28	23	24	32
Unknown	2	0	1	1	1	1
Hispanic Origin*						
Mexican	63	54	72	67	55	71
All Other	19	12	25	22	18	22
Out-of-Wedlock	458	414	405	433	435	460
FETAL DEATHS	14	13	11	13	8	22
DEATHS	1,376	1,149	1,235	1,250	1,204	1,177
Sex:						
Male	662	575	601	620	593	583
Female	714	574	634	630	611	594
Race:						
White	1,319	1,106	1,190	1,209	1,153	1,139
Black	48	35	34	32	38	26
American Indian	7	7	11	8	10	10
All Other	2	1	0	1	3	2
Unknown	0	0	0	0	0	0
Hispanic Origin*						
Mexican	9	8	7	9	8	5
All Other	1	2	0	3	1	3
MARRIAGES	448	804	633	809	1,433	1,579
DIVORCES	584	542	540	578	479	600
ANNULMENTS	4	3	2	5	5	4

* - Hispanic Origin may be of any race.

TABLE 3: SUMMARY OF VITAL STATISTICS
SECOND SIX MONTHS
NEBRASKA, 1992 (continued)

	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR'S TOTAL
LIVE BIRTHS	2,016	2,003	1,894	1,930	1,804	1,900	23,336
Sex:							
Male	1,045	1,049	977	988	936	971	11,951
Female	971	954	917	942	868	929	11,385
Race:							
White	1,841	1,834	1,729	1,773	1,633	1,721	21,339
Black	100	111	107	98	111	125	1,310
American Indian	54	31	25	28	24	32	374
All Other	21	26	33	31	32	22	302
Unknown	0	1	0	0	4	0	11
Hispanic Origin*							
Mexican	87	82	81	82	70	88	872
All Other	18	17	17	18	21	15	224
Out-of-Wedlock	479	469	421	422	433	431	5,260
FETAL DEATHS	18	10	12	16	11	9	157
DEATHS	1,076	1,115	1,169	1,251	1,281	1,294	14,577
Sex:							
Male	496	549	591	624	638	666	7,198
Female	580	566	578	627	643	628	7,379
Race:							
White	1,038	1,067	1,128	1,208	1,239	1,249	14,045
Black	33	36	31	35	32	41	421
American Indian	3	7	6	5	9	3	86
All Other	2	3	2	3	1	1	21
Unknown	0	2	2	0	0	0	4
Hispanic Origin*							
Mexican	10	9	8	4	6	11	94
All Other	2	1	2	1	2	1	19
MARRIAGES	1,253	1,513	1,258	1,142	779	786	12,437
DIVORCES	539	492	522	547	552	541	6,516
ANNULMENTS	2	3	5	3	3	7	46

* - Hispanic Origin may be of any race.

BIRTH HIGHLIGHTS

In 1992, the number of live births in Nebraska decreased for the second consecutive year. A total of 23,336 live births were recorded among Nebraska women in 1992, which translates into a rate of 14.7 live births per 1,000 Nebraska residents. For the seventh year in a row, Nebraska's birth rate was below the national birth rate, which was 15.9 live births per 1,000 U.S. residents in 1992.

Birth rates observed throughout Nebraska in 1992 varied widely from place to place. Blaine County achieved the highest birth rate of the state's 93 counties, with a rate of 24.6 live births per 1,000 residents. Hooker and Rock Counties had the state's lowest birth rate at 6.7. Among communities with at least 2,500 residents, Lexington, for the second year in a row, had recorded the highest birth rate in 1992 (29.5), while Superior, for the third consecutive year, recorded the lowest (7.0).

Among Nebraska women who gave birth to their first child, the average age at birth failed to increase in 1992 for the third consecutive year, holding at 24.2 years. This finding suggests that the trend of the past two decades toward later child-bearing, observed both in Nebraska and throughout the United States, may be coming to an end. However, the average ages at which Nebraska women gave birth to their second and third children increased slightly in 1992, from 27.0 years in 1991 to 27.2 years in 1992 for women bearing a second child and from 28.8 years in 1991 to 29.1 years in 1992 for women bearing a third child.

Low-weight births (i.e. babies weighing less than 2500 grams, or about 5.5 pounds) occurred at a rate of 56.1 per 1,000 live births in Nebraska in 1992. This figure represents a slight increase over the 1991 rate of 55.9. Since 1985, however, the trend of decreasing rates of low-weight births in Nebraska has stopped; statewide rates of low-weight births, which fell from 63.9 in 1970 to 53.1 in 1985, have increased to an average of 55.5 for the years 1986-1992.

The state rate for very low-weight births (i.e. babies weighing less than 1500 grams, or about 2 pounds) in 1992 was 9.1 per 1,000 live births, a decrease from the 1991 figure of 9.7. Nebraska's rates of very low-weight births have changed little over the past two decades (in 1972, the rate stood at 9.2).

When examining the adequacy of prenatal care among Nebraska women who gave birth to a live-born child, a measure known as the Kessner Index was used. The adequacy of prenatal care is determined by a formula which takes into account the number of prenatal visits, the trimester during which prenatal care began, and the length of gestation of the child. According to this indicator, 4.8% of all Nebraska women who gave birth in 1992 to a live-born child received inadequate prenatal care. When examined at the county level, this figure varies considerably, from a low of 0.0% in 17 counties to a high of 17.1% in Brown County. In addition to Brown County, seven other counties recorded inadequate prenatal care rates of at least double the state rate; with four clustered in the Panhandle (Box Butte, Dawes, Morrill, Scotts Bluff). However, the specific factors which contributed to the high level of inadequate prenatal care in this region are not known.

Information on tobacco use during pregnancy, which has been collected on the Nebraska birth certificate since 1990, provides strong evidence of the harmful effects of smoking on the development of the fetus. Among Nebraska women who gave birth in 1992 and smoked 31 or more cigarettes (about 1.5 packs) per day while pregnant, the average weight of their child at birth was over 300 grams (over 11 ounces) less than the average weight of children born in 1992 to Nebraska women who did not smoke at all during pregnancy. The negative effects of cigarette smoking on fetal development have been documented in numerous medical research studies.

A total of 1,923 birth defects were diagnosed among 1,046 children born to Nebraska women in 1992. The latter figure translates into a rate of 44.8 cases per 1,000 resident live births, which is a slight increase over the 1991 rate of 43.9. Defects of the circulatory system were the most frequently reported conditions in Nebraska in 1992; of the 621 circulatory system defects reported, three conditions, patent ductus arteriosus; ventricular septal defect; and atrial septal defect accounted for nearly half (296) of all diagnoses. Musculoskeletal conditions were the second most commonly noted defects among Nebraska children in 1992, with 376 diagnoses. Following the musculoskeletal defects in frequency were defects of the genitourinary system; of the 311 conditions of this type, nearly one-third (93) reported a diagnosis of hypospadias. Considered together, defects of the circulatory, musculoskeletal, and genitourinary systems accounted for two-thirds (68%) of all birth defects diagnosed in 1992.

MAP 1: BIRTHS BY COUNTY OF RESIDENCE
NEBRASKA, 1992


Sioux
14
Dawes
118
Box Butte
186
Sheridan
74
Cherry
83
Keya Paha
16
Boyd
36
Brown
41
Rock
13
Holt
169
Knox
118
Cedar
132
Dixon
70
Dakota
-287
Thurston
-157
Pierce
89
Antelope
95
Wayne
120
Scotts Bluff
609
Morrill
64
Garden
30
Grant
9
Hooker
5
Thomas
11
Blaine
16
Loup
5
Garfield
24
Wheeler
17
Madison
551
Stanton
75
Cuming
130
Burt
92
Banner
6
Arthur
9
McPherson
5
Logan
7
Custer
151
Valley
59
Greeley
39
Boone
78
Platte
453
Colfax
130
Dodge
454
Washington
-166
Kimball
40
Cheyenne
125
Deuel
19
Keith
100
Lincoln
476
Sherman
39
Howard
77
Nance
50
Merrick
130
Polk
63
Butler
110
Saunders
235
Douglas
-6989
Sarpy
-1879
Perkins
39
Dawson
396
Buffalo
491
Hall
795
Hamilton
110
York
191
Seward
184
Lancaster
3069
Cass
280
Chase
47
Hayes
14
Frontier
34
Gosper
28
Phelps
138
Kearney
92
Adams
446
Clay
89
Fillmore
92
Saline
148
Otoe
178
Gage
249
Johnson
41
Nemaha
71
Dundy
22
Hitchcock
32
Red Willow
156
Furnas
68
Harlan
44
Franklin
44
Webster
44
Nuckolls
50
Thayer
77
Jefferson
81
Pawnee
38
Richardson
113

STATE TOTAL = 23,336

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER
NEBRASKA, 1990-1992

COUNTY	1990 OCCUR-RENCE	1990 RESI-DENCE	1991 OCCUR-RENCE	1991 RESI-DENCE	1992 OCCUR-RENCE	1992 RESI-DENCE	1992 BIRTH RATE**
STATE	24,622	24,362	24,199	23,947	23,641	23,336	14.7
Adams	618	432	613	426	642	446	15.1
*Hastings	618	323	613	326	642	325	14.3
Balance of Co.	0	109	0	100	0	121	18.1
Antelope	65	114	74	107	58	95	12.2
Arthur	0	5	0	0	0	9	20.0
Banner	0	6	0	8	0	6	7.1
Blaine	0	7	0	5	1	16	24.6
Boone	67	80	82	97	76	78	11.9
Box Butte	14[illegible]	203	163	197	145	186	14.3
Alliance	0	160	1	151	2	148	15.3
Balance of Co.	149	43	162	46	143	38	11.5
Boyd	5	28	8	31	8	36	13.1
Brown	18	48	11	44	17	41	11.7
Buffalo	852	575	788	537	802	491	13.0
*Kearney	851	363	788	342	802	330	13.3
Balance of Co.	1	212	0	195	0	161	12.3
Burt	15	89	16	95	1	92	11.9
Butler	87	107	105	105	115	110	12.9
David City	86	28	105	39	115	30	12.0
Balance of Co.	1	79	0	66	0	80	13.3
Cass	1	340	1	311	0	280	13.0
Plattsmouth	1	140	0	121	0	129	19.5
Balance of Co.	0	200	1	190	0	151	10.1
Cedar	1	153	2	163	1	132	13.3
Chase	53	58	60	60	50	47	10.9
Cherry	89	84	87	88	84	83	13.4
Valentine	88	36	87	27	84	33	11.8
Balance of Co.	1	47	0	61	0	50	14.7
Cheyenne	144	127	120	120	128	125	13.3
Sidney	143	80	120	79	128	83	13.9
Balance of Co.	1	47	0	41	0	42	12.2
Clay	1	86	1	86	0	89	12.7
Colfax	75	143	82	135	64	130	14.4
Schuyler	73	66	82	71	64	70	17.3
Balance of Co.	2	77	0	64	0	60	12.0
Cuming	112	149	110	123	108	130	13.0
West Point	112	48	110	39	107	38	11.9
Balance of Co.	0	101	0	84	1	92	13.5
Custer	142	180	143	173	127	151	12.6
Broken Bow	100	49	105	61	105	49	13.2
Balance of Co.	42	131	38	112	22	102	12.3
Dakota	0	329	2	282	1	287	17.0
So. Sioux City	0	194	1	171	0	183	18.7
Balance of Co.	0	135	1	111	1	104	14.8
Dawes	137	111	114	101	136	118	13.2
Chadron	133	73	109	72	123	70	12.6
Balance of Co.	4	38	5	29	13	48	14.1

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER NEBRASKA, 1990-1992 (continued)

	1990		1991		1992		1992
COUNTY	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	BIRTH RATE**
Dawson	287	279	299	307	386	396	19.9
Cozad	58	45	51	51	55	65	17.0
Gothenburg	64	47	69	36	67	48	14.9
Lexington	164	107	179	131	263	196	29.5
Balance of Co.	1	80	0	89	1	87	14.0
Deuel	0	22	0	16	0	19	8.6
Dixon	0	90	0	71	0	70	11.7
Dodge	506	491	413	419	430	454	13.4
*Fremont	505	337	412	320	430	330	14.1
Balance of Co.	1	154	1	99	0	124	11.7
Douglas	9,573	7,404	9,360	7,209	9,116	6,989	16.6
*Omaha	9,571	5,883	9,343	5,758	9,106	5,563	16.4
Ralston	0	98	0	100	1	86	13.7
Balance of Co.	2	1,423	17	1,351	9	1,340	17.9
Dundy	19	25	11	33	9	22	8.8
Fillmore	50	81	45	86	47	92	13.1
Franklin	29	59	19	32	22	44	11.4
Frontier	0	37	0	36	0	34	11.3
Furnas	51	68	65	64	67	68	12.6
Gage	199	269	173	277	175	249	11.1
*Beatrice	197	155	173	139	173	159	13.0
Balance of Co.	2	114	0	138	2	90	8.8
Garden	0	24	0	26	0	30	12.5
Garfield	0	29	0	9	0	24	11.4
Gosper	0	20	0	23	0	28	14.7
Grant	0	13	0	15	0	9	12.0
Greeley	0	43	0	39	0	39	13.2
Hall	872	817	915	832	877	795	16.2
*Grand Island	872	666	915	691	877	653	16.4
Balance of Co.	0	151	0	141	0	142	14.9
Hamilton	116	110	104	130	118	110	12.5
Aurora	116	43	103	52	117	51	13.4
Balance of Co.	0	67	1	78	1	59	11.8
Harlan	0	44	0	39	0	44	11.9
Hayes	0	20	0	18	0	14	11.7
Hitchcock	0	51	0	31	0	32	8.6
Holt	183	194	152	178	154	169	13.5
O'Neill	99	67	103	50	118	46	12.1
Balance of Co.	84	127	49	128	36	123	14.1
Hooker	0	5	0	8	0	5	6.7
Howard	54	88	59	76	42	77	12.9
Jefferson	84	106	65	94	64	81	9.5
Fairbury	84	58	65	47	64	44	10.4
Balance of Co.	0	48	0	47	0	37	8.6
Johnson	50	55	52	62	51	41	9.0
Kearney	55	105	31	75	34	92	14.0
Minden	55	42	31	30	33	37	13.5
Balance of Co.	0	63	0	45	1	55	14.5

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER NEBRASKA, 1990-1992 (continued)

	1990		1991		1992		1992
COUNTY	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	BIRTH RATE**
Keith	113	105	107	100	108	100	11.8
Ogallala	113	66	107	61	108	69	13.7
Balance of Co.	0	39	0	39	0	31	9.1
Keya Paha	1	14	0	9	0	16	16.0
Kimball	39	58	39	40	29	40	10.0
Kimball	39	29	39	25	29	24	9.4
Balance of Co.	0	29	0	15	0	16	11.0
Knox	30	108	42	123	28	118	12.7
Lancaster	3,678	3,103	3,792	3,199	3,610	3,069	14.1
*Lincoln	3,678	2,859	3,789	2,971	3,609	2,855	14.6
Balance of Co.	0	244	3	228	1	214	9.9
Lincoln	504	427	544	502	541	476	14.7
*North Platte	503	308	544	359	541	342	15.1
Balance of Co.	1	119	0	143	0	134	13.7
Logan	0	10	0	7	0	7	8.2
Loup	1	4	0	6	0	5	7.7
McPherson	0	6	0	3	0	5	9.1
Madison	891	576	847	570	840	551	16.7
*Norfolk	890	412	845	387	839	382	17.6
Balance of Co.	1	164	2	183	1	169	15.1
Merrick	93	106	77	95	84	130	16.5
Central City	92	43	77	44	84	37	13.2
Balance of Co.	1	63	0	51	0	93	18.2
Morrill	9	65	17	68	12	64	12.0
Nance	3	50	14	63	6	50	11.9
Nemaha	65	80	83	91	59	71	9.0
Auburn	65	43	83	41	59	34	9.9
Balance of Co.	0	37	0	50	0	37	8.3
Nuckolls	87	62	63	49	64	50	8.9
Superior	87	17	63	17	64	16	7.0
Balance of Co.	0	45	0	32	0	34	10.3
Otoe	118	180	132	184	120	178	12.7
Nebraska City	89	85	91	91	89	89	13.7
Balance of Co.	29	95	41	93	31	89	11.8
Pawnee	30	42	24	28	25	38	11.9
Perkins	61	33	46	33	65	39	11.8
Phelps	148	132	161	148	191	138	14.2
Holdrege	148	81	161	82	191	81	14.2
Balance of Co.	0	51	0	66	0	57	14.1
Pierce	101	108	96	101	68	89	11.6
Platte	494	461	552	499	477	453	14.9
*Columbus	494	314	552	344	477	309	15.5
Balance of Co.	0	147	0	155	0	144	13.8
Polk	21	62	22	73	33	63	11.4
Red Willow	194	156	185	160	143	156	13.4
McCook	194	109	185	110	142	108	13.3
Balance of Co.	0	47	0	50	1	48	13.7
Richardson	111	135	113	129	101	113	11.7
Falls City	94	61	100	59	91	60	12.9
Balance of Co.	17	74	13	70	10	53	10.6

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER NEBRASKA, 1990-1992 (continued)

	1990		1991		1992		1992
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	BIRTH RATE**
Rock	35	23	33	14	11	13	6.7
Saline	78	148	92	160	71	148	11.7
Crete	57	60	73	72	52	56	11.5
Balance of Co.	21	88	19	88	19	92	11.8
Sarpy	1,255	1,952	1,083	1,858	1,155	1,879	17.8
*Bellevue	4	446	0	440	3	454	14.0
LaVista	0	161	0	186	1	180	18.1
Papillion	0	154	0	170	0	188	17.4
Balance of Co.	1,251	1,191	1,083	1,062	1,151	1,057	20.2
Saunders	0	272	3	248	1	235	12.9
Wahoo	0	49	2	50	1	51	13.8
Balance of Co.	0	223	1	198	0	184	12.6
Scotts Bluff	768	580	732	569	788	609	17.0
Gering	0	145	0	145	1	143	18.1
*Scottsbluff	767	260	732	257	787	279	20.4
Balance of Co.	1	175	0	167	0	187	13.1
Seward	101	188	97	189	94	184	11.9
Seward	100	56	97	73	94	82	14.6
Balance of Co.	1	132	0	116	0	102	10.4
Sheridan	96	82	125	93	96	74	11.2
Sherman	3	52	1	45	0	39	10.7
Sioux	0	10	0	13	0	14	9.3
Stanton	0	92	0	70	0	75	12.1
Thayer	50	83	48	81	49	77	11.8
Thomas	0	10	0	7	0	11	12.9
Thurston	82	159	65	142	70	157	22.6
Valley	95	59	73	55	69	59	11.6
Ord	94	30	71	31	69	29	11.6
Balance of Co.	1	29	2	24	0	30	11.5
Washington	133	195	156	210	129	166	9.9
Blair	133	79	156	99	129	82	11.8
Balance of Co.	0	116	0	111	0	84	8.6
Wayne	141	118	141	127	133	120	12.8
Wayne	141	55	141	57	133	54	10.4
Balance of Co.	0	63	0	70	0	66	15.9
Webster	14	55	18	62	7	44	10.6
Wheeler	0	9	2	20	0	17	17.9
York	220	189	229	205	208	191	13.3
York	200	101	192	105	194	103	13.0
Balance of Co.	20	88	37	100	14	88	13.6

* - Cities over 10,000 population in 1980

Indented - Cities 2,500 - 10,000 population in 1980

** - The number of resident live births per 1,000 population

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1992

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	INDIAN	ALL OTHERS	MEXICAN	ALL OTHERS
STATE	23,336	11,951	11,385	21,339	1,310	374	313	872	224
Adams	446	215	231	437	5	2	2	7	0
*Hastings	325	159	166	316	5	2	2	6	0
Balance of Co.	121	56	65	121	0	0	0	1	0
Antelope	95	40	55	94	1	0	0	0	1
Arthur	9	5	4	9	0	0	0	0	0
Banner	6	3	3	6	0	0	0	1	0
Blaine	16	11	5	16	0	0	0	0	0
Boone	78	35	43	78	0	0	0	0	0
Box Butte	186	104	82	166	5	13	2	13	2
Alliance	148	84	64	128	5	13	2	12	2
Balance of Co.	38	20	18	38	0	0	0	1	0
Boyd	36	13	23	35	0	1	0	0	0
Brown	41	23	18	40	0	1	0	0	0
Buffalo	491	233	258	487	2	1	1	16	6
*Kearney	330	151	179	326	2	1	1	11	4
Balance of Co.	161	82	79	161	0	0	0	5	2
Burt	92	47	45	89	0	2	1	2	0
Butler	110	68	42	110	0	0	0	1	1
David City	30	21	9	30	0	0	0	0	1
Balance of Co.	80	47	33	80	0	0	0	1	0
Cass	280	144	136	274	0	1	5	2	2
Plattsmouth	129	73	56	125	0	1	3	2	2
Balance of Co.	151	71	80	149	0	0	2	0	0
Cedar	132	65	67	132	0	0	0	0	1
Chase	47	28	19	47	0	0	0	5	0
Cherry	83	46	37	77	0	5	1	1	0
Valentine	33	20	13	28	0	4	1	0	0
Balance of Co.	50	26	24	49	0	1	0	1	0
Cheyenne	125	65	60	125	0	0	0	7	0
Sidney	83	40	43	83	0	0	0	7	0
Balance of Co.	42	25	17	42	0	0	0	0	0
Clay	89	39	50	88	0	1	0	2	0
Colfax	130	60	70	130	0	0	0	27	0
Schuyler	70	40	30	70	0	0	0	26	0
Balance of Co.	60	20	40	60	0	0	0	1	0
Cuming	130	64	66	129	0	0	1	2	0
West Point	38	17	21	38	0	0	0	2	0
Balance of Co.	92	47	45	91	0	0	1	0	0
Custer	151	83	68	147	0	3	1	2	0
Broken Bow	49	26	23	46	0	3	0	1	0
Balance of Co.	102	57	45	101	0	0	1	1	0
Dakota	287	155	132	265	0	13	9	43	2
So. Sioux City	183	97	86	172	0	9	2	30	2
Balance of Co.	104	58	46	93	0	4	7	13	0
Dawes	118	58	60	104	2	11	1	1	0
Chadron	70	37	33	60	2	7	1	1	0
Balance of Co.	48	21	27	44	0	4	0	0	0

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Dawson	396	211	185	390	0	3	3	87	5
Cozad	65	35	30	65	0	0	0	10	0
Gothenburg	48	24	24	47	0	1	0	2	0
Lexington	196	109	87	191	0	2	3	67	5
Balance of Co.	87	43	44	87	0	0	0	8	0
Deuel	19	11	8	18	0	1	0	0	0
Dixon	70	32	38	69	0	1	0	2	0
Dodge	454	245	209	452	0	0	2	8	3
*Fremont	330	188	142	328	0	0	2	7	2
Balance of Co.	124	57	67	124	0	0	0	1	1
Douglas	6,989	3,595	3,394	5,741	1,097	61	90	214	87
*Omaha	5,563	2,856	2,707	4,363	1,066	57	77	195	82
Ralston	86	46	40	82	1	0	3	3	1
Balance of Co.	1,340	693	647	1,296	30	4	10	16	4
Dundy	22	9	13	22	0	0	0	1	0
Fillmore	92	47	45	88	0	4	0	2	0
Franklin	44	23	21	44	0	0	0	0	0
Frontier	34	16	18	34	0	0	0	0	0
Furnas	68	31	37	67	0	0	1	1	1
Gage	249	122	127	246	0	2	1	0	0
*Beatrice	159	74	85	157	0	1	1	0	0
Balance of Co.	90	48	42	89	0	1	0	0	0
Garden	30	14	16	29	0	0	1	0	1
Garfield	24	16	8	24	0	0	0	0	0
Gosper	28	16	12	28	0	0	0	0	0
Grant	9	7	2	9	0	0	0	0	0
Greeley	39	18	21	39	0	0	0	0	0
Hall	795	417	378	781	3	1	10	109	5
*Grand Island	653	335	318	640	2	1	10	100	5
Balance of Co.	142	82	60	141	1	0	0	9	0
Hamilton	110	62	48	109	0	1	0	1	0
Aurora	51	31	20	51	0	0	0	1	0
Balance of Co.	59	31	28	58	0	1	0	0	0
Harlan	44	24	20	44	0	0	0	0	0
Hayes	14	8	6	14	0	0	0	0	0
Hitchcock	32	13	19	32	0	0	0	0	0
Holt	169	91	78	167	0	1	1	1	0
O'Neill	46	28	18	45	0	0	1	0	0
Balance of Co.	123	63	60	122	0	1	0	1	0
Hooker	5	1	4	5	0	0	0	0	0
Howard	77	43	34	76	0	0	1	0	0
Jefferson	81	40	41	81	0	0	0	3	0
Fairbury	44	23	21	44	0	0	0	2	0
Balance of Co.	37	17	20	37	0	0	0	1	0
Johnson	41	25	16	41	0	0	0	2	0
Kearney	92	45	47	91	0	0	1	1	2
Minden	37	18	19	37	0	0	0	1	1
Balance of Co.	55	27	28	54	0	0	1	0	1

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

COUNTY	TOTAL BIRTHS	SEX		RACE				HISP. OR.**	
		MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Keith	100	53	47	98	1	0	1	5	2
Ogallala	69	38	31	67	1	0	1	5	1
Balance of Co.	31	15	16	31	0	0	0	0	1
Keya Paha	16	6	10	16	0	0	0	0	0
Kimball	40	22	18	39	0	1	0	3	3
Kimball	24	14	10	23	0	1	0	2	2
Balance of Co.	16	8	8	16	0	0	0	1	1
Knox	118	61	57	104	0	14	0	0	1
Lancaster	3,069	1,579	1,490	2,834	87	33	115	49	25
*Lincoln	2,855	1,463	1,392	2,620	87	33	115	48	24
Balance of Co.	214	116	98	214	0	0	0	1	1
Lincoln	476	242	234	469	3	3	1	31	3
*North Platte	342	169	173	336	3	2	1	24	2
Balance of Co.	134	73	61	133	0	1	0	7	1
Logan	7	3	4	7	0	0	0	0	0
Loup	5	5	0	5	0	0	0	0	0
McPherson	5	2	3	5	0	0	0	0	0
Madison	551	270	281	532	10	8	1	36	2
*Norfolk	382	182	200	365	9	7	1	19	1
Balance of Co.	169	88	81	167	1	1	0	17	1
Merrick	130	73	57	130	0	0	0	1	1
Central City	37	20	17	37	0	0	0	1	0
Balance of Co.	93	53	40	93	0	0	0	0	1
Morrill	64	31	33	61	0	3	0	4	1
Nance	50	23	27	50	0	0	0	1	1
Nemaha	71	40	31	71	0	0	0	1	0
Auburn	34	19	15	34	0	0	0	0	0
Balance of Co.	37	21	16	37	0	0	0	1	0
Nuckolls	50	28	22	50	0	0	0	0	0
Superior	16	10	6	16	0	0	0	0	0
Balance of Co.	34	18	16	34	0	0	0	0	0
Otoe	178	95	83	176	1	1	0	3	0
Nebraska City	89	50	39	88	0	1	0	2	0
Balance of Co.	89	45	44	88	1	0	0	1	0
Pawnee	38	18	20	38	0	0	0	1	0
Perkins	39	27	12	39	0	0	0	0	0
Phelps	138	69	69	138	0	0	0	2	1
Holdrege	81	42	39	81	0	0	0	2	1
Balance of Co.	57	27	30	57	0	0	0	0	0
Pierce	89	49	40	89	0	0	0	0	0
Platte	453	235	218	448	1	3	1	18	0
*Columbus	309	161	148	304	1	3	1	15	0
Balance of Co.	144	74	70	144	0	0	0	3	0
Polk	63	38	25	63	0	0	0	2	0
Red Willow	156	78	78	154	0	1	1	1	0
McCook	108	54	54	107	0	1	0	1	0
Balance of Co.	48	24	24	47	0	0	1	0	0

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	INDIAN	ALL OTHERS	MEXICAN	ALL OTHERS
Richardson	113	53	60	112	0	1	0	0	0
Falls City	60	33	27	59	0	1	0	0	0
Balance of Co.	53	20	33	53	0	0	0	0	0
Rock	13	9	4	13	0	0	0	0	1
Saline	148	80	68	148	0	0	0	4	0
Crete	56	30	26	56	0	0	0	3	0
Balance of Co.	92	50	42	92	0	0	0	1	0
Sarpy	1,879	946	933	1,737	84	7	51	36	25
*Bellevue	454	234	220	408	34	1	11	16	6
LaVista	180	89	91	174	3	0	3	3	2
Papillion	188	100	88	181	3	0	4	5	3
Balance of Co.	1,057	523	534	974	44	6	33	12	14
Saunders	235	117	118	233	1	0	1	1	1
Wahoo	51	26	25	49	1	0	1	0	0
Balance of Co.	184	91	93	184	0	0	0	1	1
Scotts Bluff	609	305	304	573	0	34	2	99	34
Gering	143	70	73	135	0	8	0	21	7
*Scottsbluff	279	148	131	254	0	23	2	54	23
Balance of Co.	187	87	100	184	0	3	0	24	4
Seward	184	92	92	184	0	0	0	2	0
Seward	82	43	39	82	0	0	0	1	0
Balance of Co.	102	49	53	102	0	0	0	1	0
Sheridan	74	32	42	56	0	17	1	1	2
Sherman	39	25	14	38	0	1	0	0	0
Sioux	14	7	7	14	0	0	0	0	0
Stanton	75	36	39	75	0	0	0	1	0
Thayer	77	39	38	76	0	0	1	0	0
Thomas	11	4	7	11	0	0	0	0	0
Thurston	157	79	78	41	0	115	1	2	0
Valley	59	27	32	58	0	1	0	0	0
Ord	29	15	14	28	0	1	0	0	0
Balance of Co.	30	12	18	30	0	0	0	0	0
Washington	166	80	86	166	0	0	0	0	0
Blair	82	43	39	82	0	0	0	0	0
Balance of Co.	84	37	47	84	0	0	0	0	0
Wayne	120	67	53	119	1	0	0	1	1
Wayne	54	32	22	53	1	0	0	1	0
Balance of Co.	66	35	31	66	0	0	0	0	1
Webster	44	18	26	44	0	0	0	1	0
Wheeler	17	6	11	17	0	0	0	0	0
York	191	96	95	182	6	2	1	2	1
York	103	49	54	101	0	1	1	1	0
Balance of Co.	88	47	41	81	6	1	0	1	1

* - Cities over 10,000 population in 1980
Indented - Cities 2,500 - 10,000 population in 1980

** - Hispanic Origin may be of any race

277 sets of twins   8 sets of triplets

GRAPH 3: % OF ALL BIRTHS BY AGE OF MOTHER
NEBRASKA, 1988-1992



	1988	1989	1990	1991	1992
UNDER 20	9.2	9.3	9.8	9.8	9.9
20-24	26.5	25.8	25.3	25.1	25.7
25-29	36.1	35.7	34.4	34.1	31.9
30 AND OVER	28.2	29.2	30.5	31	32.5

YEAR

GRAPH 4: AVERAGE AGE OF MOTHER GIVING BIRTH
NEBRASKA, 1975-1992



	1975	1980	1985	1990	1992
1ST BORN	22.7	23.3	23.6	24.2	24.2
2ND BORN	25.4	25.9	26.3	27	27.2
3RD BORN	27.6	28.4	28.2	28.8	29.1

YEAR

TABLE 6: BIRTH ORDER BY AGE OF MOTHER
NEBRASKA, 1992

AGE OF MOTHER	TOTAL	BIRTH ORDER												
		1	2	3	4	5	6	7	8	9	10	11	≥12	Unk*
TOTAL	23,336	8,789	7,491	4,219	1,811	620	243	85	40	21	6	4	5	2
13	5	5												
14	32	32												
15	95	89	6											
16	252	236	15	1										
17	409	350	48	10	1									
18	652	511	121	16	4									
19	864	628	187	42	6	1								
20	1,052	656	301	76	11	6	2							
21	1,196	630	374	143	37	11	1							
22	1,202	574	416	153	49	6	4							
23	1,243	554	458	174	37	17	3							
24	1,308	566	436	200	79	21	5	1						
25	1,390	582	476	214	84	26	6	1						1
26	1,468	570	527	246	83	31	8	2	1					
27	1,489	480	578	276	98	39	10	7	1					
28	1,539	472	576	328	112	36	13	2						
29	1,561	443	557	341	156	45	13	3		2				1
30	1,359	338	487	320	141	47	17	6	3					
31	1,271	284	452	317	150	50	15	1		1			1	
32	1,135	200	381	314	165	45	22	3	3	1			1	
33	846	140	290	242	109	39	17	5	3	1				
34	749	124	221	225	115	35	16	9	2			1	1	
35	631	90	185	182	105	39	23	3	3	1				
36	491	76	117	142	88	41	13	5	7	1	1			
37	346	47	97	94	55	26	12	9	4	2				
38	263	42	72	64	44	16	12	11			1	1		
39	194	32	46	44	36	17	7	5	2	4		1		
40	131	16	28	28	19	12	11	4	6	4	1	1	1	
41	78	8	22	15	11	4	8	5	1	2	1		1	
42	42	6	10	5	5	8	1	3	2	1	1			
43	23	3	2	2	8	1	4		2		1			
44	16	4	4	5	1	1				1				
45	2	1			1									
46	1				1									
Unknown	1		1											

TABLE 7: TEEN BIRTHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

COUNTY	1992 TEEN BIRTHS	 TOTAL BIRTHS	 % TEEN BIRTHS	1988-1992 TEEN BIRTHS	 TOTAL BIRTHS	 % TEEN BIRTHS
TOTAL	2,309	23,336	9.9	11,514	119,755	9.6
Adams	48	446	10.8	182	2,106	8.6
Antelope	5	95	5.3	22	559	3.9
Arthur	*	9		0	[illegible]7	0.0
Banner	*	6		2	[illegible]7	4.3
Blaine	*	16		1	38	2.6
Boone	*	78		18	475	3.8
Box Butte	29	186	15.6	120	976	12.3
Boyd	9	36	25.0	16	162	9.9
Brown	7	41	17.1	26	225	11.6
Buffalo	37	491	7.5	266	2,699	9.9
Burt	6	92	6.5	31	428	7.2
Butler	9	110	8.2	35	551	6.4
Cass	33	280	11.8	160	1,576	10.2
Cedar	*	132		33	805	4.1
Chase	*	47		35	281	12.5
Cherry	9	83	10.8	42	462	9.1
Cheyenne	13	125	10.4	80	643	12.4
Clay	5	89	5.6	18	429	4.2
Colfax	8	130	6.2	44	707	6.2
Cuming	6	130	4.6	56	668	8.4
Custer	15	151	9.9	70	821	8.5
Dakota	41	287	14.3	190	1489	12.8
Dawes	18	118	15.3	76	600	12.7
Dawson	56	396	14.1	200	1,504	13.3
Deuel	*	19		15	116	12.9
Dixon	6	70	8.6	44	395	11.1
Dodge	46	454	10.1	240	2,323	10.3
Douglas	744	6,989	10.6	3,387	35,857	10.8
Dundy	*	22		14	130	10.8
Fillmore	7	92	7.6	32	433	7.4
Franklin	*	44		13	230	5.7
Frontier	*	34		20	180	11.1
Furnas	7	68	10.3	29	298	9.7
Gage	23	249	9.2	145	1,385	10.5
Garden	*	30		11	155	7.1
Garfield	*	24		9	130	6.9
Gosper	*	28		4	112	3.6
Grant	*	9		1	58	1.7
Greeley	5	39	12.8	18	194	9.3
Hall	102	795	12.8	503	4,003	12.6
Hamilton	14	110	12.7	51	609	8.4
Harlan	*	44		10	218	4.6
Hayes	*	14		6	86	7.0
Hitchcock	7	32	21.9	25	205	12.2
Holt	8	169	4.7	70	981	7.1
Hooker	*	5		6	39	15.4
Howard	10	77	13.0	38	404	9.4

TABLE 7: TEEN BIRTHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TEEN BIRTHS	TOTAL BIRTHS	% TEEN BIRTHS	TEEN BIRTHS	TOTAL BIRTHS	% TEEN BIRTHS
Jefferson	6	81	7.4	30	510	5.9
Johnson	5	41	12.2	27	251	10.8
Kearney	*	92		26	463	5.6
Keith	13	100	13.0	73	513	14.2
Keya Paha	*	16		1	61	1.6
Kimball	5	40	12.5	18	235	7.7
Knox	9	118	7.6	61	623	9.8
Lancaster	266	3,069	8.7	1,247	15,513	8.0
Lincoln	73	476	15.3	302	2,330	13.0
Logan	*	7		3	47	6.4
Loup	*	5		3	30	10.0
McPherson	*	5		3	26	11.5
Madison	61	551	11.1	265	2,773	9.6
Merrick	7	130	5.4	37	547	6.8
Morrill	10	64	15.6	42	352	11.9
Nance	*	50		15	276	5.4
Nemaha	5	71	7.0	35	435	8.0
Nuckolls	*	50		21	289	7.3
Otoe	22	178	12.4	103	906	11.4
Pawnee	*	38		11	194	5.7
Perkins	5	39	12.8	14	196	7.1
Phelps	12	138	8.7	51	657	7.8
Pierce	6	89	6.7	30	534	5.6
Platte	44	453	9.7	198	2,432	8.1
Polk	*	63		19	324	5.9
Red Willow	18	156	11.5	90	821	11.0
Richardson	11	113	9.7	65	631	10.3
Rock	*	13		6	106	5.7
Saline	8	148	5.4	50	752	6.6
Sarpy	125	1,879	6.7	611	9,426	6.5
Saunders	18	235	7.7	90	1,255	7.2
Scotts Bluff	94	609	15.4	482	2,819	17.1
Seward	11	184	6.0	63	953	6.6
Sheridan	9	74	12.2	48	419	11.5
Sherman	*	39		19	221	8.6
Sioux	*	14		3	69	4.3
Stanton	10	75	13.3	43	434	9.9
Thayer	*	77		23	389	5.9
Thomas	*	11		1	44	2.3
Thurston	32	157	20.4	141	822	17.2
Valley	5	59	8.5	25	298	8.4
Washington	15	166	9.0	65	937	6.9
Wayne	*	120		36	617	5.8
Webster	*	44		22	269	8.2
Wheeler	*	17		7	92	7.6
York	13	191	6.8	74	1,045	7.1

Teen Births = Ages 19 and under

*Teen Births are not provided for 1992 if there were less than five for any given county for reasons of confidentiality

GRAPH 5
TRIMESTER PRENATAL CARE BEGAN
NEBRASKA, 1992



	<=17	18-19	20-24	25-29	30-34	>=35
1st	58.5	62	75.4	87.6	90	85.1
2nd	31.5	29.7	19.8	10.4	8.6	11.9
3rd	8.3	6.4	3.6	1.5	1	2
No Care	1.4	1.7	0.8	0.4	0.3	0.9

Age of Mother

NEBRASKA, 1992

TABLE 8: BIRTHS BY TRIMESTER PRENATAL CARE BEGAN (PERCENT) BY NUMBER OF PRENATAL VISITS

NO. OF VISITS	TRIMESTER			NO PRENATAL CARE	UNKNOWN	TOTAL
	FIRST	SECOND	THIRD			
0	-	-	-	100.0	-	100.0
1-5	25.9	39.5	34.1	-	0.5	100.0
6-9	65.7	30.3	3.8	-	0.2	100.0
10-12	89.3	10.4	0.3	-	0.1	100.0
13-15	94.1	5.8	0.1	-	0.1	100.0
16-18	95.7	4.2	-	-	0.1	100.0
≥19	96.3	3.4	0.2	-	-	100.0
Unknown	41.4	3.5	3.5	-	51.7	100.0
TOTAL	82.1	14.5	2.5	0.7	0.2	100.0

TABLE 9: BIRTHS BY NUMBER OF PRENATAL VISITS (PERCENT) BY AGE OF MOTHER

AGE OF MOTHER	PRENATAL VISITS							UNKNOWN	TOTAL
	0	1-5	6-9	10-12	13-15	16-18	≥19		
≤ 16	1.3	11.2	33.3	32.0	16.4	2.3	2.9	0.5	100.0
17-19	1.7	10.0	28.4	35.3	19.2	3.4	1.9	0.2	100.0
20-24	0.8	6.5	23.0	38.9	23.9	4.8	1.9	0.2	100.0
25-29	0.4	3.2	20.2	45.1	24.1	4.9	2.0	0.1	100.0
30-34	0.3	2.3	19.5	49.4	22.3	4.2	1.9	0.1	100.0
35-39	0.9	3.4	21.2	45.4	21.4	5.4	2.2	0.1	100.0
≥ 40	1.4	5.1	28.0	38.2	19.1	4.4	3.8	-	100.0
Unknown	-	-	-	-	100.0	-	-	-	100.0
TOTAL	0.7	4.6	21.8	43.4	22.8	4.6	2.0	0.1	100.0

NEBRASKA, 1992

TABLE 10: NUMBER OF PRENATAL VISITS (PERCENT) BY EDUCATION OF MOTHER

EDUCATION OF MOTHER (YEARS)	PRENATAL VISITS 0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
≤ 8	2.5	15.6	32.5	31.3	15.0	1.7	0.8	0.6	100.0
9-11	1.2	12.6	28.2	33.6	17.9	4.1	2.2	0.2	100.0
12	0.8	5.4	23.1	41.0	22.5	5.0	2.1	0.1	100.0
13	0.6	3.3	21.1	43.4	24.6	4.8	2.2	0.1	100.0
14	0.6	2.2	19.8	45.9	25.2	4.7	1.5	0.1	100.0
15	0.5	1.7	20.7	45.3	23.6	5.7	2.4	0.1	100.0
16	0.1	1.5	17.7	51.2	23.9	3.7	1.9	0.1	100.0
≥ 17	0.2	0.7	18.1	50.2	24.3	4.5	2.1	0.1	100.0
Unknown	5.3	5.3	26.3	42.1	10.5	-	-	10.5	100.0
TOTAL	0.7	4.6	21.8	43.4	22.8	4.6	2.0	0.1	100.0

TABLE 11: NUMBER OF PRENATAL VISITS (PERCENT) BY BIRTH WEIGHT OF CHILD

BIRTH WEIGHT OF CHILD (GRAMS)	PRENATAL VISITS 0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
<1500	3.3	31.6	39.6	12.7	6.6	2.8	3.3	-	100.0
1500-2499	1.8	13.1	36.0	27.8	13.2	2.6	5.4	0.1	100.0
2500-4499	0.6	3.9	21.1	44.5	23.4	4.6	1.8	0.1	100.0
≥4500	0.9	2.0	15.2	45.2	26.2	7.8	2.8	-	100.0
Unknown	9.1	9.1	9.1	9.1	-	-	-	63.6	100.0
TOTAL	0.7	4.6	21.8	43.4	22.8	4.6	2.0	0.1	100.0

TABLE 12: NUMBER OF PRENATAL VISITS (PERCENT) BY RACE/HISPANIC ORIGIN OF MOTHER

RACE/ HISP. OR.** OF MOTHER	PRENATAL VISITS 0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
RACE									
White	0.6	3.6	21.5	44.6	23.0	4.6	2.0	0.1	100.0
Black	1.4	16.8	24.1	27.3	22.5	5.3	2.6	-	100.0
Am. Indian	2.9	15.5	26.5	30.2	17.7	1.9	2.7	2.7	100.0
All Other	-	5.0	26.5	43.7	18.9	4.0	1.3	0.7	100.0
Unknown	9.1	-	18.2	54.6	9.1	-	-	9.1	100.0
HISP. OR.**									
Mexican	2.0	14.3	30.1	36.7	13.6	2.1	0.9	0.3	100.0
All Other	2.2	11.6	30.8	31.3	19.2	3.6	1.3	-	100.0
TOTAL	0.7	4.6	21.8	43.4	22.8	4.6	2.0	0.1	100.0

** - Hispanic Origin may be of any race

TABLE 13: BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND PERCENT RECEIVING INADEQUATE CARE
NEBRASKA, 1992

County	First Trimester	Second Trimester	Third Trimester	None	Unknown	Percent Inadequate Care*
TOTAL	19,164	3,387	589	155	41	4.8
Adams	364	69	7	6		3.8
Antelope	75	15	4	1		5.3
Arthur	9					–
Banner	5	1				–
Blaine	13	2		1		6.3
Boone	69	9				1.3
Box Butte	135	33	12	4	2	14.5
Boyd	28	7	1			5.6
Brown	32	3	6			17.1
Buffalo	404	76	8	3		2.9
Burt	75	14	2	1		3.3
Butler	92	15	3			3.6
Cass	235	38	6	1		3.2
Cedar	114	17	1			0.8
Chase	33	12	1	1		6.4
Cherry	65	13	2	3		7.2
Cheyenne	107	14	4			4.0
Clay	69	18	2			2.3
Colfax	103	17	5	4	1	7.7
Cuming	106	23			1	–
Custer	125	23	2	1		3.3
Dakota	234	43	5	2	3	5.6
Dawes	91	20	1	5	1	11.0
Dawson	293	78	21	3	1	7.6
Deuel	16	3				–
Dixon	57	9	2	1	1	5.7
Dodge	350	88	13	3		4.2
Douglas	5,828	935	180	41	5	5.3
Dundy	17	3	2			9.1
Fillmore	65	23	4			5.4
Franklin	40	3	1			2.3
Frontier	28	5	1			2.9
Furnas	57	11				–
Gage	206	34	7	2		5.2
Garden	21	9				3.3
Garfield	20	2	2			8.3
Gosper	26	2				–
Grant	6	3				–
Greeley	27	7	4	1		12.8
Hall	573	179	31	11	1	6.7
Hamilton	96	12	2			2.7
Harlan	36	5	2	1		6.8
Hayes	12	2				–
Hitchcock	25	5	2			6.3
Holt	139	28	1	1		1.8
Hooker	3	2				–
Howard	59	16	2			3.9
Jefferson	60	20	1			1.2

TABLE 13: BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND PERCENT RECEIVING INADEQUATE CARE NEBRASKA, 1992 (continued)

County	First Trimester	Second Trimester	Third Trimester	None	Unknown	Percent Inadequate Care*
Johnson	33	6		2		4.9
Kearney	80	10	1	1		2.2
Keith	80	17	2	1		4.0
Keya Paha	13	3				-
Kimball	30	9	1			5.0
Knox	103	14	1			3.4
Lancaster	2,579	388	84	15	3	3.8
Lincoln	397	61	12	6		4.8
Logan	6	1				-
Loup	5					-
McPherson	5					-
Madison	465	76	8	2		3.3
Merrick	111	18		1		1.5
Morrill	41	19	3		1	14.1
Nance	41	8	1			6.0
Nemaha	59	9	3			5.6
Nuckolls	40	5	3		2	8.0
Otoe	150	20	5	2	1	3.9
Pawnee	35	1	1	1		5.3
Perkins	35	4				-
Phelps	112	23	3			2.9
Pierce	73	16				-
Platte	376	64	9	2	2	4.2
Polk	53	10				-
Red Willow	135	20	1			0.6
Richardson	89	19	5			5.3
Rock	12		1			7.7
Saline	135	12		1		3.4
Sarpy	1,575	259	32	12	1	3.3
Saunders	196	32	6	1		3.4
Scotts Bluff	441	127	28	5	8	11.7
Seward	152	30	2			2.2
Sheridan	61	9	4			6.8
Sherman	29	6	4			10.3
Sioux	13	1				-
Stanton	64	10	1			2.7
Thayer	64	11	2			3.9
Thomas	7	3		1		9.1
Thurston	113	32	4	2	6	14.7
Valley	48	9	2			3.4
Washington	152	10	2	2		2.4
Wayne	103	13	2	1	1	3.3
Webster	39	4	1			4.6
Wheeler	12	5				5.9
York	159	27	5			3.7

* - Calculated by using the Kessner Index. The Kessner Index measures adequacy of prenatal care (adequate, inadequate, intermediate) by using a combination of the following factors: number of prenatal visits; gestation; and trimester prenatal care started.

GRAPH 6
LOW AND VERY LOW BIRTH WEIGHT RATES
NEBRASKA, 1970-1992



TABLE 14: BIRTHS BY WEIGHT GROUPS
NEBRASKA, 1992

WEIGHT	NUMBER	PER CENT OF TOTAL
1 lb. and under	20	0.1
1 lb. 1 oz. - 2 lbs.	70	0.3
2 lbs. 1 ozs. - 3 lbs. 8 ozs.	161	0.7
3 lbs. 9 ozs. - 4 lbs. 8 ozs.	263	1.1
4 lbs. 9 ozs. - 5 lbs. 8 ozs.	795	3.4
5 lbs. 9 ozs. - 5 lbs. 15 ozs.	805	3.4
6 lbs. - 6 lbs. 15 ozs.	4,707	20.2
7 lbs. - 7 lbs. 15 ozs.	8,239	35.3
8 lbs. - 8 lbs. 15 ozs.	5,893	25.3
9 lbs. - 9 lbs. 15 ozs.	1,960	8.4
10 lbs. - 10 lbs. 15 ozs.	363	1.6
11 lbs. - 11 lbs. 15 ozs.	43	0.2
12 lbs. - 12 lbs. 15 ozs.	5	0.0
13 lbs. - 13 lbs. 15 ozs.	1	0.0
Unknown	11	0.0
TOTAL BIRTHS	23,336	100.0

WEIGHT (in grams)	NUMBER	PER CENT OF TOTAL
≤499	25	0.1
500 - 999	76	0.3
1000 - 1499	111	0.5
1500 - 1999	256	1.1
2000 - 2499	840	3.6
2500 - 2999	3,159	13.5
3000 - 3499	8,557	36.7
3500 - 3999	7,455	31.9
4000 - 4499	2,383	10.2
4500 - 4999	423	1.8
≥5000	40	0.2
Unknown	11	0.0
TOTAL BIRTHS	23,336	100.0

TABLE 15: BIRTHS, VERY LOW AND LOW BIRTH WEIGHT
BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

	1992				1988-1992			
	<1500		<2500		<1500		<2500	
COUNTY	grams	Rate*	grams	Rate*	grams	Rate*	grams	Rate*
STATE	212	9.1	1,308	56.1	1,137	9.5	6,657	55.6
Adams	1	2.2	27	60.5	9	4.3	125	59.4
Antelope	1	10.5	2	21.1	6	10.7	24	42.9
Arthur	0	-	0	-	0	-	3	111.1
Banner	0	-	0	-	0	-	1	21.3
Blaine	0	-	1	62.5	0	-	1	26.3
Boone	0	-	3	38.5	2	4.2	12	25.3
Box Butte	6	32.3	15	80.6	17	17.4	65	66.6
Boyd	0	-	1	27.8	0	-	6	37.0
Brown	0	-	0	-	0	-	3	13.3
Buffalo	4	8.1	28	57.0	19	7.0	155	57.4
Burt	2	21.7	6	65.2	2	4.7	22	51.4
Butler	0	-	5	45.5	1	1.8	23	41.7
Cass	1	3.6	18	64.3	15	9.5	80	50.8
Cedar	1	7.6	3	22.7	8	9.9	32	39.8
Chase	0	-	0	-	1	3.6	8	28.5
Cherry	0	-	6	72.3	3	6.5	27	58.4
Cheyenne	0	-	9	72.0	6	9.3	41	63.8
Clay	1	11.2	5	56.2	4	9.3	21	49.0
Colfax	4	30.8	8	61.5	7	9.9	30	42.4
Cuming	0	-	1	7.7	5	7.5	26	38.9
Custer	2	13.2	7	46.4	6	7.3	46	56.0
Dakota	2	7.0	12	41.8	15	10.1	74	49.7
Dawes	2	16.9	11	93.2	5	8.3	36	60.0
Dawson	4	10.1	31	78.3	17	11.3	101	67.2
Deuel	0	-	1	52.6	0	-	8	69.0
Dixon	0	-	1	14.3	5	12.7	20	50.6
Dodge	3	6.6	25	55.1	22	9.5	115	49.5
Douglas	93	13.3	475	68.0	458	12.8	2,349	65.5
Dundy	0	-	2	90.9	0	-	12	92.3
Fillmore	1	10.9	9	97.8	7	16.2	26	60.0
Franklin	0	-	3	68.2	0	-	12	52.2
Frontier	0	-	1	29.4	0	-	4	22.2
Furnas	0	-	1	14.7	3	10.1	16	53.7
Gage	3	12.0	18	72.3	9	6.5	76	54.9
Garden	0	-	0	-	1	6.5	9	58.1
Garfield	0	-	1	41.7	1	7.7	4	30.8
Gosper	1	35.7	1	35.7	2	17.9	5	44.6
Grant	0	-	0	-	0	-	2	34.5
Greeley	0	-	3	76.9	2	10.3	13	67.0
Hall	8	10.1	46	57.9	35	8.7	250	62.5
Hamilton	0	-	3	27.3	6	9.9	24	39.4
Harlan	0	-	1	22.7	0	-	11	50.5
Hayes	1	71.4	1	71.4	1	11.6	4	46.5
Hitchcock	0	-	2	62.5	1	4.9	11	53.7
Holt	1	5.9	5	29.6	4	4.1	34	34.7
Hooker	0	-	0	-	0	-	1	25.6
Howard	0	-	6	77.9	4	9.9	21	52.0
Jefferson	2	24.7	5	61.7	3	5.9	18	35.3

TABLE 15: BIRTHS, VERY LOW AND LOW BIRTH WEIGHT
BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992				1988-1992			
	<1500		<2500		<1500		<2500	
COUNTY	grams	Rate*	grams	Rate*	grams	Rate*	grams	Rate*
Johnson	0	-	3	73.2	2	8.0	14	55.8
Kearney	3	32.6	11	119.6	5	10.8	22	47.5
Keith	1	10.0	7	70.0	2	3.9	20	39.0
Keya Paha	0	-	0	-	0	-	0	-
Kimball	0	-	2	50.0	2	8.5	15	63.8
Knox	3	25.4	6	50.8	8	12.8	32	51.4
Lancaster	25	8.1	141	45.9	128	8.3	814	52.5
Lincoln	1	2.1	23	48.3	19	8.2	146	62.7
Logan	0	-	0	-	0	-	1	21.3
Loup	0	-	0	-	0	-	2	66.7
McPherson	0	-	0	-	0	-	0	-
Madison	3	5.4	27	49.0	27	9.7	136	49.0
Merrick	0	-	6	46.2	4	7.3	31	56.7
Morrill	0	-	2	31.3	1	2.8	16	45.5
Nance	0	-	0	-	2	7.2	14	50.7
Nemaha	0	-	5	70.4	2	4.6	13	29.9
Nuckolls	1	20.0	5	100.0	2	6.9	18	62.3
Otoe	1	5.6	11	61.8	10	11.0	50	55.2
Pawnee	0	-	1	26.3	1	5.2	7	36.1
Perkins	0	-	0	-	2	10.2	8	40.8
Phelps	2	14.5	6	43.5	4	6.1	35	53.3
Pierce	0	-	0	-	4	7.5	15	28.1
Platte	2	4.4	17	37.5	13	5.3	102	41.9
Polk	0	-	1	15.9	1	3.1	16	49.4
Red Willow	1	6.4	7	44.9	9	11.0	42	51.2
Richardson	0	-	12	106.2	1	1.6	41	65.0
Rock	0	-	2	153.8	0	-	5	47.2
Saline	1	6.8	9	60.8	3	4.0	33	43.9
Sarpy	8	4.3	82	43.6	75	8.0	428	45.4
Saunders	2	8.5	14	59.6	9	7.2	63	50.2
Scotts Bluff	4	6.6	37	60.8	39	13.8	187	66.3
Seward	1	5.4	9	48.9	7	7.3	47	49.3
Sheridan	0	-	5	67.6	4	9.5	28	66.8
Sherman	0	-	1	25.6	1	4.5	13	58.8
Sioux	0	-	1	71.4	0	-	2	29.0
Stanton	0	-	4	53.3	3	6.9	25	57.6
Thayer	0	-	2	26.0	3	7.7	15	38.6
Thomas	0	-	0	-	0	-	0	-
Thurston	1	6.4	6	38.2	5	6.1	31	37.7
Valley	0	-	4	67.8	0	-	18	60.4
Washington	3	18.1	10	60.2	13	13.9	54	57.6
Wayne	2	16.7	6	50.0	7	11.3	28	45.4
Webster	0	-	1	22.7	0	-	9	33.5
Wheeler	0	-	2	117.6	1	10.9	9	97.8
York	3	15.7	11	57.6	6	5.7	45	43.1

*Per 1,000 live births

NOTE: Rates based on small numbers may be unreliable.

NEBRASKA BIRTHS, 1992

TABLE 16: MEDICAL HISTORY FACTORS OF THE MOTHER

MEDICAL HISTORY FACTORS	NUMBER*	PERCENT OF BIRTHS**
TOTAL	24,346	
Anemia (Hct. <30/Hgb. <10)	221	0.9
Cardiac Disease	48	0.2
Acute or Chronic Lung Disease	51	0.2
Diabetes	554	2.4
Genital Herpes	158	0.7
Hydramnios	82	0.4
Oligohydramnios	161	0.7
Hemoglobinopathy	10	0.0
Hypertension, Chronic	146	0.6
Hypertension, Pregnancy Induced	614	2.6
Eclampsia	37	0.2
Incompetent Cervix	78	0.3
Previous Infant 4000+ Grams	399	1.7
Previous Preterm or Small-for-Gestational-Age Infant	444	1.9
Renal Disease	43	0.2
Blood Group Sensitization	101	0.4
Uterine Bleeding	103	0.4
Pre-Eclampsia	247	1.1
Other Sexually Transmitted Disease	208	0.9
Other	2,623	11.2
None	17,993	77.1
Not Classifiable	25	0.1

* - These figures do not equal the total number of resident births due to the indication of multiple medical history factors on some birth certificates

TABLE 17: OBSTETRIC PROCEDURES

OBSTETRIC PROCEDURES	NUMBER*	PERCENT OF BIRTHS**
TOTAL	49,057	
Amniocentesis	1,068	4.6
Fetal Monitoring	22,062	94.5
Induction of Labor	3,789	16.2
Stimulation (Augmentation) of Labor	5,721	24.5
Tocolysis	582	2.5
Ultrasound	12,248	52.5
Scalp pH	118	0.5
Other	2,917	12.5
None	531	2.3
Not Classifiable	21	0.1

* - These figures do not equal the total number of resident births due to indication of multiple obstetric procedures on some birth certificates

** - Will equal more than 100.0 since the denominator used is the total number of resident births (23,336)

NEBRASKA BIRTHS, 1992

TABLE 18: EVENTS OF LABOR AND/OR DELIVERY

EVENTS OF LABOR AND/OR DELIVERY	NUMBER*	PERCENT OF BIRTHS**
TOTAL	25,883	
Febrile (>100°F or 38°C)	353	1.5
Meconium, Moderate/Heavy	1,181	5.1
Premature Rupture of Membrane (>12 hours)	659	2.8
Abruptio Placenta	128	0.5
Placenta Previa	77	0.3
Other Excessive Bleeding	119	0.5
Seizures During Labor	7	0.0
Precipitous Labor (<3 hours)	650	2.8
Prolonged Labor (>20 hours)	301	1.3
Dysfunctional Labor	557	2.4
Breech/Malpresentation	914	3.9
Cephalopelvic Disproportion	867	3.7
Cord Prolapse	42	0.2
Anesthetic Complications	9	0.0
Fetal Distress	830	3.6
Preterm Labor	1,031	4.4
Other	2,868	12.3
None	15,265	65.4
Not Classifiable	25	0.1

* - These figures do not equal the total number of resident births due to the indication of multiple events of labor and/or delivery on some birth certificates

TABLE 19: METHOD OF DELIVERY

METHOD OF DELIVERY	NUMBER*	PERCENT OF BIRTHS**
TOTAL	27,204	
Vaginal	18,070	77.4
Vaginal Birth after Previous C-Section	691	3.0
Primary C-Section	2,752	11.8
Repeat C-Section	1,773	7.6
Forceps	2,391	10.2
Vacuum	1,513	6.5
Not Classifiable	14	0.1

* - These figures do not equal the total number of resident births due to the indication of multiple methods used in delivery on some birth certificates

** - Will equal more than 100.0 since the denominator used is the total number of resident births (23,336)

NEBRASKA, 1992

TABLE 20: CONDITIONS OF THE NEWBORN

CONDITIONS OF THE NEWBORN	NUMBER*	PERCENT OF BIRTHS**
TOTAL	23,475	
Anemia (Hct. <39/Hgb. <13)	29	0.1
Fetal Alcohol Syndrome	5	0.0
Hyaline Membrane Disease	148	0.6
Meconium Aspiration Syndrome	117	0.5
RDS (Respiratory Distress Syndrome)	249	1.1
Assisted Ventilation <30 min.	188	0.8
Assisted Ventilation >30 min.	252	1.1
Seizures	15	0.1
Oxygen Need >4 hours	517	2.2
Other	207	0.9
None	21,725	93.1
Not Classifiable	23	0.1

* - These figures do not equal the total number of resident births due to the indication of multiple conditions of the newborn on some birth certificates

** - Will equal more than 100.0 since the denominator used is the total number of resident births (23,336)

Graph 7
Average Birth Weight by Tobacco Usage
Nebraska, 1992



Graph 8
Tobacco Use by Race/Hispanic Origin
Nebraska, 1992



* - hispanic origin may be of any race

Graph 9
Alcohol Use by Race/Hispanic Origin
Nebraska, 1992



* - hispanic origin may be of any race

Graph 10
Percent Using Tobacco by Occupation
Nebraska, 1992



Graph 11
Percent Using Tobacco by Industry
Nebraska, 1992



Graph 12
Percent Consuming Alcohol by Occupation
Nebraska, 1992



Graph 13
Percent Consuming Alcohol by Industry
Nebraska, 1992



GRAPH 14

OUT-OF-WEDLOCK BIRTH RATES
NEBRASKA, 1960-1992



TABLE 21: OUT-OF-WEDLOCK BIRTHS
BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

	1992		1988-1992	
COUNTY	TOTAL	RATE*	TOTAL	RATE*
STATE	5,260	225.4	24,438	204.1
Adams	89	199.6	377	179.0
Hastings	76	233.8	337	210.2
Balance of Co.	13	107.4	40	79.5
Antelope	18	189.5	55	98.4
Arthur	0	-	2	74.1
Banner	0	-	2	42.6
Blaine	1	62.5	1	26.3
Boone	9	115.4	35	73.7
Box Butte	47	252.7	215	220.3
Boyd	10	277.8	23	142.0
Brown	7	170.7	27	120.0
Buffalo	85	173.1	441	163.4
Kearney	67	203.0	343	197.5
Balance of Co.	18	111.8	98	101.9
Burt	23	250.0	72	168.2
Butler	9	81.8	54	98.0
Cass	54	192.9	240	152.3
Cedar	12	90.9	55	68.3
Chase	5	106.4	31	110.3
Cherry	9	108.4	55	119.0
Cheyenne	30	240.0	132	205.3
Clay	14	157.3	45	104.9
Colfax	21	161.5	78	110.3
Cuming	13	100.0	56	83.8
Custer	22	145.7	97	118.1
Dakota	82	285.7	382	256.5
Dawes	33	279.7	146	243.3
Dawson	124	313.1	322	214.1
Deuel	2	105.3	27	232.8
Dixon	13	185.7	64	162.0
Dodge	103	226.9	452	194.6
Fremont	85	257.6	371	228.2
Balance of Co.	18	145.2	81	116.2
Douglas	2,107	301.5	10,439	291.1
Omaha	1,976	355.2	9,897	343.8
Balance of Co.	131	91.9	542	76.7
Dundy	2	90.9	21	161.5
Fillmore	13	141.3	43	99.3
Franklin	4	90.9	18	78.3
Frontier	3	88.2	15	83.3
Furnas	8	117.6	39	130.9
Gage	44	176.7	221	159.6
Beatrice	37	232.7	151	194.3
Balance of Co.	7	77.8	70	115.1
Garden	1	33.3	17	109.7
Garfield	3	125.0	12	92.3

TABLE 21: OUT-OF-WEDLOCK BIRTHS
BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992		1988-1992	
COUNTY	TOTAL	RATE*	TOTAL	RATE*
Gosper	3	107.1	10	89.3
Grant	0	-	4	69.0
Greeley	7	179.5	33	170.1
Hall	201	252.8	900	224.8
Grand Island	178	272.6	801	245.5
Balance of Co.	23	162.0	99	133.6
Hamilton	17	154.5	66	108.4
Harlan	4	90.9	22	100.9
Hayes	2	142.9	6	69.8
Hitchcock	7	218.7	25	122.0
Holt	23	136.1	92	93.8
Hooker	1	200.0	3	76.9
Howard	15	194.8	52	128.7
Jefferson	11	135.8	57	111.8
Johnson	5	122.0	34	135.5
Kearney	14	152.2	56	121.0
Keith	23	230.0	92	179.3
Keya Paha	0	-	0	-
Kimball	8	200.0	36	153.2
Knox	18	152.5	95	152.5
Lancaster	643	209.5	2,892	186.4
Lincoln	624	218.6	2,784	195.1
Balance of Co.	19	88.8	108	86.7
Lincoln	119	250.0	519	222.7
North Platte	102	298.2	432	257.9
Balance of Co.	17	126.9	87	132.8
Logan	0	-	3	63.8
Loup	0	-	4	133.3
McPherson	0	-	0	-
Madison	112	203.3	508	183.2
Norfolk	83	217.3	385	201.8
Balance of Co.	29	171.6	123	142.2
Merrick	17	130.8	58	106.0
Morrill	14	218.7	57	161.9
Nance	6	120.0	32	115.9
Nemaha	14	197.2	72	165.5
Nuckolls	7	140.0	26	90.0
Otoe	29	162.9	151	166.7
Pawnee	2	52.6	9	46.4
Perkins	4	102.6	19	96.9
Phelps	19	137.7	81	123.3
Pierce	6	67.4	48	89.9
Platte	78	172.2	310	127.5
Columbus	65	210.4	235	147.2
Balance of Co.	13	90.3	75	89.8
Polk	4	63.5	28	86.4
Red Willow	26	166.7	135	164.4
Richardson	30	265.5	122	193.3

TABLE 21: OUT-OF-WEDLOCK BIRTHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

COUNTY	1992 TOTAL	1992 RATE*	1988-1992 TOTAL	1988-1992 RATE*
Rock	0	-	10	94.3
Saline	20	135.1	86	114.4
Sarpy	248	132.0	1,111	117.9
Bellevue	107	235.7	396	177.0
Balance of Co.	141	98.9	715	99.5
Saunders	29	123.4	136	108.4
Scotts Bluff	191	313.6	855	303.3
Scottsbluff	105	376.3	460	364.8
Balance of Co.	86	260.6	395	253.5
Seward	24	130.4	107	112.3
Sheridan	22	297.3	128	305.5
Sherman	9	230.8	41	185.5
Sioux	1	71.4	5	72.5
Stanton	15	200.0	60	138.2
Thayer	8	103.9	38	97.7
Thomas	3	272.7	4	90.9
Thurston	100	636.9	491	597.3
Valley	8	135.6	38	127.5
Washington	28	162.7	118	125.9
Wayne	8	66.7	67	108.6
Webster	5	113.6	29	107.8
Wheeler	0	-	3	32.6
York	33	172.8	143	136.8

Indented - Cities over 10,000 population

* - Per 1,000 live births

NOTE: Rates based on small numbers may be unreliable

NEBRASKA, 1988-1992
TABLE 22: OUT-OF-WEDLOCK BIRTHS BY AGE OF MOTHER

	1988		1989		1990		1991		1992	
AGE	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*
10	0	-	0	-	1	1000.0	0	-	0	-
12	1	1000.0	0	-	2	1000.0	3	1000.0	0	-
13	7	1000.0	4	800.0	6	1000.0	6	1000.0	5	1000.0
14	25	961.5	25	1000.0	35	1000.0	27	1000.0	30	937.5
15	84	965.5	79	929.4	90	989.0	100	934.6	88	926.3
16	186	869.2	199	892.4	200	873.4	212	906.0	227	900.8
17	348	816.9	342	830.1	342	846.5	353	832.5	343	838.6
18	444	719.6	437	699.2	487	720.4	464	754.5	481	737.7
19	453	545.1	508	576.0	574	612.6	571	608.1	565	653.2
20	384	412.9	499	481.2	552	511.6	561	489.1	563	535.2
21	359	340.9	422	380.2	447	384.0	472	423.7	517	432.3
22	335	257.7	326	283.0	372	303.4	344	292.3	416	346.1
23	281	198.2	270	201.3	287	219.3	295	241.0	338	271.9
24	228	139.9	241	150.2	234	167.7	260	194.3	250	191.1
25	181	102.8	199	117.3	239	149.2	238	159.7	208	149.6
26	191	102.5	189	109.6	193	117.9	198	117.3	179	121.9
27	146	83.2	170	93.0	164	95.5	167	102.6	158	106.1
28	127	72.7	142	83.9	159	90.6	162	92.8	163	105.9
29	110	73.2	141	83.0	131	78.9	132	82.0	140	89.7
30-34	321	63.7	332	63.0	380	69.7	415	77.2	394	73.5
35-39	96	64.9	103	64.9	128	73.7	137	76.2	151	78.4
≥40	20	94.8	29	139.4	25	101.2	26	101.6	44	150.2
Unknown	2	1000.0	1	500.0	0	-	1	500.0	0	-
TOTAL	4,329	181.1	4,658	192.4	5,048	207.2	5,144	214.8	5,260	225.4

TABLE 23: BY AGE AND RACE/HISPANIC ORIGIN OF MOTHER, 1992

	WHITE		BLACK		AM. INDIAN		ALL OTHER		HISP. OR.**	
AGE	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*
≤15	80	898.9	34	1000.0	9	1000.0	0	-	11	785.7
16	167	883.6	48	979.6	12	857.1	0	-	22	880.0
17	262	808.6	62	968.8	18	947.4	1	500.0	30	731.7
18	372	694.0	84	933.3	19	950.0	5	1000.0	30	612.2
19	446	615.2	86	886.6	25	833.3	8	615.4	41	602.9
20-24	1,581	296.8	378	814.7	101	782.9	21	269.2	155	379.0
25-29	638	91.4	159	571.9	47	479.6	4	47.1	68	238.6
30-34	308	60.3	60	411.0	22	594.6	4	55.6	28	186.7
≥35	138	66.8	41	465.9	9	500.0	7	148.9	4	72.7
Unknown	0	-	0	-	0	-	0	-	0	-
TOTAL	3,992	187.1	952	726.7	262	700.5	50	165.6	389	354.9

* - per 1,000 live births for each age category

** - Hispanic Origin may be of any race

TABLE 24: PERCENT OF RACE/HISPANIC ORIGIN
OUT-OF-WEDLOCK
NEBRASKA, 1980-1992

RACE OF MOTHER	1980	1988	1989	1990	1991	1992
White	8.9	14.2	15.4	16.9	17.5	18.7
Black	61.5	72.1	70.4	71.3	74.7	72.7
Am. Indian	49.8	70.5	70.2	67.6	67.9	70.1
All Other	5.2	11.1	6.3	9.1	13.9	16.6
Hispanic Origin*						
Mexican	22.6	38.1	32.9	31.3	34.2	34.9
All Other	19.4	22.9	30.2	32.3	39.0	37.9

TABLE 25: PERCENT OF AGE GROUP
OUT-OF-WEDLOCK
NEBRASKA, 1980-1992

AGE OF MOTHER	1980	1988	1989	1990	1991	1992
Under 20	45.6	35.8	34.2	34.4	33.7	33.1
20-24	36.1	36.7	37.7	37.5	37.6	39.6
25-29	12.3	17.4	18.1	17.6	17.4	16.1
30 and over	5.9	10.1	10.0	10.6	11.2	11.2

* - Hispanic Origin may be of any race

TABLE 26: BIRTH ORDER OF OUT-OF-WEDLOCK BIRTHS
BY AGE OF MOTHER
NEBRASKA, 1992

AGE OF MOTHER	TOTAL	BIRTH ORDER 1	2	3	4	5	6	7	8	9	10	11	12	13
TOTAL	5,260	2,887	1,216	613	322	122	62	16	13	7	1	0	0	1
13	5	5												
14	30	30												
15	88	82	6											
16	227	213	13	1										
17	343	297	36	9	1									
18	481	388	81	8	4									
19	565	423	110	25	6	1								
20	563	368	137	43	9	5	1							
21	517	281	143	62	23	7	1							
22	416	194	130	56	28	4	4							
23	338	132	117	63	12	11	3							
24	250	99	76	39	23	8	4	1						
25	208	74	54	46	22	7	5							
26	179	50	57	33	24	8	4	2	1					
27	158	39	49	40	13	9	4	3	1					
28	163	46	40	42	23	7	5							
29	140	36	37	25	25	9	5	2		1				
30	112	29	31	23	20	4	3	1	1					
31	94	27	16	18	16	12	3	1		1				
32	83	20	20	20	11	6	5		1					
33	53	8	19	9	10	3	3		1					
34	52	12	12	11	10		4	1	2					
35	47	8	8	8	13	6	2		2					
36	44	7	5	7	8	7	4	3	1	1	1			
37	29	8	5	7	7				2					
38	16	3	2	2	5	3	1							
39	15	3	3	6		1			1	1				
40	17	2	3	5	1	2	1	1		2				
41	11	1	4	2	2			1						1
42	9	1	2	2	1	2				1				
43	4				4									
44	2	1		1										
46	1				1									

TABLE 27: BIRTH DEFECTS BY NUMBER AND RATE
NEBRASKA, 1992 AND 1988-1992

	1992		1988-1992	
TYPE OF DEFECT*	NUMBER	RATE	NUMBER	RATE
CENTRAL NERVOUS SYSTEM				
Anencephalus	7	0.30	38	0.32
Spina bifida	15	0.64	54	0.45
Hydrocephalus	18	0.77	79	0.66
Other central nervous system defects	58	2.49	194	1.62
DEFECTS OF EYE	35	1.50	125	1.04
DEFECTS OF EAR, FACE, NECK	84	3.60	223	1.86
CIRCULATORY SYSTEM				
Transposition of great vessels	11	0.47	44	0.37
Ventricular septal defect	88	3.77	363	3.03
Atrial septal defect	77	3.30	230	1.92
Other heart defects	194	8.31	626	5.23
Patent ductus arteriosus	131	5.61	419	3.50
Coarctation of aorta	10	0.43	37	0.31
Other circulatory system defects	72	3.09	193	1.61
DEFECTS OF RESPIRATORY SYSTEM	38	1.63	139	1.16
CRANIOFACIAL				
Cleft palate	17	0.73	82	0.68
Cleft lip	9	0.39	66	0.55
Cleft palate with cleft lip	20	0.86	78	0.65
DIGESTIVE SYSTEM				
Pyloric stenosis	31	1.33	175	1.46
Tracheo-esophageal fistula	13	0.56	43	0.36
Other upper alimentary defects	10	0.43	44	0.37
Other abdominal cavity defects	36	1.54	111	0.93
Other digestive defects	52	2.23	179	1.49
GENITOURINARY SYSTEM				
Hypospadius	93	3.99	374	3.12
Renal agenesis	21	0.90	70	0.58
Cystic kidney disease	12	0.51	59	0.49
Other genitourinary defects	185	7.93	633	5.29
MUSCULOSKELETAL SYSTEM				
Club foot	67	2.87	286	2.39
Polydactyly	41	1.76	176	1.47
Syndactyly	25	1.07	112	0.94
Reduction deformity	15	0.64	77	0.64
Dislocated hips	57	2.44	184	1.54
Omphalocele	5	0.21	23	0.19
Gastrochisis	2	0.09	11	0.09
Other musculoskeletal defects	164	7.03	561	4.68
DEFECTS OF SKIN, HAIR, NAILS	30	1.29	129	1.08
DEFECTS OF METABOLIC & BLOOD SYSTEMS**	22	0.94	129	1.08

TABLE 27: BIRTH DEFECTS BY NUMBER AND RATE
NEBRASKA, 1992 AND 1988-1992 (continued)

TYPE OF DEFECT*	1992 NUMBER	1992 RATE	1988-1992 NUMBER	1988-1992 RATE
MULTIPLE SYSTEMS				
Down's syndrome	31	1.33	121	1.01
Other chromosomal syndromes	22	0.94	128	1.07
Other multiple system defects	39	1.67	101	0.84
OTHER AND UNSPECIFIED DEFECTS	66	2.83	175	1.46
TOTAL DEFECTS	1,923		6,891	
TOTAL CASES+	1,046	44.82	4,073	34.01

*Classified according to the British Pediatric Association (BPA) Classification of Disease World Health Organization's 1979 International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), with modifications developed by the National Centers for Disease Control

**This category was expanded in 1989

+Includes all cases reported through June 30, 1993

Rate per 1,000 live births

NOTE: Some variance between years may be caused by a change in the coding classification.

TABLE 28: COMPARISON OF SELECTED BIRTH DEFECT RATES WITH MACDP* NEBRASKA, 1988-1992

Defect	Nebraska Rate 1988-1992	MACDP Rate 1982-1985
Anencephalus	0.32	0.33
Transposition of great vessels	0.37	0.47
Ventricular septal defect	3.03	1.84
Atrial septal defect	1.92	1.05
Patent ductus arteriosus	3.50	6.16
Coarctation of aorta	0.31	0.34
Tetralogy of Fallot	0.29	0.32
Pulmonary Valve Stenosis & Atresia	0.40	0.39
Aortic Valve Stenosis & Atresia	0.32	0.30
Hypoplastic Left Heart Syndrome	0.20	0.33
Cleft palate	0.68	0.42
Cleft lip with or without cleft palate	1.20	1.08
Renal agenesis	0.58	0.33
Gastroschisis	0.09	0.20
Tracheo-esophageal fistula	0.36	0.23
Bladder Exstrophy	0.06	0.01
Reduction Deformities of Upper Limbs	0.35	0.43
Reduction Deformities of Lower Limbs	0.16	0.16
Downs syndrome	1.01	0.97

Rate per 1,000 live births

* - Metropolitan Atlanta Congenital Defects Program

TABLE 29: BIRTH DEFECTS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

	1992		1988-1992	
COUNTY	NUMBER OF CASES	PERCENT OF TOTAL BIRTHS	NUMBER OF CASES	PERCENT OF TOTAL BIRTHS
STATE	1,046	4.5	4,127	3.4
Adams	23	5.2	73	3.5
Antelope	4	4.2	9	1.6
Arthur	0	-	0	-
Banner	0	-	2	4.3
Blaine	0	-	0	-
Boone	1	1.3	15	3.2
Box Butte	11	5.9	36	3.7
Boyd	1	2.8	5	3.1
Brown	2	4.9	5	2.2
Buffalo	20	4.1	127	4.7
Burt	5	5.4	15	3.5
Butler	3	2.7	12	2.2
Cass	16	5.7	56	3.6
Cedar	2	1.5	10	1.2
Chase	1	2.1	4	1.4
Cherry	1	1.2	17	3.7
Cheyenne	9	7.2	23	3.6
Clay	5	5.6	16	3.7
Colfax	1	0.8	13	1.8
Cuming	7	5.4	27	4.0
Custer	7	4.6	37	4.5
Dakota	4	1.4	19	1.3
Dawes	4	3.4	12	2.0
Dawson	10	2.5	51	3.4
Deuel	0	-	1	0.9
Dixon	2	2.9	9	2.3
Dodge	35	7.7	119	5.1
Douglas	371	5.3	1,385	3.9
Dundy	0	-	3	2.3
Fillmore	6	6.5	16	3.7
Franklin	3	6.8	7	3.0
Frontier	1	2.9	3	1.7
Furnas	3	4.4	11	3.7
Gage	14	5.6	48	3.5
Garden	1	3.3	7	4.5
Garfield	0	-	5	3.8
Gosper	1	3.6	2	1.8
Grant	0	-	0	-
Greeley	2	5.1	6	3.1
Hall	16	2.0	101	2.5
Hamilton	4	3.6	20	3.3
Harlan	3	6.8	10	4.6
Hayes	0	-	1	1.2
Hitchcock	2	6.3	5	2.4
Holt	6	3.6	35	3.6

TABLE 29: BIRTH DEFECTS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992		1988-1992	
COUNTY	NUMBER OF CASES	PERCENT OF TOTAL BIRTHS	NUMBER OF CASES	PERCENT OF TOTAL BIRTHS
Hooker	1	20.0	2	5.1
Howard	2	2.6	15	3.7
Jefferson	2	2.5	11	2.2
Johnson	1	2.4	7	2.8
Kearney	7	7.6	22	4.8
Keith	3	3.0	10	1.9
Keya Paha	0	-	1	1.6
Kimball	2	5.0	10	4.3
Knox	4	3.4	11	1.8
Lancaster	123	4.0	531	3.4
Lincoln	14	2.9	59	2.5
Logan	0	-	0	-
Loup	0	-	1	3.3
McPherson	0	-	1	3.8
Madison	26	4.7	79	2.8
Merrick	3	2.3	22	4.0
Morrill	2	3.1	8	2.3
Nance	1	2.0	11	4.0
Nemaha	4	5.6	11	2.5
Nuckolls	5	10.0	9	3.1
Otoe	5	2.8	33	3.6
Pawnee	1	2.6	10	5.2
Perkins	3	7.7	6	3.1
Phelps	9	6.5	30	4.6
Pierce	0	-	4	0.7
Platte	18	4.0	85	3.5
Polk	3	4.8	11	3.4
Red Willow	3	1.9	28	3.4
Richardson	7	6.2	28	4.4
Rock	2	15.4	4	3.8
Saline	7	4.7	22	2.9
Sarpy	92	4.9	295	3.1
Saunders	14	6.0	44	3.5
Scotts Bluff	35	5.7	136	4.8
Seward	5	2.7	28	2.9
Sheridan	3	4.1	17	4.1
Sherman	0	-	6	2.7
Sioux	1	7.1	1	1.4
Stanton	1	1.3	15	3.5
Thayer	3	3.9	11	2.8
Thomas	0	-	0	-
Thurston	1	0.6	13	1.6
Valley	1	1.7	5	1.7
Washington	10	6.0	34	3.6
Wayne	5	4.2	16	2.6
Webster	0	-	9	3.3
Wheeler	1	5.9	4	4.3
York	9	4.7	33	3.2

NEBRASKA, 1992

TABLE 30: BIRTH DEFECTS BY MONTH

MONTH OF BIRTH

MONTH	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
TOTAL	23,336	1,046	4.5
January	2,004	93	4.6
February	1,813	85	4.7
March	1,919	107	5.6
April	2,044	99	4.8
May	2,023	84	4.2
June	1,986	93	4.7
July	2,016	91	4.5
August	2,003	91	4.5
September	1,894	81	4.3
October	1,930	89	4.6
November	1,804	63	3.5
December	1,900	70	3.7

TABLE 31: BIRTH DEFECTS BY AGE OF MOTHER

AGE	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
≤19	2,309	100	4.3
20 - 24	6,001	253	4.2
25 - 29	7,447	322	4.3
30 - 34	5,360	247	4.6
35 - 39	1,925	109	5.7
≥40	293	15	5.1
Unknown	1	0	-

TABLE 32: BIRTH DEFECTS BY AGE OF FATHER

AGE	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
≤19	519	19	3.7
20 - 24	3,358	146	4.3
25 - 29	6,373	275	4.3
30 - 34	6,094	270	4.4
35 - 39	2,810	128	4.6
≥40	1,112	55	4.9
Unknown	3,070	153	5.0

BIRTH WEIGHT		SEX	
<1500	56	Male	625
1500-2499	118	Female	421
2500-4499	857	Unknown	0
≥4500	13		
Unknown	2		

TABLE 33: BIRTH DEFECTS BY RACE OF MOTHER

RACE	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
White	21,339	884	4.1
Black	1,310	73	5.6
Indian	374	25	6.7
All Other	313	9	2.9
Hispanic Origin*	1,096	54	4.9

* - Hispanic Origin may be of any race

DEATH HIGHLIGHTS

A total of 14,577 deaths occurred among Nebraska residents in 1992, which translates into a rate of 9.2 deaths per 1,000 residents. The annual death rate in Nebraska has fluctuated little in recent years, ranging between 9.0 and 9.4 since 1975.

In 1992, the average age at death among Nebraskans rose to 74.3 years, the highest figure ever recorded in the state's history. For males, the average age at death exceeded 70 years for the sixth consecutive year and increased for the fourth year in a row to 70.9 years. For females, the average age at death increased for the sixth consecutive year (and for the tenth time in the last 11 years), reaching an all-time record of 77.7 years. The average age at death has been increasing almost without interruption for many decades; in just the last 25 years, the average age at death among Nebraskans has risen by 6.4 years.

The state's leading cause of death in 1992 was heart disease, which accounted for 5,267 resident deaths. This figure represents over one-third (36.1%) of all deaths among Nebraskans in 1992. However, although heart disease is the state's leading killer (and will likely remain so into the foreseeable future), recent trends show that heart disease is claiming fewer and fewer lives. In comparison with 1987, in just five years, the number of deaths attributed to heart disease among Nebraskans in 1992 dropped by over 250 and the heart disease mortality rate (age-adjusted) fell by 10.1%.

Cancer ranked as the second leading cause of death among Nebraskans, accounting for 3,204 deaths in 1992. This figure represents over one-fifth (22.0%) of all deaths among Nebraska residents in 1992. The number of cancer deaths and the cancer death rate (age-adjusted) in Nebraska both increased slightly from 1991 to 1992; however, the state's cancer death rate for 1991 was at its lowest level since 1983. Much of the increase in cancer mortality was the result of a rise in the number of lung cancer deaths among men. For Nebraska women, lung cancer nearly overtook breast cancer as the leading cause of cancer deaths in 1992; if current trends continue, lung cancer deaths will exceed breast cancer deaths among Nebraska women within the next few years.

Accidents (now usually referred to as "unintentional injuries") were the fifth leading cause of death among Nebraskans in 1992, ranking behind heart disease, cancer, cerebrovascular disease, and pneumonia. Although accidents claimed only 3.8% of all of the state's resident deaths in 1992, they were responsible for a disproportionate share of deaths among Nebraska children and young adults. In fact, accidents were the leading cause of death in 1992 among Nebraskans under 45 years of age (excluding infants under one year of age). Of the 248 accidental deaths in this age-group, motor vehicle accidents were by far the most common cause, resulting in 161 (64.9%) deaths.

A total of 171 infant deaths occurred among Nebraskans in 1992, which translates into a rate of 7.3 infant deaths per 1,000 residents. This figure is the lowest infant mortality rate ever recorded in the state's history, and compares favorably with the 1992 national infant mortality rate of 8.5. Sudden infant death syndrome (SIDS) was the most common cause of infant death in Nebraska in 1992, accounting for 37 (21.6%) deaths, while birth defects were responsible for an additional 35 infant deaths. Eighty-one of the Nebraska infants who died in 1992 were postneonates (between 28 days and one year of age at the time of death), while the remaining 90 were neonates (less than 28 days old at the time of death).

MAP 2: DEATHS BY COUNTY OF RESIDENCE
NEBRASKA, 1992


10
87
73
75
11
40
142
116
80
146
43
14
143
130
101
94
70
85
402
65
35
5
14
7
4
5
32
8
320
49
137
118
3
4
5
10
184
81
44
71
215
98
361
141
47
98
18
104
352
33
69
50
75
124
191
3443
372
45
220
291
453
91
135
135
1494
187
188
52
6
24
32
124
74
337
83
102
168
271
85
78
24
42
119
90
54
73
80
77
97
136
38
143

STATE TOTAL = 14,577

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1991-1992

	1990		1991		1992		
COUNTY	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	CRUDE DEATH RATE
STATE	15,007	14,751	14,971	14,647	14,914	14,577	9.2
Adams	351	315	322	290	356	337	11.4
*Hastings	317	255	284	236	316	274	12.0
Balance of Co.	34	60	38	54	40	63	9.4
Antelope	86	105	62	75	82	101	12.9
Arthur	1	1	1	4	1	4	8.9
Banner	0	5	3	4	0	3	3.5
Blaine	2	7	0	4	3	4	6.2
Boone	67	78	75	81	76	71	10.8
Box Butte	108	133	95	108	110	130	10.0
Alliance	66	101	47	73	48	90	9.3
Balance of Co.	42	32	48	35	62	40	12.1
Boyd	28	38	17	40	27	40	14.5
Brown	38	52	47	51	34	43	12.3
Buffalo	376	283	407	324	403	291	7.7
*Kearney	325	168	351	200	350	177	7.1
Balance of Co.	51	115	56	124	53	114	8.7
Burt	84	124	82	108	91	118	15.3
Butler	95	103	100	118	107	124	14.6
David City	85	55	91	58	92	57	22.8
Balance of Co.	10	48	9	60	15	67	11.2
Cass	88	195	102	215	91	187	8.7
Plattsmouth	44	75	50	78	48	73	11.1
Balance of Co.	44	120	52	137	43	114	7.7
Cedar	87	150	89	117	74	116	11.7
Chase	57	58	59	56	57	52	12.1
Cherry	35	44	54	65	62	75	12.1
Valentine	30	27	48	48	52	45	16.1
Balance of Co.	5	17	6	17	10	30	8.8
Cheyenne	89	95	85	86	83	98	10.4
Sidney	82	68	82	62	72	67	11.3
Balance of Co.	7	27	3	24	11	31	9.0
Clay	35	88	35	74	41	83	11.9
Colfax	90	120	86	118	87	98	10.8
Schuyler	63	53	63	58	63	57	14.1
Balance of Co.	27	67	23	60	24	41	8.2
Cuming	107	127	98	114	101	137	13.7
West Point	71	42	68	43	67	50	15.6
Balance of Co.	36	85	30	71	34	87	12.8
Custer	151	172	157	178	158	184	15.3
Broken Bow	88	71	77	66	84	69	18.6
Balance of Co.	63	101	80	112	74	115	13.9
Dakota	88	134	82	129	104	146	8.7
So. Sioux City	65	81	63	89	82	106	10.8
Balance of Co.	23	53	19	40	22	40	5.7
Dawes	77	76	113	107	89	87	9.7
Chadron	43	40	82	65	59	44	7.9
Balance of Co.	34	36	31	42	30	43	12.6

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1990-1992 (continued)

COUNTY	1990 OCCURRENCE	1990 RESIDENCE	1991 OCCURRENCE	1991 RESIDENCE	1992 OCCURRENCE	1992 RESIDENCE	CRUDE DEATH RATE
Dawson	215	227	197	220	221	220	11.1
Cozad	55	54	56	64	67	67	17.5
Gothenburg	55	49	52	46	49	46	14.3
Lexington	91	83	79	69	92	63	9.5
Balance of Co.	14	41	10	41	13	44	7.1
Deuel	9	28	8	28	11	18	8.2
Dixon	29	74	41	77	42	80	13.3
Dodge	338	369	365	368	362	361	10.6
*Fremont	256	257	285	243	303	249	10.6
Balance of Co.	82	112	80	125	59	112	10.6
Douglas	4,384	3,337	4,402	3,364	4,481	3,443	8.2
*Omaha	4,267	3,057	4,276	3,092	4,358	3,163	9.3
Ralston	8	28	6	19	4	29	4.6
Balance of Co.	109	252	120	253	119	251	3.4
Dundy	26	40	30	35	22	24	9.6
Fillmore	67	87	97	98	83	102	14.6
Franklin	56	74	43	67	54	73	19.0
Frontier	22	39	18	42	16	24	8.0
Furnas	96	121	92	110	63	90	16.7
Gage	302	335	277	317	250	271	12.0
*Beatrice	250	202	229	195	200	174	14.2
Balance of Co.	52	133	48	122	50	97	9.5
Garden	33	40	34	43	36	35	14.6
Garfield	17	27	24	31	21	32	15.2
Gosper	19	30	12	25	20	32	16.8
Grant	1	8	2	7	1	5	6.7
Greeley	17	43	17	43	23	44	14.9
Hall	604	472	576	482	554	453	9.2
*Grand Island	570	392	547	398	520	388	9.8
Balance of Co.	34	80	29	84	34	65	6.8
Hamilton	86	84	84	81	82	91	10.3
Aurora	83	66	73	51	73	55	14.5
Balance of Co.	3	18	11	30	9	36	7.2
Harlan	46	55	49	57	50	54	14.6
Hayes	7	11	3	9	1	6	5.0
Hitchcock	21	45	12	39	11	42	11.4
Holt	131	144	115	144	104	143	11.4
O'Neill	57	42	52	45	61	56	14.7
Balance of Co.	74	102	63	99	43	87	10.0
Hooker	9	13	7	12	11	14	18.7
Howard	70	82	69	73	55	69	11.6
Jefferson	85	128	97	130	105	136	15.9
Fairbury	82	84	91	90	95	95	22.4
Balance of Co.	3	44	6	40	10	41	9.5
Johnson	63	66	54	63	73	85	18.7
Kearney	59	79	44	70	59	74	11.3
Minden	51	55	39	46	53	57	20.7
Balance of Co.	8	24	5	24	6	17	4.5
Keith	92	100	81	98	90	104	12.3
Ogallala	84	69	66	60	80	69	13.7
Balance of Co.	8	31	15	38	10	35	10.3

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1990-1992 (continued)

COUNTY	1990 OCCUR-RENCE	1990 RESI-DENCE	1991 OCCUR-RENCE	1991 RESI-DENCE	1992 OCCUR-RENCE	1992 RESI-DENCE	CRUDE DEATH RATE
Keya Paha	1	13	1	8	2	11	11.0
Kimball	44	48	48	56	38	47	11.7
Kimball	43	37	43	48	36	31	12.2
Balance of Co.	1	11	5	8	2	16	11.0
Knox	97	150	99	148	98	142	15.3
Lancaster	1,943	1,500	1,889	1,494	1,803	1,494	6.9
*Lincoln	1,896	1,371	1,827	1,370	1,753	1,392	7.1
Balance of Co.	47	129	62	124	50	102	4.7
Lincoln	330	332	327	329	344	352	10.9
*North Platte	293	245	292	262	308	268	11.9
Balance of Co.	37	87	35	67	36	84	8.6
Logan	1	7	2	5	2	10	11.8
Loup	4	6	1	5	1	5	7.7
McPherson	1	5	2	2	1	5	9.1
Madison	367	321	335	318	377	320	9.7
*Norfolk	301	200	280	193	305	205	9.4
Balance of Co.	66	121	55	125	72	115	10.3
Merrick	83	92	71	88	59	75	9.5
Central City	65	48	60	50	45	43	15.4
Balance of Co.	18	44	11	38	14	32	6.3
Morrill	33	54	56	73	47	65	12.1
Nance	46	68	38	50	34	50	11.9
Nemaha	67	87	66	83	70	78	9.9
Auburn	44	34	39	32	36	23	6.7
Balance of Co.	23	53	27	51	34	55	12.4
Nuckolls	75	77	61	75	61	77	13.7
Superior	59	39	44	33	45	38	16.5
Balance of Co.	16	38	17	42	16	39	11.8
Otoe	171	202	169	210	174	188	13.4
Nebraska City	110	109	91	96	100	102	15.7
Balance of Co.	61	93	78	114	74	86	11.4
Pawnee	31	45	40	52	28	38	11.9
Perkins	32	41	53	53	54	45	13.6
Phelps	128	124	131	119	118	124	12.7
Holdrege	100	81	104	76	77	67	11.8
Balance of Co.	28	43	27	43	41	57	14.1
Pierce	105	90	83	76	79	94	12.2
Platte	188	234	223	238	171	215	7.1
*Columbus	172	182	203	181	158	169	8.4
Balance of Co.	16	52	20	57	13	46	4.4
Polk	70	93	63	82	53	75	13.5
Red Willow	114	138	103	123	112	119	10.3
McCook	110	96	102	98	104	97	12.0
Balance of Co.	4	42	1	25	8	22	6.3
Richardson	127	162	139	170	129	143	14.8
Falls City	96	101	102	106	87	78	16.8
Balance of Co.	31	61	37	64	42	65	13.0
Rock	26	32	20	22	11	14	7.2
Saline	163	173	161	166	178	168	13.3
Crete	89	62	81	61	84	53	10.9
Balance of Co.	74	111	80	105	94	115	14.7

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1990-1992 (continued)

COUNTY	1990		1991		1992		CRUDE DEATH RATE
	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	
Sarpy	294	380	333	403	300	372	3.5
*Bellevue	45	146	40	155	56	146	4.5
LaVista	9	35	6	23	8	30	3.0
Papillion	17	46	25	54	19	39	3.6
Balance of Co.	223	153	262	171	217	157	3.0
Saunders	96	194	105	160	93	191	10.5
Wahoo	63	73	63	44	55	58	15.7
Balance of Co.	33	121	42	116	38	133	9.1
Scotts Bluff	419	363	436	366	477	402	11.2
Gering	57	89	66	108	77	96	12.2
*Scottsbluff	313	164	327	162	360	184	13.5
Balance of Co.	49	110	43	96	40	122	8.6
Seward	141	151	129	153	134	135	8.8
Seward	94	61	92	68	89	58	10.4
Balance of Co.	47	90	37	85	45	77	7.9
Sheridan	90	93	87	91	64	73	11.1
Sherman	35	58	24	45	20	33	9.0
Sioux	6	12	6	10	4	10	6.7
Stanton	20	42	19	42	22	49	7.9
Thayer	70	106	91	110	86	97	14.9
Thomas	7	11	1	6	2	7	8.2
Thurston	76	79	60	82	70	85	12.2
Valley	70	77	56	55	72	81	15.9
Ord	63	45	54	41	65	52	20.8
Balance of Co.	7	32	2	14	7	29	11.2
Washington	134	154	138	156	131	141	8.4
Blair	123	93	125	89	118	72	10.4
Balance of Co.	11	61	13	67	13	69	7.1
Wayne	79	61	79	65	75	70	7.5
Wayne	74	37	69	39	68	45	8.7
Balance of Co.	5	24	10	26	7	25	6.0
Webster	56	76	62	89	61	80	19.3
Wheeler	3	5	0	8	1	8	8.4
York	120	134	143	162	115	135	9.4
York	90	79	114	109	88	84	10.6
Balance of Co.	30	55	29	53	27	51	7.9

* - Cities over 10,000 population in 1980
Indented - Cities 2,500 - 10,000 population in 1980

TABLE 35: DEATHS BY SEX AND RACE BY PLACE OF RESIDENCE
NEBRASKA, 1992

		SEX		RACE				HISPANIC OR**	
COUNTY	TOTAL DEATHS	MALE	FEMALE	WHITE	BLACK	INDIAN	ALL OTHERS	MEXICAN	ALL OTHERS
STATE	14,577	7,193	7,379	14,045	421	86	25	94	19
Adams	337	158	179	336	1				
*Hastings	274	120	154	273	1				
Balance of Co.	63	38	25	63					
Antelope	101	46	55	101					
Arthur	4	3	1	4					
Banner	3	3		3					
Blaine	4	3	1	4					
Boone	71	29	42	71					
Box Butte	130	68	62	128		2		5	1
Alliance	90	47	43	88		2		4	1
Balance of Co.	40	21	19	40				1	
Boyd	40	20	20	40					
Brown	43	27	16	43					
Buffalo	291	129	162	289		1	1	2	
*Kearney	177	75	102	177					
Balance of Co.	114	54	60	112		1	1	2	
Burt	118	58	60	117		1			
Butler	124	59	65	124					
David City	57	25	32	57					
Balance of Co.	67	34	33	67					
Cass	187	89	98	187					
Plattsmouth	73	28	45	73					
Balance of Co.	114	61	53	114					
Cedar	116	58	58	116					
Chase	52	24	28	52					
Cherry	75	35	40	74		1			
Valentine	45	17	28	44		1			
Balance of Co.	30	18	12	30					
Cheyenne	98	41	57	98				2	
Sidney	67	27	40	67				2	
Balance of Co.	31	14	17	31					
Clay	83	38	45	82		1			
Colfax	98	45	53	97		1			
Schuyler	57	22	35	57					
Balance of Co.	41	23	18	40		1			
Cuming	137	75	62	137					
West Point	50	21	29	50					
Balance of Co.	87	54	33	87					
Custer	184	93	91	184					
Broken Bow	69	31	38	69					
Balance of Co.	115	62	53	115					
Dakota	146	76	70	141		3	2		1
So. Sioux City	106	51	55	104		1	1		1
Balance of Co.	40	25	15	37		2	1		
Dawes	87	37	50	84		3			
Chadron	44	21	23	42		2			
Balance of Co.	43	16	27	42		1			

TABLE 35: DEATHS BY SEX AND RACE BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

COUNTY	TOTAL DEATHS	SEX		RACE				HISPANIC OR**	
		MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Dawson	220	106	114	220				5	
Cozad	67	34	33	67					
Gothenburg	46	23	23	46				2	
Lexington	63	25	38	63				3	
Balance of Co.	44	24	20	44					
Deuel	18	9	9	18					
Dixon	80	34	46	80					
Dodge	361	177	184	361					
*Fremont	249	119	130	249					
Balance of Co.	112	58	54	112					
Douglas	3,443	1,712	1,731	3,049	374	12	8	31	4
*Omaha	3,163	1,559	1,604	2,774	370	12	7	30	4
Ralston	29	17	12	29					
Balance of Co.	251	136	115	246	4		1	1	
Dundy	24	12	12	24					
Fillmore	102	50	52	101		1			
Franklin	73	36	37	73					
Frontier	24	14	10	24					
Furnas	90	43	47	90					
Gage	271	140	131	270	1				
*Beatrice	174	91	83	173	1				
Balance of Co.	97	49	48	97					
Garden	35	15	20	35					
Garfield	32	16	16	32					
Gosper	32	15	17	32					
Grant	5	1	4	5					
Greeley	44	22	22	44					
Hall	453	239	214	446	4	1	2	7	1
*Grand Island	388	207	181	381	4	1	2	4	1
Balance of Co.	65	32	33	65				3	
Hamilton	91	38	53	90			1		
Aurora	55	18	37	54			1		
Balance of Co.	36	20	16	36					
Harlan	54	24	30	54					
Hayes	6	2	4	6					
Hitchcock	42	22	20	42					
Holt	143	70	73	143					
O'Neill	56	21	35	56					
Balance of Co.	87	49	38	87					
Hooker	14	7	7	14					
Howard	69	38	31	68		1			
Jefferson	136	68	68	136				1	
Fairbury	95	42	53	95				1	
Balance of Co.	41	26	15	41					
Johnson	85	43	42	85					
Kearney	74	32	42	74					
Minden	57	24	33	57					
Balance of Co.	17	8	9	17					

TABLE 35: DEATHS BY SEX AND RACE BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

COUNTY	TOTAL DEATHS	SEX		RACE				HISPANIC OR**	
		MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Keith	104	49	55	104				1	1
Ogallala	69	33	36	69				1	
Balance of Co.	35	16	19	35					1
Keya Paha	11	4	7	11					
Kimball	47	22	25	46			1		
Kimball	31	13	18	31					
Balance of Co.	16	9	7	15			1		
Knox	142	77	65	141		1			
Lancaster	1,494	741	753	1,457	24	5	8	7	2
*Lincoln	1,392	684	708	1,355	24	5	8	7	2
Balance of Co.	102	57	45	102					
Lincoln	352	165	187	349	2	1		8	
*North Platte	268	118	150	265	2	1		5	
Balance of Co.	84	47	37	84				3	
Logan	10	5	5	10					
Loup	5	3	2	4		1			
McPherson	5	2	3	5					
Madison	320	157	166	314	2	4			
*Norfolk	205	98	107	199	2	4			
Balance of Co.	115	56	59	115					
Merrick	75	35	40	75					
Central City	43	18	25	43					
Balance of Co.	32	17	15	32					
Morrill	65	31	34	65					
Nance	50	23	27	50					
Nemaha	78	37	41	78					
Auburn	23	14	9	23					
Balance of Co.	55	23	32	55					
Nuckolls	77	40	37	77					
Superior	38	22	16	38					
Balance of Co.	39	18	21	39					
Otoe	188	93	95	188					
Nebraska City	102	45	57	102					
Balance of Co.	86	48	38	86					
Pawnee	38	22	16	38					
Perkins	45	28	17	45				1	
Phelps	124	53	71	124					1
Holdrege	67	28	39	67					1
Balance of Co.	57	25	32	57					
Pierce	94	41	53	94					
Platte	215	111	104	215					
*Columbus	169	82	87	169					
Balance of Co.	46	29	17	46					
Polk	75	42	33	75					
Red Willow	119	60	59	118			1		
McCook	97	50	47	96			1		
Balance of Co.	22	10	12	22					
Richardson	143	64	79	141		2			
Falls City	78	32	46	77		1			
Balance of Co.	65	32	33	64		1			

TABLE 35: DEATHS BY SEX AND RACE BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

		SEX		RACE				HISPANIC OR**	
COUNTY	TOTAL DEATHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Rock	14	7	7	14					
Saline	168	84	84	168					
Crete	53	24	29	53					
Balance of Co.	115	60	55	115					
Sarpy	372	196	175	362	9	1		2	2
*Bellevue	146	78	68	138	7	1		1	1
LaVista	30	17	13	30					1
Papillion	39	15	24	39					
Balance of Co.	157	86	71	155	2			1	
Saunders	191	105	86	191					
Wahoo	58	31	27	58					
Balance of Co.	133	74	59	133					
Scotts Bluff	402	214	188	394	1	6	1	21	4
Gering	96	42	54	95		1		3	
*Scottsbluff	184	98	86	181	1	2		16	3
Balance of Co.	122	74	48	118		3	1	2	1
Seward	135	60	75	135					
Seward	58	23	35	58					
Balance of Co.	77	37	40	77					
Sheridan	73	28	45	73				1	
Sherman	33	17	16	33					
Sioux	10	8	2	10					
Stanton	49	25	24	49					1
Thayer	97	48	49	97					
Thomas	7	4	3	7					
Thurston	85	43	42	49		36			1
Valley	81	32	49	81					
Ord	52	20	32	52					
Balance of Co.	29	12	17	29					
Washington	141	70	71	141					
Blair	72	25	47	72					
Balance of Co.	69	45	24	69					
Wayne	70	42	28	70					
Wayne	45	25	20	45					
Balance of Co.	25	17	8	25					
Webster	80	40	40	78	1	1			
Wheeler	8	6	2	8					
York	135	68	67	133	2				
York	84	38	46	82	2				
Balance of Co.	51	30	21	51					

* - Cities over 10,000 population in 1980
Indented - Cities 2,500 - 10,000 population in 1980
** - Hispanic Origin may be of any race

TABLE 36: DEATHS BY PRINCIPAL AND OTHER CAUSES
NEBRASKA, 1988-1992

CAUSE	1988	1989	1990	1991	1992
Acquired Immunodeficiency Syndrome (042)	28	29	30	39	53
Alcoholism (acute and chronic) (303)	18	17	21	18	24
Aortic Aneurysm (441)	124	150	120	114	92
Appendicitis (540-543)	2	4	1	1	3
Asthma (493.9)	44	55	48	56	46
Atherosclerosis (440)	258	235	225	190	207
Birth Defects (740-759)	96	75	85	85	61
Birth Trauma (767)	1	0	0	2	0
Bronchitis (all forms) (466, 490-491)	36	38	40	40	34
Cancer (all forms) (140-208)	3161	3306	3293	3168	3204
Cerebrovascular Disease (430-438)	1157	1154	1073	1081	995
Chronic Lung Disease (496)	383	448	541	460	483
Cirrhosis and Chronic Liver Disease (571)	101	112	91	103	98
Diabetes Mellitus (250)	247	258	252	285	268
Diarrhea and Enteritis (008-009, 555-558)	77	53	56	75	66
Emphysema (492)	115	105	111	112	83
Heart Disease (all forms) (390-398, 402, 404-429)	5141	5114	5036	5110	5267
Hernia and Intestinal Obstruction (550-553, 560)	51	43	52	49	47
Influenza (all forms) (487)	28	20	55	38	14
Nephritis and Nephrosis (580-589)	164	184	172	158	144
Pneumonia (480-486)	703	616	623	621	570
Premature Births (765)	11	7	12	7	15
Prostate Disease (600-602)	11	7	9	4	1
Puerperal State (630-676)	2	1	0	2	0
Senility (797)	46	51	39	39	38
Septicemia (038)	93	79	87	85	82
Tuberculosis (all forms) (010-018)	2	4	2	4	2
Ulcer of Stomach and Duodenum (531-533)	62	45	52	51	41
Accidental Deaths (800-949)	616	610	567	597	557
Airplane Accidents (840-845)	1	11	3	4	9
Auto and Train Collisions (810)	8	14	14	21	15
Excessive Cold (901)	4	2	6	3	2
Excessive Heat (900)	1	0	6	1	0
Motor Vehicle Accidents (traffic and non-traffic) (810-825)	298	308	280	294	265
Railroad Accidents (800-807)	2	4	4	2	3
Homicides (960-969)	55	44	44	55	62
Suicides (950-959)	167	173	220	190	185
All Other Causes	1858	1739	1794	1808	1835
TOTAL DEATHS	14858	14776	14751	14647	14577

Cause codes listed are from the Ninth Revision of the ICD

TABLE 37: DEATHS BY PRINCIPAL AND OTHER CAUSES
CRUDE RATES PER 100,000 POPULATION
NEBRASKA, 1988-1992

CAUSE	1988	1989	1990	1991	1992
Acquired Immunodeficiency Syndrome (042)	1.7	1.8	1.9	2.5	3.4
Alcoholism (acute and chronic) (303)	1.1	1.1	1.3	1.1	1.5
Aortic Aneurysm (441)	7.7	9.3	7.6	7.2	5.8
Appendicitis (540-543)	0.1	0.2	0.1	0.1	0.2
Asthma (493.9)	2.7	3.4	3.0	3.5	2.9
Atherosclerosis (440)	16.1	14.6	14.3	12.0	13.1
Birth Defects (740-759)	6.1	4.8	5.4	5.4	3.9
Birth Trauma (767)	0.1	-	-	0.1	-
Bronchitis (all forms) (466, 490-491)	2.2	2.4	2.5	2.5	2.2
Cancer (all forms) (140-208)	197.3	205.2	208.6	200.4	202.8
Cerebrovascular Disease (430-438)	72.2	71.6	68.0	68.4	63.0
Chronic Lung Disease (496)	23.9	27.8	34.3	29.1	30.6
Cirrhosis and Chronic Liver Disease (571)	6.3	7.0	5.8	6.5	6.2
Diabetes Mellitus (250)	15.4	16.0	16.0	18.0	17.0
Diarrhea and Enteritis (008-009, 555-558)	4.8	3.3	3.5	4.7	4.2
Emphysema (492)	7.2	6.5	7.0	7.1	5.3
Heart Disease (all forms) (390-398, 402, 404-429)	320.9	317.4	319.1	323.2	333.3
Hernia and Intestinal Obstruction (550-553, 560)	3.2	2.7	3.3	3.1	3.0
Influenza (all forms) (487)	1.7	1.2	3.5	2.4	0.9
Nephritis and Nephrosis (580-589)	10.2	11.4	10.9	10.0	9.1
Pneumonia (480-486)	43.9	38.2	39.5	39.3	36.1
Premature Births (765)	0.7	0.4	0.8	0.4	0.9
Prostate Disease (600-602)	0.7	0.4	0.6	0.3	0.1
Puerperal State (630-676)	0.1	0.1	-	0.1	-
Senility (797)	2.9	3.2	2.5	2.5	2.4
Septicemia (038)	5.8	5.0	5.5	5.4	5.2
Tuberculosis (all forms) (010-018)	0.1	0.2	0.1	0.3	0.1
Ulcer of Stomach and Duodenum (531-533)	3.9	2.8	3.3	3.2	2.6
Accidental Deaths (800-949)	38.5	37.9	35.9	37.8	35.3
Airplane Accidents (840-845)	0.1	0.7	0.2	0.3	0.6
Auto and Train Collisions (810)	0.5	0.9	0.9	1.3	0.9
Excessive Cold (901)	0.2	0.1	0.4	0.2	0.1
Excessive Heat (900)	0.1	-	0.4	0.1	-
Motor Vehicle Accidents (traffic and non-traffic) (810-825)	18.6	19.1	17.7	18.6	16.8
Railroad Accidents (800-807)	0.1	0.2	0.3	0.1	0.2
Homicides (960-969)	3.4	2.7	2.8	3.5	3.9
Suicides (950-959)	10.4	10.7	13.9	12.0	11.7
All Other Causes	116.0	107.9	113.7	114.4	115.9
TOTAL DEATHS	927.5	917.2	934.6	926.5	920.9

Cause codes listed are from the Ninth Revision of the ICD

TABLE 38: DEATHS BY PRINCIPAL AND OTHER CAUSES
AGE-ADJUSTED RATES PER 100,000 POPULATION
NEBRASKA, 1988-1992

CAUSE	1988	1989	1990	1991	1992
Acquired Immunodeficiency Syndrome (042.9)	1.5	1.6	1.6	2.0	2.9
Alcoholism (acute and chronic) (303)	1.1	1.0	1.3	1.0	1.4
Aortic Aneurysm (441)	5.5	6.5	5.0	4.7	3.7
Appendicitis (540-543)	0.1	0.1	0.0	0.0	0.1
Asthma (493.9)	2.0	2.7	2.3	2.6	1.9
Atherosclerosis (440)	8.1	7.1	7.3	6.0	6.5
Birth Defects (740-759)	6.3	4.9	5.4	5.8	3.9
Birth Trauma (767)	0.1	-	-	0.1	-
Bronchitis (all forms) (466, 490-491)	1.5	1.6	1.6	1.8	1.4
Cancer (all forms) (140-208)	155.4	159.4	160.7	150.1	154.2
Cerebrovascular Disease (430-438)	42.0	40.6	38.9	38.9	35.1
Chronic Lung Disease (496)	16.8	19.2	23.1	19.9	20.1
Cirrhosis and Chronic Liver Disease (571)	5.7	6.3	5.1	5.7	5.7
Diabetes Mellitus (250)	10.7	11.6	11.2	12.8	11.8
Diarrhea and Enteritis (008-009, 555-558)	3.0	2.3	2.2	3.0	2.7
Emphysema (492)	5.4	5.0	4.9	5.1	3.9
Heart Disease (all forms) (390-398, 402, 404-429)	206.2	202.2	201.1	200.0	202.6
Hernia and Intestinal Obstruction (550-553, 560)	2.0	1.6	1.8	1.8	1.8
Influenza (all forms) (487)	0.9	0.7	1.8	1.3	0.4
Nephritis and Nephrosis (580-589)	6.2	7.1	6.4	6.1	5.4
Pneumonia (480-486)	23.6	21.3	21.2	21.4	19.0
Premature Births (765)	0.7	0.5	0.8	0.5	1.1
Prostate Disease (600-602)	0.3	0.2	0.3	0.1	0.1
Puerperal State (630-676)	0.1	0.0	-	0.1	-
Senility (797)	1.3	1.3	1.1	1.1	1.0
Septicemia (038)	3.9	3.3	3.8	3.7	3.3
Tuberculosis (all forms) (010-018)	0.1	0.2	0.1	0.2	0.1
Ulcer of Stomach and Duodenum (531-533)	2.6	1.7	2.1	1.7	1.6
Accidental Deaths (800-949)	32.3	32.6	31.1	32.5	30.2
Airplane Accidents (840-845)	0.0	0.7	0.1	0.2	0.6
Auto and Train Collisions (810)	0.5	0.8	0.9	1.5	1.0
Excessive Cold (901)	0.2	0.1	0.3	0.1	0.1
Excessive Heat (900)	0.1	-	0.3	0.1	-
Motor Vehicle Accidents (traffic and non-traffic) (810-825)	17.3	17.7	17.6	18.3	16.6
Railroad Accidents (800-807)	0.2	0.2	0.3	0.2	0.1
Homicides (960-969)	3.1	2.6	2.6	3.5	3.8
Suicides (950-959)	9.0	9.5	13.3	11.0	10.9
TOTAL DEATHS	636.3	626.8	634.6	621.4	612.6

Cause codes listed are from the Ninth Revision of the ICD

NEBRASKA, 1988-1992

TABLE 39: CANCER DEATHS BY SELECTED SITES AND SEX

SITE	1988 M	1988 F	1989 M	1989 F	1990 M	1990 F	1991 M	1991 F	1992 M	1992 F
Buccal Cavity & Pharynx	29	14	8	18	30	14	33	13	18	18
Esophagus	39	11	40	15	52	15	45	13	57	9
Stomach	48	29	48	40	46	33	45	31	30	24
Large Intestine	163	160	174	156	147	176	175	162	164	154
Rectum	20	19	25	19	31	27	29	19	23	30
Other Digestive Organs	111	166	143	122	122	148	137	163	137	145
Larynx	20	3	25	3	14	7	11	6	23	5
Bronchus & Lung	543	241	547	279	580	282	506	272	549	284
Skin	51	24	39	32	25	24	34	26	29	18
Breast	2	277	1	306	1	309	1	275	1	286
Cervix	0	17	0	25	0	24	0	19	0	16
Uterus	0	55	0	54	0	47	0	44	0	47
Ovary	0	95	0	92	0	73	0	89	0	94
Prostate	207	0	236	0	218	0	212	0	226	0
Bladder	34	23	55	24	45	18	39	25	47	20
Kidney	45	31	38	29	49	25	42	27	43	33
Brain & Nervous System Organs	56	48	43	36	44	38	45	39	39	42
Leukemia	51	71	72	53	83	43	62	54	59	44
Other Lymphatic & Hematopoietic Tissues	113	99	105	108	101	111	111	122	98	109
All Sites	1652	1509	1761	1545	1740	1553	1644	1524	1680	1524

TABLE 40: AGE-ADJUSTED CANCER DEATH RATES BY SELECTED SITES AND SEX

SITE	1988 M	1988 F	1989 M	1989 F	1990 M	1990 F	1991 M	1991 F	1992 M	1992 F
Buccal Cavity & Pharynx	3.5	1.2	3.6	1.7	3.4	1.3	3.9	0.9	2.2	1.7
Esophagus	4.8	0.7	5.0	1.1	6.2	1.2	5.5	1.1	6.8	0.8
Stomach	5.7	2.1	5.6	2.5	5.3	2.5	5.1	2.2	3.5	1.6
Large Intestine	19.2	12.6	20.2	11.6	16.7	12.9	20.1	11.3	18.6	11.4
Rectum	2.2	1.5	2.9	1.3	3.7	1.6	3.2	1.3	2.6	2.5
Other Digestive Organs	12.9	13.1	16.8	8.7	14.2	10.8	15.2	11.8	15.9	10.5
Larynx	2.5	0.3	3.1	0.2	1.6	0.6	1.4	0.6	2.7	0.3
Bronchus & Lung	65.9	23.4	65.8	25.6	69.2	26.7	59.8	24.9	64.4	25.7
Skin	6.3	2.3	5.1	2.7	3.1	1.9	3.9	2.3	3.1	1.4
Breast	0.2	25.7	0.1	27.1	0.1	28.0	0.1	25.0	0.1	26.3
Cervix	-	1.9	-	2.4	-	2.4	-	2.0	-	1.6
Uterus	-	4.1	-	3.6	-	3.9	-	3.2	-	3.5
Ovary	-	8.6	-	7.8	-	6.6	-	7.2	-	9.3
Prostate	22.8	-	25.8	-	23.6	-	22.0	-	23.3	-
Bladder	3.9	1.5	6.3	1.6	5.1	1.0	4.2	1.7	5.1	1.1
Kidney	5.5	2.2	4.6	2.6	5.9	2.0	4.8	1.9	5.1	2.9
Brain & Nervous System Organs	7.3	5.1	5.3	3.4	5.1	4.0	5.5	3.6	4.8	4.3
Leukemia	5.9	6.0	8.5	3.8	9.4	3.8	7.1	4.6	6.7	3.5
Other Lymphatic & Hematopoietic Tissues	13.0	8.0	12.4	8.8	11.8	8.7	12.9	9.6	11.4	9.1
All Sites	195.5	130.2	208.3	127.1	[illegible]02.3	131.6	187.7	124.7	192.3	129.2

Rate per 100,000 population

GRAPH 15
AVERAGE AGE AT TIME OF DEATH
NEBRASKA, 1925-1992



GRAPH 16
AVERAGE AGE AT DEATH BY SEX
NEBRASKA, 1960-1992



TABLE 41: DEATHS BY AGE GROUP AND SEX NEBRASKA, 1992

AGE GROUP	TOTAL	MALE	FEMALE
TOTAL	14,577	7,198	7,379
< 1	171	91	80
1-4	36	25	11
5-9	27	15	12
10-14	28	21	7
15-19	74	46	28
20-24	95	66	29
25-29	99	74	25
30-34	131	88	43
35-39	170	108	62
40-44	198	130	68
45-49	244	158	86
50-54	358	217	141
55-59	511	300	211
60-64	808	490	318
65-69	1,179	691	488
70-74	1,639	954	685
75-79	1,998	1,091	907
80-84	2,370	1,125	1,245
85-89	2,130	854	1,276
90-94	1,429	459	970
95-99	726	160	566
100-104	137	31	106
105-109	18	3	15
Unknown	1	1	0
Average Age:	74.3	70.9	77.7

TABLE 42: DEATHS BY AGE GROUP AND AVERAGE AGE BY PLACE OF RESIDENCE NEBRASKA, 1992

County	Average Age	AGE GROUP				
		≤44	45-64	65-74	75-84	≥85
TOTAL	74.3	1,029	1,921	2,818	4,368	4,440
Adams	76.3	13	46	63	103	112
Antelope	79.1	0	13	17	37	34
Arthur	80.5	0	0	1	2	1
Banner	69.0	0	0	3	0	0
Blaine	72.5	0	1	2	0	1
Boone	79.7	2	6	11	23	29
Box Butte	71.4	15	16	17	49	33
Boyd	75.8	2	4	9	10	15
Brown	73.9	2	10	6	12	13
Buffalo	75.8	13	44	50	86	98
Burt	77.6	6	12	18	38	44
Butler	77.2	5	18	19	30	52
Cass	74.2	9	31	45	43	59
Cedar	76.6	5	9	24	44	34
Chase	77.1	2	2	17	12	19
Cherry	75.3	6	5	19	24	21
Cheyenne	76.0	3	13	18	39	25
Clay	75.2	5	10	15	23	30
Colfax	80.1	3	10	11	32	42
Cuming	77.2	8	11	19	47	52
Custer	73.6	15	18	40	61	50
Dakota	72.1	11	26	40	31	38
Dawes	75.3	8	8	11	29	31
Dawson	74.5	18	25	37	73	67
Deuel	80.8	0	2	1	9	6
Dixon	79.4	3	7	7	30	33
Dodge	75.6	17	52	64	114	114
Douglas	71.4	314	570	770	965	824
Dundy	82.7	0	1	5	6	12
Fillmore	77.8	2	9	21	38	32
Franklin	78.2	4	6	15	16	32
Frontier	81.6	0	1	3	11	9
Furnas	78.3	3	7	17	32	31
Gage	77.3	13	27	49	73	109
Garden	75.8	3	3	6	13	10
Garfield	73.7	4	2	5	8	13
Gosper	81.7	0	3	5	9	15
Grant	73.2	0	1	2	1	1
Greeley	76.5	3	1	9	17	14
Hall	73.1	38	58	100	137	120
Hamilton	75.0	7	13	8	32	31
Harlan	79.2	3	2	9	17	23
Hayes	77.2	1	0	0	2	3
Hitchcock	69.9	4	10	11	9	8
Holt	72.5	11	22	29	41	40
Hooker	81.1	1	0	1	6	6
Howard	74.7	4	8	16	22	19
Jefferson	77.7	8	12	21	39	56

TABLE 42: DEATHS BY AGE GROUP AND AVERAGE AGE BY PLACE OF RESIDENCE NEBRASKA, 1992 (continued)

County	Average Age	AGE GROUP ≤44	45-64	65-74	75-84	≥85
Johnson	80.1	2	4	15	30	34
Kearney	74.8	7	6	16	14	31
Keith	75.6	7	7	23	36	31
Keya Paha	73.6	1	1	1	6	2
Kimball	78.7	1	2	10	18	15
Knox	79.4	6	9	19	51	57
Lancaster	71.7	156	212	295	434	397
Lincoln	75.3	15	46	71	123	97
Logan	70.3	1	1	0	8	0
Loup	63.0	0	4	1	0	0
McPherson	69.6	1	0	0	2	2
Madison	76.0	18	36	64	84	118
Merrick	74.3	7	8	18	17	25
Morrill	77.4	4	5	12	16	28
Nance	77.2	1	6	8	24	11
Nemaha	77.1	7	5	9	20	37
Nuckolls	77.9	4	9	12	23	29
Otoe	78.4	7	22	26	52	81
Pawnee	81.6	0	2	10	8	18
Perkins	73.5	4	7	7	14	13
Phelps	76.8	11	7	21	38	47
Pierce	79.9	3	9	13	26	43
Platte	76.4	11	24	42	63	75
Polk	79.0	3	7	9	27	29
Red Willow	78.6	3	11	15	48	42
Richardson	77.1	4	21	28	44	46
Rock	73.3	2	1	2	3	6
Saline	77.5	9	20	19	55	65
Sarpy	65.5	52	92	83	77	68
Saunders	76.7	9	19	41	55	67
Scotts Bluff	74.5	25	49	69	142	117
Seward	77.1	7	12	25	39	52
Sheridan	76.9	3	9	11	29	21
Sherman	74.5	2	3	7	11	10
Sioux	77.4	0	2	1	3	4
Stanton	78.3	1	6	13	8	21
Thayer	79.8	3	7	14	35	38
Thomas	70.9	0	3	1	2	1
Thurston	68.9	9	21	13	21	21
Valley	77.3	7	4	13	22	35
Washington	76.8	8	14	25	46	48
Wayne	74.9	6	6	12	21	25
Webster	78.9	2	9	14	25	30
Wheeler	74.0	1	1	1	3	2
York	76.3	5	17	23	50	40

GRAPH 17
TEN LEADING CAUSES OF DEATH NEBRASKA, 1992



GRAPH 18
EIGHT LEADING CAUSES BY SEX
NEBRASKA, 1992



GRAPH 19
LEADING CAUSES
BY SELECTED AGE GROUPS AND SEX
NEBRASKA, 1992



GRAPH 20
LEADING CAUSES
BY SELECTED AGE GROUPS AND SEX
NEBRASKA, 1992



Graph 21
LEADING CAUSES
BY SELECTED AGE GROUPS AND SEX
NEBRASKA, 1992



Graph 22
LEADING CAUSES BY SELECTED AGE GROUPS AND SEX NEBRASKA, 1992



GRAPH 23
LEADING CAUSES BY SELECTED AGE GROUPS AND SEX NEBRASKA, 1992



MAP 3

HEART DISEASE DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
53.8 to 113.8
113.9 to 173.9
174.0 to 234.1
234.2 to 294.4

TABLE 43: HEART DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	5,267	333.3	202.6	25,667	325.2	204.1
Adams	130	441.9	225.8	587	396.3	205.5
Hastings	109	478.2	234.7	468	409.9	202.7
Balance of Co.	21	317.1	200.4	119	350.6	231.9
Antelope	42	536.9	256.4	185	464.5	203.9
Arthur	3	664.0	323.9	10	432.9	239.3
Banner	1	119.2	80.1	4	93.9	53.8
Blaine	0	-	-	7	207.4	79.5
Boone	24	368.0	146.3	154	462.0	217.7
Box Butte	51	391.8	264.9	234	356.4	221.7
Boyd	17	621.4	211.8	81	571.4	208.0
Brown	13	370.1	204.6	63	344.5	156.6
Buffalo	97	255.4	171.8	509	271.9	189.7
Kearney	62	247.6	178.8	323	264.8	204.9
Balance of Co.	35	270.6	156.3	186	285.0	168.6
Burt	42	546.9	213.3	227	577.0	232.3
Butler	54	638.7	271.8	214	497.6	213.2
Cass	54	250.9	170.6	306	287.1	193.9
Cedar	40	404.8	188.1	199	392.9	177.5
Chase	23	534.2	240.4	100	456.5	198.9
Cherry	19	305.6	147.0	106	336.1	176.5
Cheyenne	35	373.1	172.6	172	362.3	182.8
Clay	36	519.8	202.7	179	502.6	225.7
Colfax	30	333.7	152.8	178	389.5	161.5
Cuming	66	672.9	244.9	255	504.1	213.8
Custer	67	560.7	226.1	331	539.5	216.3
Dakota	46	274.2	228.1	225	268.8	216.1
Dawes	30	336.9	191.7	150	332.6	181.5
Dawson	79	405.8	207.3	409	410.2	219.3
Deuel	8	365.0	141.2	56	500.7	193.1
Dixon	35	588.8	203.7	156	507.9	201.3
Dodge	121	353.5	181.1	714	413.9	204.8
Fremont	81	342.9	182.0	471	397.8	208.3
Balance of Co.	40	377.0	180.1	243	449.2	198.4
Douglas	1,158	275.5	219.4	5,648	271.2	221.6
Omaha	1,086	319.3	228.1	5,284	314.7	229.1
Balance of Co.	72	89.8	176.2	364	90.3	175.0
Dundy	13	514.6	169.9	69	534.5	206.7
Fillmore	42	605.2	222.8	212	596.9	233.2
Franklin	32	831.1	229.4	122	619.6	196.0
Frontier	9	300.8	128.3	61	393.4	186.5
Furnas	31	577.7	165.1	209	752.7	222.8
Gage	104	463.0	170.4	527	462.4	196.2
Beatrice	60	489.9	157.7	290	469.5	170.2
Balance of Co.	44	430.7	196.2	237	454.0	233.0

TABLE 43: HEART DISEASE DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	12	501.8	168.7	80	650.4	235.6
Garfield	16	763.1	247.6	62	579.2	211.7
Gosper	14	742.5	296.0	47	487.6	206.1
Grant	1	133.8	83.6	8	208.1	101.6
Greeley	14	480.3	179.4	72	479.0	201.6
Hall	159	323.4	205.8	771	315.2	209.8
Grand Island	133	327.4	206.0	632	320.9	211.2
Balance of Co.	26	304.3	213.2	139	291.4	218.0
Hamilton	27	307.7	155.0	153	345.3	191.4
Harlan	17	457.8	157.0	117	614.2	233.1
Hayes	2	167.3	72.5	17	278.2	163.3
Hitchcock	15	407.1	218.9	80	426.7	172.1
Holt	59	475.5	238.0	271	430.2	219.9
Hooker	6	796.2	175.0	28	706.2	197.4
Howard	25	422.9	226.7	111	366.6	177.1
Jefferson	69	807.3	306.9	259	591.4	212.1
Johnson	26	571.4	184.4	112	479.3	172.0
Kearney	20	305.6	132.5	128	386.2	180.5
Keith	34	403.4	206.7	166	386.8	214.7
Keya Paha	4	410.4	158.8	20	388.7	181.8
Kimball	16	404.7	200.7	77	374.9	184.5
Knox	76	830.7	263.3	354	742.6	257.8
Lancaster	496	227.7	180.7	2,335	218.6	175.9
Lincoln	461	235.2	188.0	2,139	222.8	178.6
Balance of Co.	35	160.5	127.4	196	180.9	157.5
Lincoln	139	438.2	241.6	638	392.5	236.7
North Platte	108	485.8	261.3	492	435.3	252.7
Balance of Co.	31	326.7	211.4	146	294.9	205.6
Logan	0	-	-	12	273.3	171.5
Loup	2	308.7	198.9	10	292.8	172.7
McPherson	2	372.7	135.9	8	293.0	124.1
Madison	136	413.3	231.3	588	360.1	214.0
Norfolk	85	388.5	237.8	335	312.0	199.3
Balance of Co.	51	462.5	227.6	253	452.6	238.6
Merrick	25	318.0	141.6	147	365.5	182.2
Morrill	22	415.8	190.8	118	435.2	201.4
Nance	27	645.6	302.6	123	575.4	252.9
Nemaha	33	417.6	158.9	147	368.4	160.4
Nuckolls	25	446.6	181.8	128	442.4	160.9
Otoe	49	348.4	122.2	263	369.1	157.5
Pawnee	16	501.1	150.2	103	621.0	216.1
Perkins	16	482.9	227.6	69	409.9	204.7
Phelps	47	484.3	204.8	257	529.1	235.3
Pierce	43	558.7	251.0	172	439.5	198.2

TABLE 43: HEART DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	79	263.2	167.2	424	284.4	199.3
Columbus	60	301.4	171.0	314	322.4	205.9
Balance of Co.	19	188.1	151.0	110	212.8	181.7
Polk	33	595.0	209.5	150	528.6	196.4
Red Willow	43	373.2	189.4	224	382.7	206.3
Richardson	42	434.7	190.3	245	493.1	197.1
Rock	1	51.4	13.6	31	307.1	144.1
Saline	76	601.7	222.0	320	503.3	190.1
Sarpy	130	122.8	212.4	608	118.5	216.1
Bellevue	54	164.6	223.2	232	149.8	207.6
Balance of Co.	76	104.0	201.9	376	105.0	220.3
Saunders	69	379.1	204.9	334	365.3	199.0
Scotts Bluff	133	374.0	198.2	590	327.6	186.0
Scottsbluff	57	418.4	211.7	250	364.7	201.4
Balance of Co.	76	346.4	189.2	340	304.7	176.7
Seward	64	416.1	217.1	306	396.1	206.6
Sheridan	28	424.8	196.6	153	453.3	208.0
Sherman	10	276.5	91.8	96	516.4	194.3
Sioux	5	335.6	170.5	15	193.7	100.6
Stanton	24	388.2	256.5	96	307.5	204.5
Thayer	38	589.5	158.4	214	645.1	218.6
Thomas	5	604.9	409.4	18	423.0	294.4
Thurston	39	566.4	404.8	144	415.2	289.2
Valley	34	669.8	225.9	125	483.7	183.9
Washington	50	297.1	181.4	239	287.8	180.1
Wayne	24	259.0	160.8	150	320.4	192.4
Webster	39	936.8	285.0	169	789.9	244.4
Wheeler	5	540.2	292.1	9	189.9	121.0
York	54	376.2	188.7	297	411.7	217.1
United States, 1989:	733,775	297.3	230.5			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 4

CANCER DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
45.3 to 91.6
91.7 to 138.1
138.2 to 184.5
184.6 to 231.1

TABLE 44: CANCER DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	3,204	202.8	154.2	16,132	204.4	156.8
Adams	83	282.1	180.3	377	254.5	171.2
Hastings	68	298.3	180.4	318	278.5	180.6
Balance of Co.	15	226.5	169.4	59	173.8	136.4
Antelope	22	281.2	153.6	101	253.6	142.6
Arthur	0	-	-	2	86.6	45.3
Banner	0	-	-	7	164.3	117.2
Blaine	1	157.1	50.2	12	355.6	231.1
Boone	13	199.3	108.4	70	210.0	116.6
Box Butte	21	161.3	131.7	116	176.7	144.6
Boyd	6	219.3	131.1	42	296.3	138.0
Brown	9	256.2	140.8	50	273.4	140.5
Buffalo	75	197.5	178.2	321	171.4	149.3
Kearney	38	151.7	155.3	177	145.1	146.5
Balance of Co.	37	286.1	213.3	144	220.7	155.2
Burt	20	260.5	133.5	113	287.2	147.6
Butler	25	295.7	178.4	134	311.6	165.4
Cass	44	204.4	165.4	206	193.3	151.8
Cedar	26	263.1	159.6	138	272.4	149.4
Chase	9	209.0	134.9	47	214.6	136.0
Cherry	19	305.6	184.2	73	231.5	146.8
Cheyenne	23	245.2	167.6	106	223.3	146.5
Clay	17	245.4	119.1	108	303.2	167.2
Colfax	18	200.2	96.4	123	269.2	145.8
Cuming	24	244.7	134.6	125	247.1	133.9
Custer	36	301.3	162.4	162	264.1	141.1
Dakota	37	220.6	196.9	152	181.6	158.6
Dawes	17	190.9	120.8	82	181.8	134.4
Dawson	47	241.4	144.9	223	223.7	145.0
Deuel	2	91.2	68.0	28	250.3	134.1
Dixon	15	252.3	129.4	79	257.2	136.4
Dodge	77	224.9	157.2	400	231.9	150.6
Fremont	53	224.4	161.0	277	234.0	155.6
Balance of Co.	24	226.2	147.3	123	227.4	138.4
Douglas	841	200.1	183.2	3,951	189.7	175.4
Omaha	762	224.0	186.4	3,602	214.5	180.2
Balance of Co.	79	98.5	169.1	349	86.5	151.1
Dundy	2	79.2	39.7	29	224.6	114.2
Fillmore	18	259.4	148.3	101	284.4	146.8
Franklin	16	415.6	185.7	87	441.8	200.5
Frontier	4	133.7	79.6	33	212.8	115.7
Furnas	28	521.8	224.1	121	435.8	194.9
Gage	63	280.5	159.8	335	293.9	160.8
Beatrice	38	310.3	158.4	201	325.4	161.4
Balance of Co.	25	244.7	159.2	134	256.7	160.1

TABLE 44: CANCER DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

COUNTY	1992 TOTAL DEATHS	1992 CRUDE RATE*	1992 AGE-ADJUSTED RATE**	1988-1992 TOTAL DEATHS	1988-1992 CRUDE RATE*	1988-1992 AGE-ADJUSTED RATE**
Garden	6	250.9	158.7	34	276.4	138.8
Garfield	3	143.1	58.8	24	224.2	86.4
Gosper	2	106.1	68.1	22	228.2	137.3
Grant	0	-	-	12	312.1	230.8
Greeley	9	308.8	179.4	37	246.2	140.6
Hall	89	181.0	141.4	534	218.3	170.8
Grand Island	77	189.5	152.2	441	223.9	175.4
Balance of Co.	12	140.4	102.8	93	195.0	156.5
Hamilton	22	250.7	161.6	87	196.3	133.8
Harlan	15	403.9	167.6	58	304.5	138.0
Hayes	0	-	-	9	147.3	84.3
Hitchcock	14	380.0	267.9	56	298.7	166.7
Holt	29	233.7	171.3	135	214.3	141.1
Hooker	0	-	-	10	252.2	77.0
Howard	13	219.9	111.4	84	277.5	154.5
Jefferson	27	315.9	140.7	146	33.4	164.1
Johnson	20	439.5	166.7	74	316.7	150.1
Kearney	18	275.1	164.7	91	274.6	171.6
Keith	20	237.3	132.9	94	219.0	143.9
Keya Paha	2	205.2	119.2	8	155.5	85.4
Kimball	13	328.8	155.2	55	267.8	152.0
Knox	26	284.2	121.5	135	283.2	141.3
Lancaster	360	165.3	156.9	1,749	163.7	157.6
Lincoln	329	167.9	161.5	1,610	167.7	162.9
Balance of Co.	31	142.1	127.9	139	128.3	119.2
Lincoln	63	198.6	135.3	347	213.5	152.9
North Platte	48	215.9	144.5	251	222.1	157.3
Balance of Co.	15	158.1	114.3	96	193.9	146.9
Logan	3	350.1	237.7	8	182.2	113.0
Loup	2	308.7	282.2	9	263.5	154.8
McPherson	1	186.4	65.8	7	256.4	120.4
Madison	61	185.4	133.4	325	199.1	151.7
Norfolk	43	196.5	151.3	228	212.3	169.1
Balance of Co.	18	163.2	104.9	97	173.5	123.2
Merrick	13	165.4	106.7	92	228.8	140.7
Morrill	12	226.8	116.4	56	206.5	113.4
Nance	10	239.1	144.1	56	262.0	146.4
Nemaha	15	189.8	102.6	86	215.5	125.5
Nuckolls	19	339.4	137.6	93	321.5	146.0
Otoe	43	305.7	181.6	213	298.9	166.4
Pawnee	8	250.5	79.2	48	289.4	116.4
Perkins	12	362.2	234.2	55	326.7	196.0
Phelps	24	247.3	137.8	102	210.0	130.2
Pierce	19	246.9	114.4	93	237.6	135.3

TABLE 44: CANCER DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	40	133.3	103.5	253	169.7	141.0
Columbus	31	155.7	116.3	188	193.0	153.7
Balance of Co.	9	89.1	75.5	65	125.7	115.5
Polk	10	180.3	103.6	70	246.7	133.6
Red Willow	31	269.0	155.9	138	235.8	147.0
Richardson	31	320.9	170.6	161	324.0	163.9
Rock	4	205.5	134.1	29	287.3	170.6
Saline	33	261.2	181.7	174	273.7	165.5
Sarpy	102	96.3	162.2	538	104.9	180.6
Bellevue	38	115.8	150.5	219	141.4	183.6
Balance of Co.	64	87.6	173.4	319	89.1	181.4
Saunders	49	269.2	163.5	223	243.9	160.0
Scotts Bluff	65	182.8	118.6	368	204.3	141.9
Scottsbluff	23	168.8	113.9	138	201.3	136.5
Balance of Co.	42	191.4	121.8	230	206.1	143.9
Seward	27	175.5	110.4	149	192.9	141.5
Sheridan	14	212.4	107.7	87	257.8	124.6
Sherman	8	221.2	140.5	47	252.8	123.4
Sioux	3	201.4	102.9	19	245.3	162.1
Stanton	8	129.4	117.4	46	147.3	118.8
Thayer	25	387.9	224.9	117	352.7	167.2
Thomas	1	121.0	125.3	8	188.0	137.8
Thurston	8	116.2	84.5	78	224.9	177.9
Valley	9	177.3	76.5	66	255.4	121.7
Washington	9	97.1	64.6	68	145.2	108.5
Wayne	16	384.3	203.7	81	378.6	163.7
Webster	1	108.0	55.0	9	189.9	127.0
Wheeler	1	108.0	55.0	9	189.9	127.0
York	32	22.9	153.1	147	203.8	136.0
United States, 1989:	496,152	201.0	171.9			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health.

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 5

CEREBROVASCULAR DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 17.5
17.6 to 35.1
35.2 to 52.7
52.8 to 70.4

TABLE 45: CEREBROVASCULAR DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	995	63.0	35.1	5,460	69.2	39.4
Adams	28	95.2	44.1	134	90.5	40.6
Hastings	22	96.5	40.1	113	99.0	40.3
Balance of Co.	6	90.6	58.7	21	61.9	40.3
Antelope	5	63.9	17.8	37	92.9	34.9
Arthur	0	-	-	0	-	-
Banner	0	-	-	2	46.9	28.7
Blaine	0	-	-	0	-	-
Boone	8	122.7	41.8	40	120.0	44.9
Box Butte	8	61.5	31.7	31	47.2	28.4
Boyd	3	109.7	63.7	15	105.8	33.3
Brown	3	85.4	18.4	22	120.3	40.5
Buffalo	20	52.7	30.1	123	65.7	42.1
Kearney	11	43.9	29.6	66	54.1	38.0
Balance of Co.	9	69.6	31.3	57	87.3	47.8
Burt	15	195.3	55.6	59	150.0	45.9
Butler	7	82.8	24.2	42	97.7	32.3
Cass	9	41.8	31.3	56	52.5	34.3
Cedar	7	70.8	29.3	61	120.4	44.1
Chase	3	69.7	30.7	28	127.8	60.6
Cherry	4	64.3	27.0	21	66.6	31.0
Cheyenne	3	32.0	13.2	12	25.3	11.5
Clay	3	43.3	24.4	22	61.8	24.4
Colfax	12	133.5	37.4	54	118.2	44.5
Cuming	12	122.4	36.2	48	94.9	32.6
Custer	15	125.5	58.3	64	104.3	37.4
Dakota	11	65.6	47.1	62	74.1	50.5
Dawes	7	78.6	44.6	35	77.6	45.0
Dawson	15	77.1	37.0	78	78.2	41.7
Deuel	0	-	-	6	53.6	22.8
Dixon	5	84.1	45.0	38	123.7	40.5
Dodge	27	78.9	36.1	158	91.6	40.3
Fremont	20	84.7	44.1	112	94.6	43.4
Balance of Co.	7	66.0	19.5	46	85.0	34.3
Douglas	185	44.0	32.2	1,113	53.5	40.8
Omaha	176	51.7	33.6	1,039	61.9	41.8
Balance of Co.	9	11.2	20.9	74	18.4	35.7
Dundy	3	118.8	42.8	13	100.7	41.0
Fillmore	7	100.9	52.9	35	98.5	38.5
Franklin	4	103.9	28.1	23	116.8	26.4
Frontier	0	-	-	11	70.9	30.7
Furnas	7	130.4	22.4	35	126.1	28.1
Gage	19	84.6	35.0	110	96.5	36.9
Beatrice	15	122.5	42.7	72	116.6	40.0
Balance of Co.	4	39.2	21.2	38	72.8	33.4

TABLE 45: CEREBROVASCULAR DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	1	41.8	14.7	12	97.6	35.1
Garfield	3	143.1	77.0	15	140.1	40.1
Gosper	5	265.2	99.2	13	134.9	57.9
Grant	1	133.8	38.9	3	78.0	58.4
Greeley	2	68.6	19.7	26	173.0	60.8
Hall	36	73.2	42.3	182	74.4	45.2
Grand Island	30	73.8	43.7	146	74.1	44.8
Balance of Co.	6	70.2	42.2	36	75.5	51.7
Hamilton	7	79.8	50.0	34	76.7	34.8
Harlan	4	107.7	34.8	15	78.7	27.0
Hayes	0	-	-	0	-	-
Hitchcock	2	54.3	25.9	12	64.0	20.6
Holt	10	80.6	35.5	70	111.1	50.3
Hooker	2	265.4	79.1	3	75.7	19.7
Howard	8	135.3	62.5	47	155.2	56.8
Jefferson	9	105.3	28.2	35	79.9	28.1
Johnson	5	109.9	35.0	27	115.6	37.3
Kearney	3	45.8	18.5	22	66.4	35.5
Keith	8	94.9	40.6	34	79.2	41.8
Keya Paha	0	-	-	5	97.2	41.7
Kimball	2	50.6	19.1	17	82.8	43.8
Knox	10	109.3	24.6	43	90.2	27.0
Lancaster	96	44.1	32.9	553	51.8	39.6
Lincoln	93	47.5	35.0	521	54.3	41.3
Balance of Co.	3	13.8	11.9	32	29.5	25.1
Lincoln	31	97.7	48.1	142	87.4	47.6
North Platte	22	99.0	44.1	110	97.3	49.0
Balance of Co.	9	94.9	58.7	32	64.6	44.8
Logan	2	233.4	129.3	6	136.7	70.4
Loup	1	154.4	109.4	2	58.6	34.4
McPherson	0	-	-	2	73.3	57.7
Madison	27	82.0	48.3	185	113.3	58.0
Norfolk	20	91.4	52.2	131	122.0	65.0
Balance of Co.	7	63.5	42.9	54	96.6	45.9
Merrick	4	50.9	14.7	30	74.6	26.2
Morrill	9	170.1	79.3	26	95.9	49.9
Nance	4	95.6	36.1	27	126.3	46.2
Nemaha	4	50.6	17.3	35	87.7	34.5
Nuckolls	8	142.9	50.4	28	96.8	33.7
Otoe	9	64.0	23.3	53	74.4	25.9
Pawnee	5	156.6	37.7	16	96.5	22.3
Perkins	2	60.4	14.4	16	95.0	28.5
Phelps	5	51.5	14.3	49	100.9	41.7
Pierce	5	65.0	21.0	42	107.3	45.1

TABLE 45: CEREBROVASCULAR DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	23	76.6	41.1	121	81.2	48.2
Columbus	20	100.4	47.2	95	97.5	52.3
Balance of Co.	3	29.7	23.2	26	50.3	38.4
Polk	12	216.4	56.2	49	172.7	45.3
Red Willow	8	69.4	32.7	42	71.8	40.4
Richardson	15	155.3	56.6	51	102.6	35.7
Rock	2	102.8	27.2	9	89.2	33.7
Saline	10	79.2	31.4	62	97.5	32.3
Sarpy	19	17.9	30.8	100	19.5	36.0
Bellevue	4	12.2	16.9	34	21.9	30.4
Balance of Co.	15	20.5	42.1	66	18.4	39.7
Saunders	8	44.0	17.1	91	99.5	46.1
Scotts Bluff	39	109.7	58.8	144	79.9	42.4
Scottsbluff	23	168.8	92.5	67	97.7	48.8
Balance of Co.	16	72.9	36.2	77	69.0	38.1
Seward	7	45.5	14.7	48	62.1	25.4
Sheridan	5	75.9	36.4	40	118.5	52.9
Sherman	2	55.3	20.4	14	75.3	26.3
Sioux	1	67.1	45.8	2	25.8	14.1
Stanton	3	48.5	40.5	21	67.3	52.0
Thayer	5	77.6	24.4	31	93.4	29.0
Thomas	0	-	-	1	23.5	34.0
Thurston	6	87.1	54.8	33	95.2	56.9
Valley	7	137.9	42.7	30	116.1	41.6
Washington	17	101.0	53.7	62	74.7	40.7
Wayne	6	64.8	23.0	22	47.0	21.0
Webster	6	144.1	43.1	22	102.8	22.9
Wheeler	0	-	-	3	63.3	38.6
York	9	62.7	25.3	47	65.2	28.5
United States, 1989:	145,551	59.0	43.9			

*Per 100,000 estimated population. State population estimateds provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 6

PNEUMONIA DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 11.4
11.5 to 22.9
23.0 to 34.4
34.5 to 46.0

TABLE 46: PNEUMONIA DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	570	36.1	19.0	3,133	39.7	21.5
Adams	10	34.0	15.8	62	41.9	17.6
Hastings	8	35.1	17.6	54	47.3	19.2
Balance of Co.	2	30.2	14.5	8	23.6	13.0
Antelope	0	-	-	21	52.7	18.7
Arthur	0	-	-	1	43.3	20.8
Banner	0	-	-	0	-	-
Blaine	0	-	-	2	59.3	23.8
Boone	4	61.3	20.2	19	57.0	19.5
Box Butte	8	61.5	28.9	34	51.8	21.3
Boyd	2	73.1	17.2	10	70.5	25.4
Brown	1	28.5	10.5	13	71.1	22.4
Buffalo	14	36.9	22.5	85	45.4	27.2
Kearney	8	31.9	24.4	58	47.5	31.4
Balance of Co.	6	46.4	21.6	27	41.4	21.5
Burt	6	78.1	18.3	31	78.8	22.7
Butler	1	11.8	4.7	17	39.5	15.7
Cass	6	27.9	13.8	36	33.8	18.8
Cedar	8	81.0	28.3	31	61.2	21.2
Chase	2	46.5	10.5	11	50.2	20.4
Cherry	3	48.3	19.4	8	25.4	9.2
Cheyenne	3	32.0	12.4	11	23.2	11.7
Clay	3	43.3	16.3	26	73.0	26.1
Colfax	9	100.1	35.4	31	67.8	23.1
Cuming	4	40.8	12.6	27	53.4	16.7
Custer	12	100.4	29.2	53	86.4	28.1
Dakota	10	59.6	37.8	35	41.8	28.2
Dawes	3	33.7	21.5	29	64.3	31.7
Dawson	5	25.7	10.1	51	51.2	22.5
Deuel	1	45.6	15.7	3	26.8	7.4
Dixon	6	100.9	29.7	17	55.3	17.5
Dodge	26	76.0	27.1	84	48.7	18.9
Fremont	18	76.2	28.9	58	49.0	20.1
Balance of Co.	8	75.4	24.1	26	48.1	16.5
Douglas	114	27.1	20.0	670	32.2	24.0
Omaha	109	32.0	21.4	616	36.7	24.2
Balance of Co.	5	6.2	12.1	54	13.4	26.4
Dundy	3	118.8	31.0	14	108.4	30.1
Fillmore	2	28.8	8.2	9	25.3	7.8
Franklin	1	26.0	8.1	7	35.6	13.3
Frontier	2	66.8	24.1	10	64.5	26.7
Furnas	2	37.3	4.8	26	93.6	22.9
Gage	12	53.4	17.0	68	59.7	19.0
Beatrice	8	65.3	21.4	52	84.2	23.2
Balance of Co.	4	39.2	11.7	16	30.7	11.7

TABLE 46: PNEUMONIA DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	1	41.8	7.5	8	65.0	16.3
Garfield	1	47.7	7.5	6	56.0	13.0
Gosper	2	106.1	34.3	10	103.7	31.5
Grant	0	-	-	1	26.0	21.8
Greeley	2	68.6	25.6	13	86.5	25.8
Hall	23	46.8	28.9	125	51.1	30.6
Grand Island	21	51.7	32.9	111	56.4	33.1
Balance of Co.	2	23.4	13.5	14	29.4	20.2
Hamilton	2	22.8	9.0	21	47.4	18.0
Harlan	1	26.9	9.7	7	36.7	9.8
Hayes	1	83.7	26.5	2	32.7	15.3
Hitchcock	2	54.3	21.1	8	42.7	17.5
Holt	4	32.2	12.3	26	41.3	18.9
Hooker	1	132.7	18.7	7	176.5	33.9
Howard	6	101.5	41.2	18	59.5	27.1
Jefferson	7	81.9	18.3	37	84.5	23.0
Johnson	6	131.9	29.6	20	85.6	21.7
Kearney	9	137.5	41.8	21	63.4	25.3
Keith	5	59.3	29.3	17	39.6	21.8
Keya Paha	0	-	-	0	-	-
Kimball	0	-	-	10	48.7	22.9
Knox	3	32.8	7.6	24	50.3	15.6
Lancaster	41	18.8	13.9	238	22.3	17.0
Lincoln	37	18.9	13.4	223	23.2	17.4
Balance of Co.	4	18.3	16.7	15	13.8	12.4
Lincoln	23	72.5	37.5	72	44.3	24.1
North Platte	20	90.0	45.3	62	54.9	28.0
Balance of Co.	3	31.6	19.3	10	20.2	13.3
Logan	0	-	-	0	-	-
Loup	0	-	-	1	29.3	13.7
McPherson	0	-	-	0	-	-
Madison	7	21.3	10.6	45	27.6	13.8
Norfolk	3	13.7	9.3	24	22.4	11.8
Balance of Co.	4	36.3	12.2	21	37.6	16.8
Merrick	4	50.9	29.0	34	84.6	29.2
Morrill	1	18.9	12.6	12	44.3	19.9
Nance	0	-	-	14	65.5	25.4
Nemaha	2	25.3	7.0	29	72.7	27.9
Nuckolls	6	107.2	22.6	24	83.0	21.4
Otoe	12	85.3	24.3	64	89.8	29.1
Pawnee	0	-	-	3	18.1	6.3
Perkins	0	-	-	10	59.4	16.8
Phelps	2	20.6	4.8	18	37.1	10.7
Pierce	3	39.0	14.2	31	79.2	32.6

TABLE 46: PNEUMONIA DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	11	36.7	19.1	41	27.5	16.7
Columbus	10	50.2	22.7	34	34.9	19.2
Balance of Co.	1	9.9	7.8	7	13.5	10.6
Polk	2	36.1	27.4	7	24.7	10.5
Red Willow	4	34.7	13.8	31	53.0	22.7
Richardson	2	20.7	7.2	36	72.5	21.5
Rock	1	51.4	13.6	5	49.5	19.7
Saline	6	47.5	14.1	32	50.3	15.1
Sarpy	15	14.2	24.9	84	16.4	29.8
Bellevue	5	15.2	23.3	36	23.2	34.1
Balance of Co.	10	13.7	26.1	48	13.4	27.3
Saunders	9	49.5	17.3	39	42.7	18.6
Scotts Bluff	23	64.7	30.7	83	46.1	23.7
Scottsbluff	9	66.1	32.9	32	46.7	20.9
Balance of Co.	14	63.8	30.8	51	45.7	25.4
Seward	4	26.0	9.0	26	33.7	15.9
Sheridan	1	15.2	3.6	16	47.4	15.4
Sherman	3	83.0	30.7	22	118.3	39.6
Sioux	0	-	-	1	12.9	8.7
Stanton	2	32.3	14.0	12	38.4	19.4
Thayer	6	93.1	26.6	23	69.3	20.4
Thomas	0	-	-	1	23.5	12.6
Thurston	1	14.5	10.7	23	66.3	46.0
Valley	3	59.1	25.2	13	50.3	14.7
Washington	6	35.7	19.0	37	44.6	22.5
Wayne	3	32.4	19.6	10	21.4	9.4
Webster	3	72.1	32.8	30	140.2	36.8
Wheeler	0	-	-	2	42.2	22.2
York	5	34.8	15.7	31	43.0	18.6
United States, 1989:	74,957	30.4	21.9			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 7

ACCIDENTAL DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
8.2 to 39.5
39.6 to 70.9
71.0 to 102.3
102.4 to 133.8

TABLE 47: ACCIDENTAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	558	35.3	30.2	2,948	37.4	32.5
Adams	6	20.4	14.8	61	41.2	32.0
Hastings	4	17.5	12.5	53	46.4	34.0
Balance of Co.	2	30.2	21.9	8	23.6	24.3
Antelope	1	12.8	3.1	19	47.7	39.6
Arthur	0	-	-	1	43.3	68.2
Banner	0	-	-	1	23.5	18.5
Blaine	0	-	-	3	88.9	36.9
Boone	3	46.0	55.1	13	39.0	29.2
Box Butte	13	99.9	127.6	39	59.4	58.9
Boyd	1	36.6	48.7	4	28.2	41.2
Brown	2	56.9	111.6	12	65.6	57.8
Buffalo	12	31.6	24.1	63	33.6	28.0
Kearney	10	39.9	32.5	40	32.8	28.5
Balance of Co.	2	15.5	11.1	23	35.2	35.5
Burt	3	39.1	15.4	17	43.2	35.0
Butler	7	82.8	71.4	21	48.8	39.3
Cass	8	37.2	32.0	40	37.5	33.7
Cedar	5	50.6	39.7	24	47.4	37.1
Chase	2	46.5	53.6	10	45.7	37.7
Cherry	5	80.4	77.4	23	72.9	72.0
Cheyenne	6	64.0	56.4	24	50.6	40.0
Clay	5	72.2	69.5	21	59.0	56.8
Colfax	0	-	-	17	37.2	32.3
Cuming	6	61.2	50.4	36	71.2	72.2
Custer	13	108.8	117.8	37	60.3	62.6
Dakota	4	23.8	24.8	33	39.4	35.8
Dawes	1	11.2	9.9	10	22.2	17.2
Dawson	8	41.1	43.3	41	41.1	34.6
Deuel	0	-	-	4	35.8	24.8
Dixon	2	33.6	24.0	12	39.1	27.5
Dodge	10	29.2	25.1	60	34.8	30.9
Fremont	8	33.9	29.8	38	32.1	27.3
Balance of Co.	2	18.8	12.4	22	40.7	39.2
Douglas	118	28.1	24.1	653	31.4	28.2
Omaha	107	31.5	25.8	569	33.9	29.2
Balance of Co.	11	13.7	15.1	84	20.8	28.4
Dundy	1	39.6	19.9	11	85.2	94.3
Fillmore	5	72.1	85.1	20	56.3	43.4
Franklin	2	51.9	53.7	10	50.8	45.2
Frontier	0	-	-	5	32.2	22.0
Furnas	2	37.3	14.9	24	86.4	67.4
Gage	10	44.5	32.3	65	57.0	44.3
Beatrice	6	49.0	28.5	35	56.7	36.1
Balance of Co.	4	39.2	33.4	30	57.5	53.5

TABLE 47: ACCIDENTAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	3	125.4	89.3	5	40.7	55.0
Garfield	1	47.7	66.8	4	37.4	35.2
Gosper	1	53.0	21.6	4	41.5	21.4
Grant	0	-	-	3	78.0	133.8
Greeley	4	137.2	85.1	9	59.9	46.9
Hall	22	44.7	40.4	96	39.2	35.6
Grand Island	22	54.2	48.1	76	38.6	33.9
Balance of Co.	0	-	-	20	41.9	41.7
Hamilton	5	57.0	40.8	39	88.0	68.6
Harlan	3	80.8	35.5	10	52.5	30.1
Hayes	0	-	-	5	81.8	119.4
Hitchcock	3	81.4	70.6	10	53.3	44.3
Holt	8	64.5	94.7	35	55.6	58.6
Hooker	1	132.7	110.1	3	75.7	92.0
Howard	2	33.8	34.3	21	69.4	62.2
Jefferson	4	46.8	38.3	24	54.8	47.1
Johnson	5	109.9	72.0	14	59.9	57.1
Kearney	7	107.0	72.2	25	75.4	60.8
Keith	4	47.5	55.4	24	55.9	62.8
Keya Paha	1	102.6	41.7	1	19.4	8.2
Kimball	1	25.0	***	12	58.4	35.5
Knox	7	76.5	58.9	31	65.0	63.1
Lancaster	59	27.1	22.9	282	26.4	23.3
Lincoln	55	28.1	23.7	237	24.7	21.6
Balance of Co.	4	18.3	16.6	45	41.5	41.2
Lincoln	12	37.8	43.4	55	33.8	33.1
North Platte	10	45.0	49.2	30	26.5	26.5
Balance of Co.	2	21.1	37.0	25	50.5	50.1
Logan	1	116.7	64.6	2	45.6	22.1
Loup	0	-	-	1	29.3	100.8
McPherson	1	186.4	191.9	1	36.6	39.3
Madison	8	24.3	22.3	62	38.0	33.1
Norfolk	4	18.3	21.0	40	37.3	33.3
Balance of Co.	4	36.3	17.8	22	39.4	30.3
Merrick	4	50.9	45.2	22	54.7	45.4
Morrill	2	37.8	40.7	15	55.3	60.4
Nance	1	23.9	5.4	9	42.1	32.7
Nemaha	1	12.7	5.1	19	47.6	40.7
Nuckolls	4	71.5	110.8	15	51.8	46.0
Otoe	6	42.7	42.8	32	44.9	38.4
Pawnee	0	-	-	8	48.2	42.3
Perkins	1	30.2	43.8	4	23.8	23.5
Phelps	8	82.4	76.9	24	49.4	42.2
Pierce	5	65.0	60.1	27	69.0	65.3

TABLE 47: ACCIDENTAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	10	33.3	29.0	61	40.9	38.8
Columbus	7	35.2	29.7	35	35.9	31.0
Balance of Co.	3	29.7	26.1	26	50.3	53.8
Polk	1	18.0	22.9	14	49.3	38.6
Red Willow	1	8.7	2.7	24	41.0	32.7
Richardson	6	62.1	31.9	22	44.3	32.2
Rock	1	51.4	65.8	4	39.6	71.4
Saline	9	71.2	60.1	34	53.5	46.0
Sarpy	15	14.2	16.8	85	16.6	20.0
Bellevue	5	15.2	17.5	24	15.5	17.1
Balance of Co.	10	13.7	17.1	61	17.0	21.7
Saunders	9	49.5	29.9	40	43.8	41.9
Scotts Bluff	7	19.7	21.2	56	31.1	30.2
Scottsbluff	3	22.0	16.5	23	33.5	29.4
Balance of Co.	4	18.2	25.2	33	29.6	30.3
Seward	8	52.0	53.1	33	42.7	39.1
Sheridan	2	30.3	20.0	21	62.2	55.4
Sherman	1	27.7	15.7	16	86.1	66.7
Sioux	0	-	-	3	38.7	41.6
Stanton	2	32.3	30.3	9	28.8	31.7
Thayer	4	62.1	20.2	18	54.3	41.1
Thomas	0	-	-	1	23.5	18.2
Thurston	5	72.6	80.6	27	77.9	77.6
Valley	3	59.1	83.2	15	58.0	56.0
Washington	5	29.7	32.4	28	33.7	32.2
Wayne	5	54.0	39.3	12	25.6	16.5
Webster	3	72.1	137.5	14	65.4	61.0
Wheeler	1	108.0	94.4	2	42.2	36.8
York	4	27.9	16.8	22	30.5	25.4
United States, 1989:	95,028	38.5	35.0			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

***Could not calculate an age adjusted rate since the age was not known

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 8

CHRONIC LUNG DISEASE DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 9.8
9.9 to 19.7
19.8 to 29.6
29.7 to 39.7

TABLE 48: CHRONIC LUNG DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	483	30.6	20.1	2,315	29.3	20.0
Adams	7	23.8	15.9	29	19.6	11.8
Hastings	6	26.3	19.3	27	23.6	14.1
Balance of Co.	1	15.1	7.2	2	5.9	3.4
Antelope	3	38.3	11.6	15	37.7	14.2
Arthur	1	221.3	122.4	1	43.3	24.5
Banner	2	238.4	160.3	2	46.9	32.2
Blaine	1	157.1	125.5	1	29.6	22.7
Boone	4	61.3	25.6	15	45.0	17.6
Box Butte	5	38.4	29.9	17	25.9	21.8
Boyd	1	36.6	18.9	3	21.2	8.3
Brown	3	85.4	22.8	12	65.6	25.9
Buffalo	6	15.8	13.1	33	17.6	14.5
Kearney	4	16.0	12.5	21	17.2	16.8
Balance of Co.	2	15.5	13.6	12	18.4	11.7
Burt	2	26.0	9.1	15	38.1	17.9
Butler	2	23.7	14.7	14	32.6	12.2
Cass	8	37.2	28.5	26	24.4	18.5
Cedar	6	60.7	24.7	28	55.3	24.1
Chase	4	92.9	36.0	10	45.7	22.7
Cherry	1	16.1	7.5	12	38.1	21.9
Cheyenne	4	42.6	20.7	23	48.5	27.2
Clay	1	14.4	11.3	10	28.1	15.0
Colfax	0	-	-	6	13.1	5.5
Cuming	1	10.2	4.0	9	17.8	9.3
Custer	2	16.7	5.9	28	45.6	20.2
Dakota	5	29.8	27.3	28	33.4	27.7
Dawes	2	22.5	9.4	21	46.6	31.4
Dawson	7	36.0	19.8	39	39.1	21.0
Deuel	0	-	-	2	17.9	8.0
Dixon	5	84.1	33.7	16	52.1	23.2
Dodge	17	49.7	20.4	65	37.7	19.3
Fremont	12	50.8	21.9	45	38.0	20.2
Balance of Co.	5	47.1	17.3	20	37.0	17.4
Douglas	117	27.8	24.3	542	26.0	22.7
Omaha	102	30.0	23.2	492	29.3	22.7
Balance of Co.	15	18.7	33.9	50	12.4	24.1
Dundy	0	-	-	6	46.5	20.8
Fillmore	2	28.8	13.6	14	39.4	21.2
Franklin	2	51.9	11.8	8	40.6	11.3
Frontier	1	33.4	16.3	6	38.7	20.9
Furnas	3	55.9	20.2	18	64.8	20.4
Gage	7	31.2	14.8	47	41.2	19.4
Beatrice	5	40.8	14.8	36	58.3	23.8
Balance of Co.	2	19.6	12.7	11	21.1	12.2

TABLE 48: CHRONIC LUNG DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	4	167.3	51.5	13	105.7	36.1
Garfield	4	190.8	38.6	5	46.7	11.3
Gosper	0	-	-	2	20.7	9.0
Grant	0	-	-	0	-	-
Greeley	2	68.6	19.7	6	39.9	18.6
Hall	12	24.4	15.2	92	37.6	25.1
Grand Island	12	29.5	18.2	83	42.1	27.7
Balance of Co.	0	-	-	9	18.9	13.5
Hamilton	1	11.4	9.3	14	31.6	18.4
Harlan	1	26.9	12.7	7	36.7	18.2
Hayes	0	-	-	1	16.4	9.3
Hitchcock	0	-	-	4	21.3	9.5
Holt	4	32.2	17.0	14	22.2	12.9
Hooker	1	132.7	34.4	2	50.4	19.4
Howard	2	33.8	15.3	6	19.8	10.3
Jefferson	2	23.4	8.4	17	38.8	16.5
Johnson	1	22.0	7.1	4	17.1	7.5
Kearney	2	30.6	14.8	9	27.2	11.3
Keith	6	71.2	41.0	19	44.3	25.4
Keya Paha	0	-	-	0	-	-
Kimball	1	25.3	8.0	11	53.6	24.5
Knox	6	65.6	33.6	17	35.7	13.1
Lancaster	52	23.9	19.7	237	22.2	19.4
Lincoln	50	25.5	21.2	229	23.9	20.9
Balance of Co.	2	9.2	7.6	8	7.4	6.5
Lincoln	11	34.7	21.3	71	43.7	27.7
North Platte	7	31.5	18.7	54	47.8	28.9
Balance of Co.	4	42.2	27.4	17	34.3	24.5
Logan	0	-	-	1	22.8	12.8
Loup	0	-	-	0	-	-
McPherson	0	-	-	1	36.6	21.9
Madison	11	33.4	19.8	51	31.2	19.7
Norfolk	4	18.3	13.3	33	30.7	20.8
Balance of Co.	7	63.5	31.5	18	32.2	18.3
Merrick	0	-	-	9	22.4	11.3
Morrill	1	18.9	12.6	11	40.6	21.4
Nance	2	47.8	25.3	11	51.5	25.0
Nemaha	4	50.6	24.2	24	60.2	32.9
Nuckolls	3	53.6	21.5	11	38.0	17.6
Otoe	2	14.2	8.4	19	26.7	12.6
Pawnee	2	62.6	36.4	6	36.2	17.0
Perkins	3	90.6	30.8	5	29.7	11.2
Phelps	6	61.8	40.1	27	55.6	31.8
Pierce	6	78.0	36.7	15	38.3	20.9

TABLE 48: CHRONIC LUNG DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	6	20.0	13.4	33	22.1	15.5
Columbus	4	20.1	11.5	24	24.6	15.7
Balance of Co.	2	19.8	17.2	9	17.4	15.0
Polk	1	18.0	3.2	3	10.6	3.9
Red Willow	5	43.4	21.4	18	30.8	18.4
Richardson	5	51.8	21.8	32	64.4	26.6
Rock	1	51.4	20.7	4	39.6	14.0
Saline	2	15.8	6.1	27	42.5	18.5
Sarpy	7	6.6	12.6	38	7.4	14.9
Bellevue	4	12.2	15.3	15	9.7	13.4
Balance of Co.	3	4.1	9.3	23	6.4	15.4
Saunders	6	33.0	13.4	29	31.7	17.7
Scotts Bluff	31	87.2	46.5	123	68.3	39.7
Scottsbluff	15	110.1	56.1	50	72.9	40.4
Balance of Co.	16	72.9	39.6	73	65.4	39.3
Seward	3	19.5	8.7	20	25.9	14.7
Sheridan	6	91.0	40.3	21	62.2	27.1
Sherman	1	27.7	7.6	10	53.8	20.5
Sioux	0	-	-	1	12.9	7.1
Stanton	1	16.2	18.4	2	6.4	5.7
Thayer	3	46.5	14.6	10	30.1	11.2
Thomas	0	-	-	1	23.5	17.0
Thurston	4	58.1	38.4	11	31.7	23.9
Valley	2	39.4	17.2	9	34.8	15.9
Washington	2	11.9	8.9	17	20.5	14.4
Wayne	5	54.0	33.1	12	25.6	15.6
Webster	3	72.1	22.2	9	42.1	20.9
Wheeler	1	108.0	85.5	2	42.2	27.9
York	4	27.9	13.6	20	27.7	15.3
United States, 1989:	60,249	24.4	19.5			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 9

DIABETES MELLITUS DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 17.5
17.6 to 35.2
35.3 to 52.9
53.0 to 70.7

TABLE 49: DIABETES MELLITUS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	268	17.0	11.8	1,310	16.6	11.7
Adams	3	10.2	8.2	17	11.5	7.0
Hastings	3	13.2	10.6	13	11.4	5.8
Balance of Co.	0	-	-	4	11.8	9.7
Antelope	5	63.9	29.6	14	35.2	20.5
Arthur	0	-	-	0	-	-
Banner	0	-	-	1	23.5	12.6
Blaine	0	-	-	0	-	-
Boone	1	15.3	6.5	5	15.0	6.4
Box Butte	1	7.7	2.2	8	12.2	10.7
Boyd	2	73.1	37.4	4	28.2	12.0
Brown	0	-	-	2	10.9	5.8
Buffalo	6	15.8	15.7	24	12.8	10.5
Kearney	6	24.0	28.8	14	11.5	12.4
Balance of Co.	0	-	-	10	15.3	8.7
Burt	2	26.0	15.0	11	28.0	14.9
Butler	4	47.3	17.1	10	23.3	8.9
Cass	5	23.2	12.7	15	14.1	9.7
Cedar	4	40.5	16.0	16	31.6	17.3
Chase	2	46.5	19.6	7	32.0	12.9
Cherry	4	64.3	31.2	9	28.5	16.4
Cheyenne	5	53.3	23.8	15	31.6	15.6
Clay	0	-	-	1	2.8	1.3
Colfax	0	-	-	11	24.1	13.9
Cuming	2	20.4	10.8	4	7.9	3.4
Custer	2	16.7	6.5	11	17.9	6.6
Dakota	1	6.0	4.5	17	20.3	16.9
Dawes	1	11.2	6.2	5	11.1	7.4
Dawson	5	25.7	11.4	15	15.0	7.3
Deuel	3	136.9	42.0	8	71.5	26.5
Dixon	0	-	-	0	-	-
Dodge	5	14.6	6.4	26	15.1	8.4
Fremont	2	8.5	5.0	20	16.9	10.1
Balance of Co.	3	28.3	8.7	6	11.1	4.9
Douglas	61	14.5	13.3	293	14.1	12.7
Omaha	54	15.9	13.0	269	16.0	13.1
Balance of Co.	7	8.7	13.4	24	6.0	10.7
Dundy	0	-	-	4	31.0	21.5
Fillmore	4	57.6	21.8	13	36.6	13.8
Franklin	3	77.9	33.4	7	35.6	12.2
Frontier	1	33.4	16.3	7	45.1	24.6
Furnas	0	-	-	6	21.6	8.1
Gage	6	26.7	11.3	31	27.2	12.5
Beatrice	5	40.8	13.9	21	34.0	15.7
Balance of Co.	1	9.8	6.8	10	19.2	9.1

TABLE 49: DIABETES MELLITUS DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	0	-	-
Garfield	1	47.7	43.5	4	37.4	16.7
Gosper	0	-	-	4	41.5	19.2
Grant	0	-	-	2	52.0	25.4
Greeley	1	34.3	21.7	1	6.7	4.1
Hall	5	10.2	6.1	41	16.8	11.6
Grand Island	5	12.3	7.4	35	17.8	12.5
Balance of Co.	0	-	-	6	12.6	8.4
Hamilton	2	22.8	11.7	8	18.1	9.6
Harlan	1	26.9	12.7	7	36.7	20.1
Hayes	0	-	-	1	16.4	9.3
Hitchcock	1	27.1	15.6	6	32.0	15.8
Holt	1	8.1	5.4	13	20.6	11.9
Hooker	0	-	-	0	-	-
Howard	3	50.7	28.9	6	19.8	14.3
Jefferson	1	11.7	9.6	3	6.9	4.8
Johnson	4	87.9	37.6	9	38.5	17.9
Kearney	1	15.3	10.8	6	18.1	12.4
Keith	2	23.7	13.5	11	25.6	18.5
Keya Paha	0	-	-	1	19.4	7.6
Kimball	1	25.3	11.1	5	24.3	10.2
Knox	0	-	-	12	25.2	10.1
Lancaster	30	13.8	11.7	155	14.5	12.3
Lincoln	29	14.8	12.6	146	15.2	12.8
Balance of Co.	1	4.6	4.7	9	8.3	8.0
Lincoln	6	18.9	11.1	36	22.1	14.0
North Platte	5	22.5	13.1	27	23.9	14.4
Balance of Co.	1	10.5	6.4	9	18.2	13.3
Logan	2	233.4	145.4	4	91.1	70.7
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	9	27.3	22.2	32	19.6	13.8
Norfolk	5	22.9	22.3	23	21.4	16.1
Balance of Co.	4	36.3	21.7	9	16.1	10.0
Merrick	2	25.4	21.6	8	19.9	9.8
Morrill	1	18.9	14.9	8	29.5	18.1
Nance	0	-	-	1	4.7	3.6
Nemaha	2	25.3	8.6	11	27.6	13.9
Nuckolls	1	17.9	3.3	5	17.3	5.1
Otoe	1	7.1	1.4	12	16.8	6.9
Pawnee	0	-	-	2	12.1	2.1
Perkins	0	-	-	4	23.8	8.9
Phelps	3	30.9	14.8	17	35.0	19.5
Pierce	0	-	-	2	5.1	1.8

TABLE 49: DIABETES MELLITUS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	4	13.3	12.3	16	10.7	9.0
Columbus	4	20.1	18.3	14	14.4	11.6
Balance of Co.	0	-	-	2	3.9	3.7
Polk	0	-	-	3	10.6	4.5
Red Willow	4	34.7	18.5	14	23.9	14.0
Richardson	1	10.4	1.9	10	20.1	8.9
Rock	0	-	-	1	9.9	4.2
Saline	3	23.7	11.2	14	22.0	11.2
Sarpy	5	4.7	8.3	22	4.3	7.5
Bellevue	3	9.1	11.6	6	3.9	5.0
Balance of Co.	2	2.7	7.0	16	4.5	9.3
Saunders	2	11.0	7.0	22	24.1	15.4
Scotts Bluff	10	28.1	20.6	52	28.9	18.7
Scottsbluff	7	51.4	43.8	31	45.2	30.4
Balance of Co.	3	13.7	7.3	21	18.8	11.6
Seward	3	19.5	10.2	12	15.5	9.3
Sheridan	2	30.3	14.4	8	23.7	12.0
Sherman	0	-	-	4	21.5	8.6
Sioux	0	-	-	0	-	-
Stanton	0	-	-	1	3.2	1.4
Thayer	3	46.5	25.6	11	33.2	17.7
Thomas	0	-	-	0	-	-
Thurston	2	29.0	27.8	12	34.6	31.6
Valley	1	19.7	6.3	11	42.6	14.7
Washington	6	35.7	23.6	18	21.7	15.2
Wayne	0	-	-	6	12.8	7.3
Webster	0	-	-	4	18.7	10.6
Wheeler	0	-	-	0	-	-
York	3	20.9	9.8	15	20.8	12.9
United States, 1989:	46,833	19.0	15.5			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 10

ATHEROSCLEROSIS DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 11.0
11.1 to 22.1
22.2 to 33.2
33.3 to 44.4

TABLE 50: ATHEROSCLEROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	207	13.1	6.5	1,115	14.1	7.1
Adams	5	17.0	5.5	10	6.8	2.4
Hastings	4	17.5	5.4	7	6.1	2.0
Balance of Co.	1	15.1	7.2	3	8.8	5.0
Antelope	4	51.1	27.7	16	40.2	17.0
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	1	15.3	3.6	2	6.0	2.5
Box Butte	0	-	-	4	6.1	2.4
Boyd	0	-	-	6	42.3	9.4
Brown	0	-	-	2	10.9	4.4
Buffalo	3	7.9	3.8	12	6.4	3.7
Kearney	0	-	-	3	2.5	1.9
Balance of Co.	3	23.2	9.8	9	13.8	6.4
Burt	3	39.1	13.6	13	33.0	12.6
Butler	3	35.5	9.7	14	32.6	9.9
Cass	1	4.6	2.1	7	6.6	3.9
Cedar	0	-	-	12	23.7	7.0
Chase	1	23.2	11.1	3	13.7	5.5
Cherry	1	16.1	4.3	1	3.2	0.9
Cheyenne	1	10.7	3.8	2	4.2	1.5
Clay	1	14.4	11.3	3	8.4	4.2
Colfax	2	22.2	6.5	6	13.1	3.7
Cuming	0	-	-	1	2.0	1.6
Custer	0	-	-	6	9.8	4.8
Dakota	2	11.9	5.2	13	15.5	8.3
Dawes	0	-	-	3	6.7	3.0
Dawson	6	30.8	10.8	41	41.1	16.8
Deuel	0	-	-	1	8.9	3.2
Dixon	0	-	-	12	39.1	8.0
Dodge	9	26.3	10.0	40	23.2	8.3
Fremont	5	21.2	9.8	23	19.4	7.9
Balance of Co.	4	37.7	10.8	17	31.4	8.8
Douglas	56	13.3	8.9	224	10.8	7.4
Omaha	50	14.7	8.5	213	12.7	7.6
Balance of Co.	6	7.5	14.3	11	2.7	5.6
Dundy	0	-	-	1	7.7	1.7
Fillmore	0	-	-	3	8.4	2.7
Franklin	2	51.9	11.8	3	15.2	8.1
Frontier	3	100.3	49.0	7	45.1	17.5
Furnas	1	18.6	5.2	12	43.2	8.9
Gage	3	13.4	3.8	31	27.2	11.6
Beatrice	1	8.2	1.5	15	24.3	8.8
Balance of Co.	2	19.6	8.2	16	30.7	15.3

TABLE 50: ATHEROSCLEROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	1	8.1	1.5
Garfield	0	-	-	10	93.4	18.0
Gosper	0	-	-	1	10.4	4.5
Grant	0	-	-	0	-	-
Greeley	3	102.9	32.5	4	26.6	10.7
Hall	8	16.3	7.7	27	11.0	5.2
Grand Island	7	17.2	8.0	22	11.2	5.1
Balance of Co.	1	11.7	6.7	5	10.5	6.7
Hamilton	0	-	-	4	9.0	3.2
Harlan	4	107.7	34.1	8	42.0	15.6
Hayes	0	-	-	0	-	-
Hitchcock	0	-	-	7	37.3	10.9
Holt	2	16.1	4.3	20	31.7	11.5
Hooker	0	-	-	2	50.4	15.9
Howard	0	-	-	2	6.6	1.6
Jefferson	1	11.7	2.4	1	2.3	0.5
Johnson	7	153.8	39.3	34	145.5	44.4
Kearney	0	-	-	3	9.1	4.0
Keith	6	71.2	27.1	34	79.2	36.8
Keya Paha	0	-	-	0	-	-
Kimball	3	75.9	27.1	6	29.2	11.0
Knox	0	-	-	4	8.4	2.3
Lancaster	18	8.3	6.1	138	12.9	8.9
Lincoln	15	7.7	5.7	120	12.5	8.6
Balance of Co.	3	13.8	10.1	18	16.6	13.0
Lincoln	2	6.3	2.8	8	4.9	2.2
North Platte	1	4.5	2.2	1	0.9	0.5
Balance of Co.	1	10.5	6.5	7	14.1	9.0
Logan	0	-	-	1	22.8	17.0
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	0	-	-	13	8.0	3.2
Norfolk	0	-	-	6	5.6	2.7
Balance of Co.	0	-	-	7	12.5	4.1
Merrick	0	-	-	0	-	-
Morrill	0	-	-	9	33.2	11.9
Nance	1	23.9	5.4	3	14.0	4.2
Nemaha	0	-	-	8	20.1	8.5
Nuckolls	0	-	-	0	-	-
Otoe	1	7.1	3.0	10	14.0	4.9
Pawnee	1	31.3	5.3	5	30.1	8.3
Perkins	0	-	-	8	47.5	13.8
Phelps	2	20.6	7.0	8	16.5	4.8
Pierce	2	26.0	8.7	7	17.9	5.2

TABLE 50: ATHEROSCLEROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	4	13.3	7.8	17	11.4	5.9
Columbus	3	15.1	6.7	13	13.3	5.4
Balance of Co.	1	9.9	9.5	4	7.7	6.3
Polk	0	-	-	4	14.1	3.3
Red Willow	5	43.4	16.6	27	46.1	20.1
Richardson	2	20.7	5.6	16	32.2	10.7
Rock	1	51.4	13.6	1	9.9	2.8
Saline	1	7.9	1.6	23	36.2	8.8
Sarpy	2	1.9	3.6	10	1.9	3.8
Bellevue	1	3.0	3.8	5	3.2	4.6
Balance of Co.	1	1.4	3.4	5	1.4	3.7
Saunders	3	16.5	8.8	14	15.3	7.0
Scotts Bluff	5	14.1	6.5	35	19.4	9.1
Scottsbluff	2	14.7	5.3	17	24.8	10.6
Balance of Co.	3	13.7	7.3	18	16.1	8.0
Seward	5	32.5	14.0	17	22.0	8.5
Sheridan	3	45.5	13.4	10	29.6	8.2
Sherman	0	-	-	0	-	-
Sioux	0	-	-	0	-	-
Stanton	0	-	-	0	-	-
Thayer	1	15.5	7.5	12	36.2	9.2
Thomas	0	-	-	0	-	-
Thurston	0	-	-	2	5.8	3.7
Valley	2	39.4	10.6	6	23.2	7.8
Washington	3	17.8	6.5	13	15.7	7.4
Wayne	1	10.8	3.4	8	17.1	6.8
Webster	0	-	-	1	4.7	0.8
Wheeler	0	-	-	0	-	-
York	0	-	-	2	2.8	0.9
United States, 1989:	19,357	7.8	5.4			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 11

SUICIDE DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 12.4
12.5 to 24.9
25.0 to 37.4
37.5 to 50.1

TABLE 51: SUICIDE DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	185	11.7	10.9	935	11.8	11.0
Adams	4	13.6	15.0	17	11.5	11.2
Hastings	4	17.5	20.4	14	12.3	12.5
Balance of Co.	0	-	-	3	8.8	7.1
Antelope	0	-	-	3	7.5	6.2
Arthur	0	-	-	1	43.3	38.6
Banner	0	-	-	1	23.5	30.8
Blaine	0	-	-	0	-	-
Boone	0	-	-	0	-	-
Box Butte	1	7.7	5.0	7	10.7	13.1
Boyd	0	-	-	1	7.1	24.4
Brown	0	-	-	2	10.9	10.7
Buffalo	4	10.5	11.7	23	12.3	11.5
Kearney	2	8.0	14.2	11	9.0	9.6
Balance of Co.	2	15.5	11.1	12	18.4	16.8
Burt	1	13.0	10.4	4	10.2	7.0
Butler	1	11.8	14.4	5	11.6	11.5
Cass	5	23.2	23.2	17	15.9	14.9
Cedar	1	10.1	12.0	4	7.9	7.0
Chase	0	-	-	4	18.3	21.2
Cherry	1	16.1	10.5	1	3.2	2.2
Cheyenne	0	-	-	7	14.7	13.0
Clay	1	14.4	15.3	7	19.7	23.6
Colfax	2	22.2	16.0	6	13.1	8.3
Cuming	2	20.4	11.8	3	5.9	4.0
Custer	1	8.4	8.3	4	6.5	5.0
Dakota	2	11.9	10.1	13	15.5	14.3
Dawes	0	-	-	6	13.3	9.9
Dawson	4	20.5	27.5	16	16.0	17.3
Deuel	0	-	-	1	8.9	3.2
Dixon	1	16.8	12.0	2	6.5	4.5
Dodge	4	11.7	11.9	18	10.4	9.1
Fremont	3	12.7	13.8	16	13.5	11.7
Balance of Co.	1	9.4	8.1	2	3.7	3.3
Douglas	51	12.1	11.4	249	12.0	11.0
Omaha	44	12.9	12.0	222	13.2	11.9
Balance of Co.	7	8.7	10.4	27	6.7	7.7
Dundy	0	-	-	3	23.2	9.0
Fillmore	0	-	-	2	5.6	4.6
Franklin	1	26.0	21.8	5	25.4	24.3
Frontier	0	-	-	1	6.4	6.6
Furnas	3	55.9	29.0	6	21.6	14.4
Gage	1	4.5	3.5	10	8.8	9.7
Beatrice	1	8.2	6.9	9	14.6	15.1
Balance of Co.	0	-	-	1	1.9	3.6

TABLE 51: SUICIDE DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	0	-	-
Garfield	2	95.4	133.6	4	37.4	46.2
Gosper	0	-	-	1	10.4	8.8
Grant	0	-	-	2	52.0	39.2
Greeley	0	-	-	2	13.3	15.8
Hall	10	20.3	15.7	30	12.3	10.4
Grand Island	9	22.2	17.1	26	13.2	11.7
Balance of Co.	1	11.7	8.4	4	8.4	6.2
Hamilton	0	-	-	4	9.0	8.5
Harlan	0	-	-	4	21.0	29.5
Hayes	0	-	-	0	-	-
Hitchcock	1	27.1	10.3	4	21.3	10.9
Holt	2	16.1	28.8	7	11.1	13.6
Hooker	0	-	-	0	-	-
Howard	0	-	-	6	19.8	15.3
Jefferson	0	-	-	6	13.7	16.3
Johnson	1	22.0	7.1	3	12.8	7.1
Kearney	2	30.6	26.4	7	21.1	19.7
Keith	1	11.9	7.4	5	11.6	11.9
Keya Paha	0	-	-	2	38.9	27.7
Kimball	1	25.3	13.8	4	19.5	13.2
Knox	1	10.9	37.5	1	2.1	5.3
Lancaster	30	13.8	11.0	130	12.2	10.9
Lincoln	28	14.3	11.1	120	12.5	11.1
Balance of Co.	2	9.2	6.8	10	9.2	10.2
Lincoln	3	9.5	8.1	19	11.7	11.9
North Platte	3	13.5	12.3	18	15.9	16.3
Balance of Co.	0	-	-	1	2.0	1.5
Logan	0	-	-	0	-	-
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	3	9.1	11.0	19	11.6	11.9
Norfolk	2	9.1	11.7	14	13.0	12.1
Balance of Co.	1	9.1	7.4	5	8.9	12.8
Merrick	2	25.4	23.9	9	22.4	19.1
Morrill	0	-	-	2	7.4	9.4
Nance	2	47.8	53.1	5	23.4	27.1
Nemaha	2	25.3	20.6	6	15.0	14.3
Nuckolls	1	17.9	13.2	6	20.7	20.0
Otoe	1	7.1	16.7	7	9.8	11.2
Pawnee	0	-	-	2	12.1	10.2
Perkins	1	30.2	32.5	1	5.9	6.6
Phelps	0	-	-	8	16.5	12.8
Pierce	1	13.0	3.2	5	12.8	6.4

TABLE 51: SUICIDE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	2	6.7	4.7	18	12.1	12.7
Columbus	2	10.0	7.1	13	13.3	13.6
Balance of Co.	0	-	-	5	9.7	11.1
Polk	0	-	-	1	3.5	4.2
Red Willow	0	-	-	7	12.0	11.0
Richardson	0	-	-	3	6.0	4.9
Rock	1	51.4	37.1	3	29.7	47.7
Saline	2	15.8	13.5	12	18.9	13.4
Sarpy	9	8.5	9.7	48	9.4	10.4
Bellevue	4	12.2	10.7	16	10.3	10.8
Balance of Co.	5	6.8	8.8	32	8.9	10.9
Saunders	1	5.5	5.0	11	12.0	9.9
Scotts Bluff	3	8.4	8.7	19	10.5	9.7
Scottsbluff	1	7.3	10.0	4	5.8	5.7
Balance of Co.	2	9.1	8.2	15	13.4	12.8
Seward	1	6.5	3.4	11	14.2	12.8
Sheridan	0	-	-	3	8.9	9.2
Sherman	0	-	-	6	32.3	27.5
Sioux	0	-	-	3	38.7	50.1
Stanton	1	16.2	18.4	1	3.2	3.6
Thayer	0	-	-	2	6.0	3.0
Thomas	0	-	-	0	-	-
Thurston	1	14.5	22.5	1	2.9	4.0
Valley	2	39.4	32.8	4	15.5	18.7
Washington	3	17.8	16.9	8	9.6	9.3
Wayne	1	10.8	8.6	7	15.0	12.7
Webster	0	-	-	4	18.7	16.7
Wheeler	0	-	-	1	21.1	19.8
York	0	-	-	2	2.8	3.9
United States, 1989:	30,232	12.3	11.0			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 12

NEPHRITIS–NEPHROSIS DEATH RATES BY COUNTY OF RESIDENCE

NEBRASKA, 1988–1992


Age Adjusted Rate
0.0 to 6.3
6.4 to 12.7
12.8 to 19.1
19.2 to 25.6

TABLE 52: NEPHRITIS AND NEPHROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	144	9.1	5.4	822	10.4	6.3
Adams	6	20.4	10.2	16	10.8	5.8
Hastings	5	21.9	10.5	13	11.4	5.7
Balance of Co.	1	15.1	9.2	3	8.8	6.1
Antelope	0	-	-	6	15.1	5.6
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	1	29.6	13.1
Boone	3	46.0	16.6	6	18.0	5.6
Box Butte	2	15.4	12.2	10	15.2	9.7
Boyd	1	36.6	5.5	3	21.2	4.7
Brown	1	28.5	6.1	4	21.9	5.9
Buffalo	1	2.6	2.7	15	8.0	5.4
Kearney	0	-	-	7	5.7	3.5
Balance of Co.	1	7.7	6.4	8	12.3	7.7
Burt	1	13.0	2.8	9	22.9	6.1
Butler	2	23.7	7.2	3	7.0	3.6
Cass	3	13.9	10.9	8	7.5	5.5
Cedar	1	10.1	2.1	5	9.9	2.7
Chase	0	-	-	0	-	-
Cherry	2	32.2	16.1	10	31.7	13.8
Cheyenne	1	10.7	6.8	4	8.4	5.4
Clay	3	43.3	18.4	7	19.7	9.3
Colfax	3	33.4	10.4	6	13.1	4.9
Cuming	1	10.2	6.0	6	11.9	4.3
Custer	0	-	-	8	13.0	3.3
Dakota	1	6.0	6.0	5	6.0	5.0
Dawes	0	-	-	4	8.9	5.4
Dawson	4	20.5	8.8	15	15.0	8.0
Deuel	0	-	-	4	35.8	13.7
Dixon	0	-	-	4	13.0	8.5
Dodge	2	5.8	2.2	21	12.2	6.0
Fremont	0	-	-	15	12.7	6.6
Balance of Co.	2	18.8	6.7	6	11.1	4.9
Douglas	38	9.0	7.2	202	9.7	7.9
Omaha	37	10.9	7.7	192	11.4	8.4
Balance of Co.	1	1.2	2.4	10	2.5	5.1
Dundy	1	39.6	8.1	3	23.2	7.3
Fillmore	1	14.4	5.1	12	33.8	13.7
Franklin	0	-	-	6	30.5	10.8
Frontier	0	-	-	3	19.3	12.0
Furnas	0	-	-	6	21.6	3.5
Gage	4	17.8	9.3	17	14.9	6.7
Beatrice	3	24.5	7.7	12	19.4	8.2
Balance of Co.	1	9.8	8.5	5	9.6	4.6

TABLE 52: NEPHRITIS AND NEPHROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	4	32.5	8.8
Garfield	0	-	-	1	9.3	1.6
Gosper	0	-	-	1	10.4	6.8
Grant	0	-	-	1	26.0	8.7
Greeley	0	-	-	3	20.0	4.2
Hall	3	6.1	3.2	18	7.4	4.4
Grand Island	2	4.9	3.0	16	8.1	4.9
Balance of Co.	1	11.7	6.7	2	4.2	2.7
Hamilton	1	11.4	8.5	5	11.3	4.3
Harlan	1	26.9	9.7	4	21.0	6.2
Hayes	1	83.7	26.5	1	16.4	6.0
Hitchcock	0	-	-	3	16.0	3.5
Holt	4	32.2	20.0	13	20.6	11.1
Hooker	0	-	-	0	-	-
Howard	2	33.8	15.3	7	23.1	9.3
Jefferson	1	11.7	2.4	5	11.4	3.4
Johnson	0	-	-	1	4.3	4.4
Kearney	1	15.3	3.9	6	18.1	6.1
Keith	1	11.9	4.2	4	9.3	3.9
Keya Paha	0	-	-	2	38.9	15.8
Kimball	0	-	-	0	-	-
Knox	2	21.9	7.6	8	16.8	10.2
Lancaster	13	6.0	4.1	78	7.3	5.5
Lincoln	11	5.6	3.9	71	7.4	5.6
Balance of Co.	2	9.2	5.7	7	6.5	5.7
Lincoln	3	9.5	7.3	20	12.3	8.5
North Platte	2	9.0	6.6	17	15.0	9.9
Balance of Co.	1	10.5	9.0	3	6.1	5.0
Logan	0	-	-	2	45.6	25.6
Loup	0	-	-	0	-	-
McPherson	0	-	-	1	36.6	21.9
Madison	6	18.2	10.5	14	8.6	5.5
Norfolk	3	13.7	6.9	6	5.6	3.7
Balance of Co.	3	27.2	16.5	8	14.3	9.0
Merrick	0	-	-	4	9.9	3.0
Morrill	1	18.9	4.3	4	14.8	5.1
Nance	0	-	-	3	14.0	4.2
Nemaha	0	-	-	6	15.0	5.6
Nuckolls	1	17.9	6.1	8	27.7	12.6
Otoe	2	14.2	10.4	17	23.9	9.9
Pawnee	0	-	-	2	12.1	3.7
Perkins	1	30.2	7.2	3	17.8	4.4
Phelps	1	10.3	2.4	4	8.2	2.4
Pierce	0	-	-	0	-	-

TABLE 52: NEPHRITIS AND NEPHROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992			1988-1992		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	2	6.7	2.7	10	6.7	5.0
Columbus	2	10.0	3.6	9	9.2	6.5
Balance of Co.	0	-	-	1	1.9	1.9
Polk	0	-	-	4	14.1	5.0
Red Willow	1	8.7	4.3	6	10.3	5.4
Richardson	1	10.4	3.7	18	36.2	12.1
Rock	1	51.4	20.7	3	29.7	14.1
Saline	1	7.9	3.1	6	9.4	3.2
Sarpy	2	1.9	3.8	17	3.3	5.8
Bellevue	1	3.0	3.8	7	4.5	5.9
Balance of Co.	1	1.4	3.4	10	2.8	5.8
Saunders	0	-	-	13	14.2	6.4
Scotts Bluff	1	2.8	1.1	9	5.0	3.0
Scottsbluff	1	7.3	2.6	4	5.8	3.3
Balance of Co.	0	-	-	5	4.5	2.8
Seward	1	6.5	1.9	6	7.8	4.1
Sheridan	1	15.2	3.6	7	20.7	5.9
Sherman	1	27.7	7.6	6	32.3	10.6
Sioux	0	-	-	0	-	-
Stanton	0	-	-	1	3.2	1.4
Thayer	0	-	-	2	6.0	0.9
Thomas	0	-	-	0	-	-
Thurston	0	-	-	3	8.7	5.2
Valley	0	-	-	2	7.7	2.6
Washington	1	5.9	2.2	7	8.4	4.5
Wayne	0	-	-	3	6.4	3.4
Webster	2	48.0	7.7	8	37.4	7.6
Wheeler	0	-	-	0	-	-
York	2	13.9	9.8	9	12.5	6.1
United States, 1989:	21,118	8.6	6.6			

*Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

**Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Indented - Cities over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

TABLE 53: ACCIDENTAL DEATHS BY CAUSE
NEBRASKA, 1988-1992

CAUSE OF DEATH	1988	1989	1990	1991	1992
Railway accidents (all forms)	2	4	5	2	4
*Motor vehicle traffic accidents	285	302	276	281	256
*Motor vehicle nontraffic accidents	13	6	4	13	9
Other road vehicle accidents	2	2	1	2	1
Water transport accidents	5	2	3	2	3
Air transport accidents	1	11	3	4	9
Poisoning by drugs	16	17	11	11	10
Poisoning by other solids and liquids	5	0	4	2	0
Poisoning by gases and vapors	21	12	8	6	3
Accidental falls	113	103	94	112	109
Injury by fire	12	14	15	22	14
Excessive heat	1	0	6	1	0
Excessive cold	4	2	6	3	2
Hunger and Thirst	2	0	2	0	1
Injury by animals	1	2	1	1	2
Lightning	1	0	1	0	1
Drowning (excluding water transport)	13	21	16	19	15
Obstruction, suffocation, or puncture by ingested objects	21	25	22	33	27
Mechanical suffocation	6	9	12	8	3
Struck against or by machinery or other object	6	7	6	7	6
Caught between or in machinery or other object	22	12	15	17	7
Injury by cutting or piercing instruments	0	1	0	0	0
Injury by firearms	17	11	7	11	8
Injury by electric current	8	7	4	3	5
Accidents due to medical or surgical intervention	23	20	18	21	31
**Other and unspecified accidents	16	20	28	16	32
TOTAL ACCIDENTAL DEATHS	616	610	568	597	558
MALE	421	388	362	376	338
FEMALE	195	222	206	221	220
Rate per 100,000 population	38.5	37.9	36.0	37.8	35.3

*Motor vehicle accidents include collision between auto and train

**Includes late effects of all types of accidents

GRAPH 24: ACCIDENTAL DEATHS
LEADING CAUSES
NEBRASKA, 1992



TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES BY PLACE OF RESIDENCE
NEBRASKA, 1992

COUNTY	ALL ACCI-DENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWN-+ ING	FIRE+	ALL+ OTHERS
STATE	558	264	11	108	15	14	146
Adams	6	1	0	1	1	0	3
*Hastings	4	0	0	1	1	0	2
Balance of Co.	2	1	0	0	0	0	1
Antelope	1	0	0	1	0	0	0
Arthur	0	0	0	0	0	0	0
Banner	0	0	0	0	0	0	0
Blaine	0	0	0	0	0	0	0
Boone	3	2	0	0	0	0	1
Box Butte	13	11	0	2	0	0	0
Alliance	9	8	0	1	0	0	0
Balance of Co.	4	3	0	1	0	0	0
Boyd	1	1	0	0	0	0	0
Brown	2	1	0	1	0	0	0
Buffalo	12	5	0	3	0	0	4
*Kearney	10	4	0	3	0	0	3
Balance of Co.	2	1	0	0	0	0	1
Burt	3	1	0	0	0	0	2
Butler	7	4	0	1	0	0	2
David City	3	0	0	1	0	0	2
Balance of Co.	4	4	0	0	0	0	0
Cass	8	5	0	2	1	0	0
Plattsmouth	2	2	0	0	0	0	0
Balance of Co.	6	3	0	2	1	0	0
Cedar	5	4	0	0	0	0	1
Chase	2	0	0	0	0	2	0
Cherry	5	1	0	0	0	0	4
Valentine	0	0	0	0	0	0	0
Balance of Co.	5	1	0	0	0	0	4
Cheyenne	6	4	0	2	0	0	0
Sidney	3	1	0	2	0	0	0
Balance of Co.	3	3	0	0	0	0	0
Clay	5	3	1	0	1	0	0
Colfax	0	0	0	0	0	0	0
Schuyler	0	0	0	0	0	0	0
Balance of Co.	0	0	0	0	0	0	0
Cuming	6	3	1	1	0	0	1
West Point	0	0	0	0	0	0	0
Balance of Co.	6	3	1	1	0	0	1
Custer	13	6	0	0	0	2	5
Broken Bow	3	0	0	0	0	0	3
Balance of Co.	10	6	0	0	0	2	2
Dakota	4	2	0	0	0	0	2
So. Sioux City	2	1	0	0	0	0	1
Balance of Co.	2	1	0	0	0	0	1
Dawes	1	1	0	0	0	0	0
Chadron	1	1	0	0	0	0	0
Balance of Co.	0	0	0	0	0	0	0

TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES
BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

COUNTY	ALL ACCI-DENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWN-+ ING	FIRE+	ALL+ OTHERS
Dawson	8	4	0	1	0	1	2
Cozad	1	1	0	0	0	0	0
Gothenburg	2	1	0	0	0	0	1
Lexington	4	2	0	0	0	1	1
Balance of Co.	1	0	0	1	0	0	0
Deuel	0	0	0	0	0	0	0
Dixon	2	0	1	1	0	0	0
Dodge	10	6	1	2	0	0	1
*Fremont	8	4	1	2	0	0	1
Balance of Co.	2	2	0	0	0	0	0
Douglas	118	59	0	24	4	2	29
*Omaha	107	51	0	24	3	2	27
Ralston	0	0	0	0	0	0	0
Balance of Co.	11	8	0	0	1	0	2
Dundy	1	0	0	1	0	0	0
Fillmore	5	2	1	1	0	0	1
Franklin	2	1	1	0	0	0	0
Frontier	0	0	0	0	0	0	0
Furnas	2	2	0	0	0	0	0
Gage	10	5	0	2	1	0	2
*Beatrice	6	3	0	2	1	0	0
Balance of Co.	4	2	0	0	0	0	2
Garden	3	1	0	0	0	0	2
Garfield	1	1	0	0	0	0	0
Gosper	1	0	0	0	0	0	1
Grant	0	0	0	0	0	0	0
Greeley	4	3	0	0	1	0	0
Hall	22	7	0	9	0	0	6
*Grand Island	22	7	0	9	0	0	6
Balance of Co.	0	0	0	0	0	0	0
Hamilton	5	2	0	1	0	0	2
Aurora	3	1	0	0	0	0	2
Balance of Co.	2	1	0	1	0	0	0
Harlan	3	2	0	0	0	0	1
Hayes	0	0	0	0	0	0	0
Hitchcock	3	2	0	0	0	0	1
Holt	8	5	0	1	0	0	2
O'Neill	4	2	0	1	0	0	1
Balance of Co.	4	3	0	0	0	0	1
Hooker	1	0	0	0	0	0	1
Howard	2	1	0	0	0	0	1
Jefferson	4	2	0	0	1	0	1
Fairbury	1	0	0	0	0	0	1
Balance of Co.	3	2	0	0	1	0	0
Johnson	5	4	0	0	0	0	1
Kearney	7	4	0	0	0	0	3
Minden	2	0	0	0	0	0	2
Balance of Co.	5	4	0	0	0	0	1

TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES
BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

COUNTY	ALL ACCIDENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWNING+	FIRE+	ALL+ OTHERS
Keith	4	4	0	0	0	0	0
Ogallala	0	0	0	0	0	0	0
Balance of Co.	4	4	0	0	0	0	0
Keya Paha	1	0	0	1	0	0	0
Kimball	1	0	0	0	0	0	1
Kimball	0	0	0	0	0	0	0
Balance of Co.	1	0	0	0	0	0	1
Knox	7	2	0	0	0	0	5
Lancaster	59	19	1	19	1	0	19
*Lincoln	55	18	0	18	1	0	18
Balance of Co.	4	1	1	1	0	0	1
Lincoln	12	7	0	2	0	0	3
*North Platte	10	6	0	2	0	0	2
Balance of Co.	2	1	0	0	0	0	1
Logan	1	0	0	1	0	0	0
Loup	0	0	0	0	0	0	0
McPherson	1	1	0	0	0	0	0
Madison	8	4	0	2	0	0	2
*Norfolk	4	3	0	0	0	0	1
Balance of Co.	4	1	0	2	0	0	1
Merrick	4	0	0	0	0	1	3
Central City	1	0	0	0	0	1	0
Balance of Co.	3	0	0	0	0	0	3
Morrill	2	1	0	0	0	1	0
Nance	1	0	0	0	0	0	1
Nemaha	1	0	0	0	0	1	0
Auburn	0	0	0	0	0	0	0
Balance of Co.	1	0	0	0	0	1	0
Nuckolls	4	3	0	1	0	0	0
Superior	2	1	0	1	0	0	0
Balance of Co.	2	2	0	0	0	0	0
Otoe	6	5	0	1	0	0	0
Nebraska City	3	3	0	0	0	0	0
Balance of Co.	3	2	0	1	0	0	0
Pawnee	0	0	0	0	0	0	0
Perkins	1	0	0	0	0	0	1
Phelps	8	3	0	2	1	1	1
Holdrege	3	2	0	0	1	0	0
Balance of Co.	5	1	0	2	0	1	1
Pierce	5	2	0	1	0	0	2
Platte	10	7	1	1	1	0	0
*Columbus	7	6	0	0	1	0	0
Balance of Co.	3	1	1	1	0	0	0
Polk	1	1	0	0	0	0	0
Red Willow	1	0	0	1	0	0	0
McCook	0	0	0	0	0	0	0
Balance of Co.	1	0	0	1	0	0	0

TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES
BY PLACE OF RESIDENCE
NEBRASKA, 1992 (continued)

COUNTY	ALL ACCI-DENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWN-+ ING	FIRE+	ALL+ OTHERS
Richardson	6	1	0	1	0	2	2
Falls City	2	0	0	1	0	0	1
Balance of Co.	4	1	0	0	0	2	1
Rock	1	1	0	0	0	0	0
Saline	9	5	0	1	0	0	3
Crete	1	0	0	0	0	0	1
Balance of Co.	8	5	0	1	0	0	2
Sarpy	15	6	0	3	0	0	6
*Bellevue	5	1	0	1	0	0	3
LaVista	10	5	0	2	0	0	3
Papillion	0	0	0	0	0	0	0
Balance of Co.	0	0	0	0	0	0	0
Saunders	9	1	0	4	2	0	2
Wahoo	4	1	0	1	1	0	1
Balance of Co.	5	0	0	3	1	0	1
Scotts Bluff	7	2	0	1	0	0	4
Gering	4	2	0	0	0	0	2
*Scottsbluff	3	0	0	1	0	0	2
Balance of Co.	0	0	0	0	0	0	0
Seward	8	6	1	1	0	0	0
Seward	3	2	0	1	0	0	0
Balance of Co.	5	4	1	0	0	0	0
Sheridan	2	1	0	1	0	0	0
Sherman	1	0	0	0	0	0	1
Sioux	0	0	0	0	0	0	0
Stanton	2	0	1	0	0	1	0
Thayer	4	0	0	3	0	0	1
Thomas	0	0	0	0	0	0	0
Thurston	5	5	0	0	0	0	0
Valley	3	1	0	0	0	0	2
Ord	2	0	0	0	0	0	2
Balance of Co.	1	1	0	0	0	0	0
Washington	5	2	0	0	0	0	3
Blair	2	2	0	0	0	0	0
Balance of Co.	3	0	0	0	0	0	3
Wayne	5	2	1	2	0	0	0
Wayne	3	1	0	2	0	0	0
Balance of Co.	2	1	1	0	0	0	0
Webster	3	2	0	1	0	0	0
Wheeler	1	0	0	0	0	0	1
York	4	2	0	1	0	0	1
York	2	1	0	0	0	0	1
Balance of Co.	2	1	0	1	0	0	0

* - Cities over 10,000 population in 1980
Indented - Cities 2,500 - 10,000 population in 1980
+ - Excludes cases which occur on a farm

TABLE 55: DROWNINGS BY SITE, SEX AND AGE GROUP
NEBRASKA, 1992

SITE	MALE	FEMALE	TOTAL	≤14	15-29	30-44	45-59	≥60
Lake	1	0	1			1		
Swimming Pool	3	1	4	3	1			
Bathtub	1	4	5	1		3		1
River	0	1	1				1	
Other	3	1	4	1	1			2
TOTAL	8	7	15	5	2	4	1	3

TABLE 56: FARM FATALITIES BY TYPE, SEX AND AGE GROUP
NEBRASKA, 1992

TYPE OF ACCIDENT	MALE	FEMALE	TOTAL	≤14	15-29	30-44	45-59	≥60
Tractor	2	0	2					2
Machinery	3	0	3			1	1	1
Other	4	1	5	1			2	2
Unknown	1	0	1					1
TOTAL	10	1	11	1	0	1	3	6

GRAPH 25
SUICIDE MORTALITY
NEBRASKA, 1918-1992



TABLE 57: SUICIDES BY TYPE, SEX AND AGE GROUPS
NEBRASKA, 1992

			YEARS															
TYPE	SEX	TOTAL	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	>80
Gunshot	M	92		2	8	9	5	11	9	5	6	5	8	4	2	8	5	5
	F	17		1	1	1	2	1	2		1	3		2		1	2	
Hanging	M	21	1			4	3	1	2	3		1	1	1			1	3
	F	2						1										1
Carbon Monoxide	M	18			1	1	1	2	2	5	1	1		2	1		1	
	F	15					1	2	6		1	2	2	1				
Drugs	M	1				1												
	F	8					1	3		1	2	1						
Laceration	M	1						1										
Jumping	M	2				2												
	F	1							1									
Drowning	F	2													1	1		
Other	M	5						2	1					1	1			
TOTAL		185	1	3	10	18	13	24	23	14	11	13	11	11	5	10	9	9

MALE	140
FEMALE	45

GRAPH 26
INFANT AND NEONATAL DEATHS
NEBRASKA, 1925-1992



TABLE 58: INFANT AND NEONATAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992		1988-1992		1992		1988-1992	
COUNTY	INFANT DEATHS	RATE	INFANT DEATHS	RATE	NEO-NATAL DEATHS	RATE	NEO-NATAL DEATHS	RATE
STATE	171	7.3	958	8.0	90	3.9	541	4.5
Adams	3	6.7	20	9.5	2	4.5	14	6.6
Hastings	3	9.2	16	10.0	2	6.2	12	7.5
Balance of Co.	0	-	4	8.0	0	-	2	4.0
Antelope	0	-	2	3.6	0	-	2	3.6
Arthur	0	-	0	-	0	-	0	-
Banner	0	-	1	21.3	0	-	1	21.3
Blaine	0	-	0	-	0	-	0	-
Boone	0	-	1	2.1	0	-	1	2.1
Box Butte	4	21.5	12	12.3	2	10.8	8	8.2
Boyd	1	27.8	1	6.2	1	27.8	1	6.2
Brown	0	-	0	-	0	-	0	-
Buffalo	2	4.1	20	7.4	2	4.1	14	5.2
Kearney	1	3.0	14	8.1	1	3.0	9	5.2
Balance of Co.	1	6.2	6	6.2	1	6.2	5	5.2
Burt	2	21.7	3	7.0	0	-	0	-
Butler	0	-	3	5.4	0	-	1	1.8
Cass	1	3.6	15	9.5	1	3.6	11	7.0
Cedar	1	7.6	4	5.0	1	7.6	2	2.5
Chase	0	-	1	3.6	0	-	0	-
Cherry	0	-	0	-	0	-	0	-
Cheyenne	0	-	3	4.7	0	-	3	4.7
Clay	2	22.5	3	7.0	1	11.2	2	4.7
Colfax	1	7.7	4	5.7	0	-	1	1.4
Cuming	2	15.4	5	7.5	1	7.7	4	6.0
Custer	3	19.9	8	9.7	2	13.2	6	7.3
Dakota	3	10.5	14	9.4	0	-	9	6.0
Dawes	3	25.4	6	10.0	2	16.9	4	6.7
Dawson	3	7.6	17	11.3	1	2.5	12	8.0
Deuel	0	-	1	8.6	0	-	0	-
Dixon	0	-	5	12.7	0	-	3	7.6
Dodge	3	6.6	23	9.9	2	4.4	13	5.6
Fremont	3	9.1	18	11.1	2	6.1	10	6.2
Balance of Co.	0	-	5	7.2	0	-	3	4.3
Douglas	59	8.4	319	8.9	29	4.1	183	5.1
Omaha	56	10.1	294	10.2	26	4.7	165	5.7
Balance of Co.	3	2.2	25	3.5	3	2.2	18	2.5
Dundy	0	-	1	7.7	0	-	0	-
Fillmore	0	-	4	9.2	0	-	4	9.2
Franklin	0	-	1	4.3	0	-	0	-
Frontier	0	-	1	5.6	0	-	0	-
Furnas	0	-	1	3.4	0	-	0	-
Gage	2	8.0	11	7.9	2	8.0	6	4.3
Beatrice	2	12.6	7	9.0	2	12.6	3	3.9
Balance of Co.	0	-	4	6.6	0	-	3	4.9

TABLE 58: INFANT AND NEONATAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992		1988-1992		1992		1988-1992	
COUNTY	INFANT DEATHS	RATE	INFANT DEATHS	RATE	NEO-NATAL DEATHS	RATE	NEO-NATAL DEATHS	RATE
Garden	0	-	0	-	0	-	0	-
Garfield	0	-	2	15.4	0	-	1	7.7
Gosper	0	-	1	8.9	0	-	1	8.9
Grant	0	-	0	-	0	-	0	-
Greeley	0	-	0	-	0	-	0	-
Hall	5	6.3	27	6.7	4	5.0	14	3.5
Grand Island	4	6.1	23	7.1	3	4.6	12	3.7
Balance of Co.	1	7.0	4	5.4	1	7.0	2	2.7
Hamilton	1	9.1	5	8.2	1	9.1	4	6.6
Harlan	0	-	0	-	0	-	0	-
Hayes	0	-	0	-	0	-	0	-
Hitchcock	0	-	1	4.9	0	-	0	-
Holt	0	-	3	3.1	0	-	1	1.0
Hooker	0	-	0	-	0	-	0	-
Howard	0	-	4	9.9	0	-	4	9.9
Jefferson	3	37.0	10	19.6	1	12.3	3	5.9
Johnson	0	-	5	19.9	0	-	5	19.9
Kearney	3	32.6	7	15.1	3	32.6	5	10.8
Keith	0	-	4	7.8	0	-	0	-
Keya Paha	0	-	0	-	0	-	0	-
Kimball	1	25.0	2	8.5	0	-	1	4.3
Knox	0	-	7	11.2	0	-	4	6.4
Lancaster	24	7.8	129	8.3	10	3.3	68	4.4
Lincoln	24	8.4	117	8.2	10	3.5	59	4.1
Balance of Co.	0	-	12	9.6	0	-	9	7.2
Lincoln	1	2.1	23	9.9	0	-	10	4.3
North Platte	1	2.9	19	11.3	0	-	9	5.4
Balance of Co.	0	-	4	6.1	0	-	1	1.5
Logan	0	-	0	-	0	-	0	-
Loup	0	-	0	-	0	-	0	-
McPherson	0	-	0	-	0	-	0	-
Madison	5	9.1	22	7.9	2	3.6	12	4.3
Norfolk	5	13.1	18	9.4	2	5.2	10	5.2
Balance of Co.	0	-	4	4.6	0	-	2	2.3
Merrick	0	-	2	3.7	0	-	0	-
Morrill	0	-	2	5.7	0	-	1	2.8
Nance	0	-	3	10.9	0	-	2	7.2
Nemaha	2	28.2	4	9.2	1	14.1	2	4.6
Nuckolls	0	-	1	3.5	0	-	0	-
Otoe	2	11.2	6	6.6	1	5.6	2	2.2
Pawnee	0	-	2	10.3	0	-	1	5.2
Perkins	0	-	0	-	0	-	0	-
Phelps	0	-	1	1.5	0	-	1	1.5
Pierce	0	-	4	7.5	0	-	3	5.6
Platte	2	4.4	17	7.0	1	2.2	9	3.7
Columbus	2	6.5	10	6.3	1	3.2	5	3.1
Balance of Co.	0	-	7	8.4	0	-	4	4.8

TABLE 58: INFANT AND NEONATAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992		1988-1992		1992		1988-1992	
COUNTY	INFANT DEATHS	RATE	INFANT DEATHS	RATE	NEO-NATAL DEATHS	RATE	NEO-NATAL DEATHS	RATE
Polk	0	-	2	6.2	0	-	0	-
Red Willow	0	-	7	8.5	0	-	5	6.1
Richardson	0	-	4	6.3	0	-	1	1.6
Rock	0	-	1	9.4	0	-	1	9.4
Saline	1	6.8	4	5.3	0	-	1	1.3
Sarpy	10	5.3	62	6.6	7	3.7	33	3.5
Bellevue	5	11.0	24	10.7	2	4.4	8	3.6
Balance of Co.	5	3.5	38	5.3	5	3.5	25	3.5
Saunders	3	12.8	7	5.6	3	12.8	4	3.2
Scotts Bluff	5	8.2	23	8.2	2	3.3	15	5.3
Scottsbluff	3	10.8	9	7.1	2	7.2	5	4.0
Balance of Co.	2	6.1	14	9.0	0	-	10	6.4
Seward	1	5.4	4	4.2	0	-	0	-
Sheridan	1	13.5	7	16.7	1	13.5	6	14.3
Sherman	0	-	1	4.5	0	-	0	-
Sioux	0	-	0	-	0	-	0	-
Stanton	0	-	2	4.6	0	-	1	2.3
Thayer	0	-	0	-	0	-	0	-
Thomas	0	-	0	-	0	-	0	-
Thurston	1	6.4	12	14.6	0	-	5	6.1
Valley	0	-	1	3.4	0	-	1	3.4
Washington	1	6.0	5	5.3	1	6.0	3	3.2
Wayne	3	25.0	4	6.5	2	16.7	2	3.2
Webster	0	-	1	3.7	0	-	1	3.7
Wheeler	0	-	0	-	0	-	0	-
York	1	5.2	7	6.7	1	5.2	3	2.9

Indented - Cities over 10,000 population

Rates based on small number may be unreliable

Infant and Neonatal death rates are per 1,000 live births

NEBRASKA, 1992

TABLE 59: DEATHS UNDER ONE YEAR OF AGE BY CAUSE

CAUSE	TOTAL	MALE	FEMALE
Heart Disease (390-398, 402, 404-429)	10	2	8
Pneumonia (480-486)	1	1	0
Birth Defects (740-759)	35	16	19
Maternal Complications of Pregnancy (761)	8	5	3
Complications of Placenta, Cord, and Membranes (762)	3	2	1
Prematurity (765)	15	8	7
Intrauterine Hypoxia and Birth Asphyxia (768)	6	2	4
Respiratory Distress Syndrome (769)	4	3	1
Other Respiratory Conditions (770)	6	6	0
Perinatal Infections (771)	4	2	2
Other Perinatal Conditions (772-779)	14	5	9
Sudden Infant Death Syndrome (798)	37	26	11
Violent or Accidental Causes (800-999)	3	1	2
All Other Causes	25	12	13
TOTAL INFANT DEATHS	171	91	80

TABLE 60: DEATHS UNDER ONE YEAR OF AGE BY RACE/HISPANIC ORIGIN** AND SEX

	MALE	FEMALE	TOTAL	RATE
White	69	72	141	6.6
Black	19	8	27	20.6
Indian	3	0	3	8.0
TOTAL	91	80	171	7.3
Hispanic Origin**				
Mexican	4	5	9	10.3
Other	1	0	1	4.5
TOTAL	5	5	10	9.1

TABLE 61: DEATHS UNDER ONE YEAR OF AGE BY BIRTH WEIGHT GROUPS

WEIGHT	NUMBER	PERCENT
1 lb. and under	18	10.5
1 lb. 1 oz. - 2 lbs.	44	25.7
2 lbs. 1 oz. - 3 lbs. 8 ozs.	16	9.4
3 lbs. 9 ozs. - 4 lbs. 8 ozs.	7	4.1
4 lbs. 9 ozs. - 5 lbs. 8 ozs.	18	10.5
5 lbs. 9 ozs. - 5 lbs. 15 ozs.	3	1.8
6 lbs. - 6 lbs. 15 ozs.	23	13.5
7 lbs. - 7 lbs. 15 ozs.	20	11.7
8 lbs. - 8 lbs. 15 ozs.	15	8.8
9 lbs. or more	6	3.5
Unknown	1	0.6
TOTAL	171	100.0

WEIGHT	NUMBER	PERCENT
499 grams or less	23	13.5
500 - 999 grams	42	24.6
1000 - 1499 grams	8	4.7
1500 - 1999 grams	12	7.0
2000 - 2499 grams	18	10.5
2500 - 2999 grams	17	9.9
3000 - 3499 grams	24	14.0
3500 - 3999 grams	18	10.5
4000 grams or over	8	4.7
Unknown	1	0.6
TOTAL	171	100.0

*Does not add to 100.0 due to rounding
**Hispanic Origin may be of any race
Rate per 1,000 live births

TABLE 62: PERINATAL AND FETAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992

	1992		1988-1992		1992		1988-1992	
COUNTY	PERI-NATAL DEATHS	RATE	PERI-NATAL DEATHS	RATE	FETAL DEATHS	RATIO	FETAL DEATHS	RATIO
STATE	247	10.5	1,344	11.1	157	6.7	803	6.7
Adams	3	6.7	27	12.7	1	2.2	13	6.2
Hastings	3	9.2	23	14.3	1	3.1	11	6.9
Balance of Co.	0	-	4	7.9	0	-	2	4.0
Antelope	0	-	5	8.9	0	-	3	5.4
Arthur	0	-	0	-	0	-	0	-
Banner	0	-	1	21.3	0	-	0	-
Blaine	0	-	0	-	0	-	0	-
Boone	2	25.0	5	10.4	2	25.6	4	8.4
Box Butte	4	21.3	15	15.3	2	10.8	7	7.2
Boyd	1	27.8	2	12.3	0	-	1	6.2
Brown	0	-	0	-	0	-	0	-
Buffalo	4	8.1	29	10.7	2	4.1	15	5.6
Kearney	3	9.0	21	12.0	2	6.1	12	6.9
Balance of Co.	1	6.2	8	8.3	0	-	3	3.1
Burt	2	21.3	7	16.1	2	21.7	7	16.4
Butler	1	9.0	6	10.8	1	9.1	5	9.1
Cass	2	7.1	15	9.5	1	3.6	4	2.5
Cedar	2	15.0	9	11.1	1	7.6	7	8.7
Chase	0	-	3	10.6	0	-	3	10.7
Cherry	0	-	2	4.3	0	-	2	4.3
Cheyenne	3	23.4	12	18.4	3	24.0	9	14.0
Clay	2	22.2	5	11.6	1	11.2	3	7.0
Colfax	1	7.6	5	7.0	1	7.7	4	5.7
Cuming	1	7.7	9	13.4	0	-	5	7.5
Custer	2	13.2	13	15.7	0	-	7	8.5
Dakota	3	10.3	15	10.0	3	10.5	6	4.0
Dawes	3	25.2	10	16.5	1	8.5	6	10.0
Dawson	7	17.4	26	17.1	6	15.2	14	9.3
Deuel	0	-	0	-	0	-	0	-
Dixon	1	14.1	8	20.0	1	14.3	5	12.7
Dodge	5	10.9	25	10.7	3	6.6	12	5.2
Fremont	5	15.0	19	11.6	3	9.1	9	5.5
Balance of Co.	0	-	6	8.6	0	-	3	4.3
Douglas	85	12.1	455	12.6	56	8.0	272	7.6
Omaha	77	13.7	411	14.2	51	9.2	246	8.5
Balance of Co.	8	5.6	44	6.2	5	0.7	26	3.7
Dundy	0	-	2	15.2	0	-	2	15.4
Fillmore	2	21.3	8	18.3	2	21.7	4	9.2
Franklin	0	-	0	-	0	-	0	-
Frontier	0	-	0	-	0	-	0	-
Furnas	1	14.5	3	10.0	1	14.7	3	10.1
Gage	5	19.8	15	10.8	3	12.0	9	6.5
Beatrice	3	18.7	9	11.5	1	6.3	6	7.7
Balance of Co.	2	21.7	6	9.8	2	22.2	3	4.9

TABLE 62: PERINATAL AND FETAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992		1988-1992		1992		1988-1992	
COUNTY	PERI-NATAL DEATHS	RATE	PERI-NATAL DEATHS	RATE	FETAL DEATHS	RATIO	FETAL DEATHS	RATIO
Garden	0	-	2	12.7	0	-	2	12.9
Garfield	1	40.0	3	22.7	1	41.7	2	15.4
Gosper	0	-	2	17.7	0	-	1	8.9
Grant	0	-	0	-	0	-	0	-
Greeley	0	-	2	10.2	0	-	2	10.3
Hall	7	8.8	38	9.4	3	3.8	24	6.0
Grand Island	6	9.2	32	9.8	3	4.6	20	6.1
Balance of Co.	1	7.0	6	8.1	0	-	4	5.4
Hamilton	2	18.0	9	14.7	1	9.1	5	8.2
Harlan	0	-	1	4.6	0	-	1	4.6
Hayes	0	-	3	33.7	0	-	3	34.9
Hitchcock	0	-	0	-	0	-	0	-
Holt	2	11.7	6	6.1	2	11.8	5	5.1
Hooker	0	-	0	-	0	-	0	-
Howard	1	12.8	8	19.6	1	13.0	4	9.9
Jefferson	2	24.4	6	11.7	1	12.3	3	5.9
Johnson	0	-	7	27.7	0	-	2	8.0
Kearney	4	43.0	10	21.4	1	10.9	5	10.8
Keith	0	-	3	5.8	0	-	3	5.8
Keya Paha	0	-	1	16.1	0	-	1	16.4
Kimball	0	-	2	8.5	0	-	1	4.3
Knox	1	8.4	8	12.8	1	8.5	4	6.4
Lancaster	28	9.1	168	10.8	18	5.9	100	6.4
Lincoln	27	9.4	151	10.5	17	6.0	92	6.4
Balance of Co.	1	4.7	17	13.6	1	4.7	8	6.4
Lincoln	5	10.4	30	12.8	5	10.5	20	8.5
North Platte	3	8.7	23	13.6	3	8.8	14	8.4
Balance of Co.	2	14.7	7	10.6	2	14.9	6	9.2
Logan	0	-	1	20.8	0	-	1	21.3
Loup	0	-	2	62.5	0	-	2	66.7
McPherson	0	-	0	-	0	-	0	-
Madison	7	12.6	36	12.9	5	9.1	24	8.7
Norfolk	5	13.0	28	14.5	3	7.9	18	9.4
Balance of Co.	2	11.7	8	9.2	2	11.8	6	6.9
Merrick	0	-	6	10.8	0	-	6	11.0
Morrill	0	-	5	14.0	0	-	4	11.4
Nance	0	-	6	21.4	0	-	4	14.5
Nemaha	3	41.1	7	15.9	2	28.2	5	11.5
Nuckolls	0	-	3	10.3	0	-	3	10.4
Otoe	3	16.7	9	9.9	2	11.2	7	7.7
Pawnee	2	50.0	3	15.3	2	52.6	2	10.3
Perkins	0	-	1	5.1	0	-	1	5.1
Phelps	1	7.2	7	10.6	1	7.2	6	9.1
Pierce	0	-	7	13.0	0	-	4	7.5
Platte	2	4.4	16	6.6	1	2.2	7	2.9
Columbus	1	3.2	11	6.9	0	-	6	3.8
Balance of Co.	1	6.9	5	6.0	1	6.9	1	1.2

TABLE 62: PERINATAL AND FETAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1992 AND 1988-1992 (continued)

	1992		1988-1992		1992		1988-1992	
COUNTY	PERI-NATAL DEATHS	RATE	PERI-NATAL DEATHS	RATE	FETAL DEATHS	RATIO	FETAL DEATHS	RATIO
Polk	0	-	2	6.1	0	-	2	6.2
Red Willow	1	6.4	11	13.3	1	6.4	6	7.3
Richardson	1	8.8	5	7.9	1	8.8	4	6.3
Rock	0	-	4	36.7	0	-	3	28.3
Saline	0	-	6	7.9	0	-	5	6.6
Sarpy	19	10.0	76	8.0	12	6.4	43	4.6
Bellevue	3	6.6	17	7.6	1	2.2	9	4.0
Balance of Co.	16	11.1	59	8.2	11	7.7	34	4.7
Saunders	3	12.8	9	7.1	0	-	5	4.0
Scotts Bluff	2	3.3	23	8.1	0	-	8	2.8
Scottsbluff	2	7.2	8	6.3	0	-	3	2.4
Balance of Co.	0	-	15	9.6	0	-	5	5.7
Seward	1	5.4	4	4.2	1	5.4	4	4.2
Sheridan	2	26.7	12	28.2	1	13.5	6	14.3
Sherman	0	-	3	13.4	0	-	3	13.6
Sioux	0	-	0	-	0	-	0	-
Stanton	0	-	4	9.2	0	-	3	6.9
Thayer	0	-	2	5.1	0	-	2	5.1
Thomas	0	-	1	22.2	0	-	1	22.7
Thurston	0	-	7	8.5	0	-	2	2.4
Valley	0	-	2	6.7	0	-	1	3.4
Washington	1	6.0	4	4.3	0	-	1	1.1
Wayne	3	24.8	6	9.7	1	8.3	4	6.5
Webster	0	-	1	3.7	0	-	0	-
Wheeler	0	-	0	-	0	-	0	-
York	1	5.2	7	6.7	0	-	4	3.8

Indented - Cities over 10,000 population

Rates based on small number may be unreliable

Perinatal death rates are per 1,000 live births plus fetal deaths

Fetal death ratios are per 1,000 live births

TABLE 63: FETAL DEATHS BY CAUSE OF DEATH
NEBRASKA, 1992 AND 1988-1992

CAUSE	TOTAL 1992	TOTAL 1988-1992
BIRTH DEFECTS		
Anencephalus	4	15
Spina bifida with hydrocephalus	1	1
Spina bifida without mention of hydrocephalus	2	2
Reduction deformities of the brain	1	1
Congenital hydrocephalus	0	5
Other defects of the nervous system	1	1
Unspecified defects of the brain, spinal cord and nervous system	0	1
Defects of the ear	0	2
Common truncus	1	1
Tetralogy of Fallot	0	1
Congenital stenosis of aortic valve	0	1
Hypoplastic left heart syndrome	1	1
Unspecified defects of the heart	0	2
Other defects of the lung	0	1
Atresia and stenosis of the large intestine, rectum and anal canal	1	1
Defects of intestinal fixation	0	1
Renal agenesis and dysgenesis	0	3
Other defects of the kidney	1	1
Osteodystrophies	0	1
Defects of the abdominal wall	0	1
Down's syndrome	2	3
Patau's syndrome	0	2
Edward's syndrome	0	4
Other conditions due to autosomal defects	0	1
Gonadal dysgenesis	2	5
Conditions due to defect of unspecified chromosome	2	4
Multiple defects, so described	2	11
Other specified defects	1	3
Defects, unspecified	1	1
MATERNAL CONDITIONS		
Hypertensive disorders	1	17
Infections	0	1
Injury	1	9
Noxious influences transmitted via placenta or breast milk	1	1
Other	0	1
MATERNAL COMPLICATIONS OF PREGNANCY		
Incompetent cervix	0	12
Premature rupture of membranes	7	23
Oligohydramnios	0	5
Ectopic pregnancy	1	1
Multiple pregnancy	2	10
Other complications	1	3
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES		
Placenta praevia	0	3
Placenta separation and hemorrhage	12	78
Other abnormalities of placenta	7	59
Placental transfusion syndrome	1	7
Prolapsed cord	0	10
Other compression of umbilical cord	15	80
Other and unspecified conditions of the umbilical cord	8	49
Chorioamnionitis	6	22
Other abnormalities of chorion and amnion	1	1
OTHER COMPLICATIONS OF LABOR OR DELIVERY		
Breech delivery and extraction	0	2
Malpresentation, malposition, and disproportion, excluding breech	0	1
Other complications of labor and delivery	1	1
SLOW FETAL GROWTH AND FETAL MALNUTRITION		
Fetal growth retardation, unspecified	2	3

TABLE 63: FETAL DEATHS BY CAUSE OF DEATH NEBRASKA, 1992 AND 1988-1992 (continued)

CAUSE	TOTAL 1992	TOTAL 1988-1992
DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT		
Extreme immaturity	3	7
Other preterm infants	6	29
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA		
Asphyxia or anoxia before labor	0	26
Asphyxia or anoxia during labor	0	3
Unspecified asphyxia in liveborn infant	3	10
RESPIRATORY CONDITIONS		
Primary atelectasis	0	1
Other and unspecified atelectasis	0	1
Other respiratory problems after birth	0	1
INFECTIONS		
Congenital cytomegalovirus infection	0	1
Other infections	1	4
FETAL HEMORRHAGE		
Cutaneous hemorrhage	0	1
ENDOCRINE AND METABOLIC DISTURBANCES		
Syndrome of "infant of a diabetic mother"	2	12
Neonatal diabetes mellitus	0	1
CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION		
Hydrops fetalis not due to isoimmunization	2	11
OTHER AND ILL-DEFINED CONDITIONS	50	219
TOTAL	157	803

TABLE 64: FETAL DEATHS BY AGE GROUP OF MOTHER, SEX, RACE, HISPANIC ORIGIN AND PLACE OF DELIVERY NEBRASKA, 1992

AGE OF MOTHER	
≤14	0
15-19	19
20-24	30
25-29	44
30-34	36
35-39	23.
40-44	2
≥45	0
Unknown	3

SEX	
Male	74
Female	82
Unknown	1

RACE	
White	133
Black	16
Indian	6
Other	2

PLACE OF DELIVERY	
Hospital	153
Home	4

HISPANIC ORIGIN*	
Mexican	10
Other	1

*Hispanic Origin may be of any race.

MARRIAGE AND DIVORCE HIGHLIGHTS

12,437 marriages occured in Nebraska in 1992, a slight decline from the 1991 tally of 12,555. The 1992 figure translates into a rate of 7.9 marriages per 1,000 Nebraska residents.

Comparison of 1992 marriage data with marriage data from 25 years ago bears witness to a number of social changes that have transformed the institution of marriage within the span of a single generation. Nebraska's marriage rate in 1967 was 9.2 and rising, reaching a peak of 10.6 in 1970; since then it has dropped by 25%. Striking changes also occurred with the number of remarriages. In 1967, less than one-third of all marriages (30.9%) in Nebraska were remarriages, but by 1992 this figure had increased to 45.6%. The number of marriages in which either the bride or groom had been married at least twice before increased from 7.5% in 1967 to 12.6% in 1992.

Age at marriage has also increased substantially in Nebraska during the past 25 years. At least part of the reason for this change is the shifting demographics of Nebraska's population. In 1967, over one-third (34.8%) of all marriages that took place in Nebraska involved a teenaged bride or groom; by 1992, only about one in ten (9.8%) marriages involved a teenager. Conversely, the number of marriages in which either the bride or groom was at least 30 years almost doubled from 23.1% in 1967 to 45.1% in 1992.

The number of divorces granted in Nebraska in 1992 dropped to 6,516. This figure translates into a rate of 4.1 divorces per 1,000 population. Comparison of 1967 and 1992 divorce data also attests to the changes in society that have affected the institution of marriage. During that 25-year span, the number of divorces granted (2,825 in 1967) and the divorce rate (2.0 in 1967) in Nebraska have both more than doubled.

Marriages terminating in divorce in 1992 were slightly longer-lived than those ending in divorce 25 years ago. In 1967, 43.4% of all divorces granted in Nebraska ended marriages lasting five years or less; by 1992, this figure had fallen to 41.1%. About two-thirds of all divorces granted in 1967 involved couples with children (67.7%); this figure decreased to 60.7% in 1992 (likely due to the decline in fertility among women which took place during this period).

MAP 13: MARRIAGES BY COUNTY OF OCCURRENCE
NEBRASKA, 1992


Sioux 2
Dawes 62
Sheridan 38
Cherry 42
Keya Paha 5
Boyd 21
Brown 31
Rock 12
Holt 82
Knox 61
Cedar 77
Dixon 45
Dakota 124
Box Butte 75
Antelope 59
Pierce 43
Wayne 48
Thurston 44
Grant 8
Hooker 15
Thomas 7
Blaine 3
Loup 3
Garfield 21
Wheeler 4
Madison 247
Stanton 20
Cuming 67
Burt 52
Scotts Bluff 301
Morrill 43
Garden 12
Boone 48
Banner 1
Arthur 3
McPherson 0
Logan 2
Custer 99
Valley 42
Greeley 17
Platte 252
Colfax 62
Dodge 302
Washington 125
Nance 30
Kimball 37
Cheyenne 62
Deuel 16
Keith 71
Lincoln 283
Sherman 29
Howard 29
Merrick 49
Polk 25
Butler 48
Saunders 137
Douglas 3621
Sarpy 738
Perkins 19
Dawson 183
Buffalo 329
Hall 507
Hamilton 54
York 115
Seward 120
Lancaster 1720
Cass 153
Otoe 123
Chase 27
Hayes 5
Frontier 19
Gosper 20
Phelps 59
Kearney 38
Adams 275
Clay 39
Fillmore 35
Saline 68
Gage 171
Johnson 34
Nemaha 63
Dundy 10
Hitchcock 16
Red Willow 96
Furnas 54
Harlan 21
Franklin 21
Webster 23
Nuckolls 35
Thayer 45
Jefferson 63
Pawnee 15
Richardson 60

STATE TOTAL = 12,437

TABLE 65: MARRIAGES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1989-1992

	1989		1990		1991		1992	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
STATE	12,709	7.9	12,625	8.0	12,555	7.9	12,437	7.9
Adams	263	8.7	255	8.6	269	9.1	275	9.3
Antelope	56	6.7	59	7.4	51	6.5	59	7.6
Arthur	3	6.0	2	4.3	0	-	3	6.7
Banner	10	10.0	2	2.3	3	3.5	1	1.2
Blaine	6	8.6	4	5.9	1	1.5	3	4.6
Boone	49	7.1	47	7.0	54	8.2	48	7.3
Box Butte	92	6.6	87	6.6	87	6.7	75	5.8
Boyd	15	5.0	18	6.3	14	5.0	21	7.6
Brown	32	8.6	29	7.9	25	6.9	31	8.9
Buffalo	345	9.3	329	8.8	309	8.2	329	8.7
Burt	53	6.4	54	6.9	49	6.2	52	6.8
Butler	37	4.1	47	5.5	35	4.1	48	5.6
Cass	152	6.8	139	6.5	169	7.9	153	7.1
Cedar	78	7.4	77	7.6	69	6.9	77	7.8
Chase	23	5.1	35	8.0	40	9.2	27	6.3
Cherry	46	7.3	42	6.7	51	8.2	42	6.8
Cheyenne	80	8.1	77	8.1	70	7.4	62	6.6
Clay	45	6.0	54	7.6	38	5.4	39	5.6
Colfax	72	8.0	76	8.3	72	7.9	62	6.9
Cuming	73	6.6	70	6.9	64	6.3	67	6.7
Custer	83	6.6	90	7.3	91	7.4	99	8.3
Dakota	133	7.7	132	7.9	118	7.0	124	7.4
Dawes	56	6.1	56	6.2	68	7.6	62	6.9
Dawson	150	7.2	189	9.5	183	9.2	183	9.2
Deuel	12	5.2	13	5.8	16	7.3	16	7.3
Dixon	61	9.5	39	6.3	60	9.8	45	7.5
Dodge	324	9.2	301	8.7	305	9.0	302	8.9
Douglas	3,718	8.7	3,628	8.7	3,570	8.5	3,621	8.6
Dundy	11	4.1	16	6.2	15	5.9	10	4.0
Fillmore	53	7.2	43	6.1	42	5.9	35	5.0
Franklin	24	6.2	19	4.8	16	4.1	21	5.5
Frontier	14	4.2	22	7.1	25	8.2	19	6.3
Furnas	35	6.1	38	6.8	50	9.2	54	10.0
Gage	164	7.1	180	7.9	192	8.5	171	7.6
Garden	13	4.8	22	8.9	16	6.7	12	5.0
Garfield	28	13.3	21	9.8	9	4.3	21	10.0
Gosper	22	10.5	12	6.2	21	11.1	20	10.5
Grant	7	8.8	8	10.4	7	9.3	8	10.7
Greeley	21	6.6	24	8.0	22	7.3	17	5.8
Hall	482	9.7	499	10.2	472	9.6	507	10.3
Hamilton	60	6.6	54	6.1	58	6.6	54	6.1
Harlan	26	6.5	33	8.7	13	3.5	21	5.7
Hayes	4	3.3	4	3.3	3	2.5	5	4.2
Hitchcock	15	3.8	8	2.1	20	5.4	16	4.3
Holt	89	6.8	94	7.5	84	6.7	82	6.6
Hooker	11	11.0	12	15.1	7	8.8	15	20.0
Howard	26	4.1	34	5.6	42	7.0	29	4.9
Jefferson	58	6.4	62	7.1	59	6.8	63	7.4
Johnson	30	6.3	27	5.8	36	7.7	34	7.5

TABLE 65: MARRIAGES BY NUMBER AND RATE BY COUNTY NEBRASKA, 1989-1992 (continued)

	1989		1990		1991		1992	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
Kearney	42	6.3	52	7.8	47	7.1	38	5.8
Keith	65	7.6	79	9.2	80	9.4	71	8.4
Keya Paha	3	2.7	5	4.9	3	3.0	5	5.0
Kimball	38	8.4	32	7.8	28	6.9	37	9.3
Knox	65	6.2	80	8.4	66	7.0	61	6.6
Lancaster	1,860	8.7	1,808	8.5	1,809	8.4	1,720	7.9
Lincoln	257	7.6	276	8.5	290	8.9	283	8.7
Logan	5	5.0	6	6.8	4	4.7	2	2.4
Loup	1	1.3	3	4.4	3	4.6	3	4.6
McPherson	2	3.3	1	1.8	4	7.3	0	-
Madison	270	8.2	262	8.0	267	8.1	247	7.5
Merrick	55	6.5	48	6.0	49	6.2	49	6.2
Morrill	25	4.4	30	5.5	29	5.4	43	8.0
Nance	26	5.9	21	4.9	25	5.9	30	7.1
Nemaha	54	6.5	65	8.1	60	7.5	63	8.0
Nuckolls	41	6.8	40	6.9	36	6.3	35	6.3
Otoe	124	8.6	149	10.5	114	8.0	123	8.8
Pawnee	27	7.7	28	8.4	26	8.0	15	4.7
Perkins	14	3.9	19	5.6	26	7.9	19	5.8
Phelps	72	7.5	66	6.8	79	8.1	59	6.1
Pierce	51	6.1	57	7.3	42	5.4	43	5.6
Platte	256	8.3	248	8.3	270	9.0	252	8.3
Polk	29	4.9	39	6.9	37	6.6	25	4.5
Red Willow	94	7.5	92	7.9	113	9.7	96	8.3
Richardson	86	8.6	80	8.1	76	7.8	60	6.2
Rock	9	4.1	17	8.4	11	5.5	12	6.2
Saline	83	6.5	80	6.3	89	7.0	68	5.4
Sarpy	749	7.5	728	7.1	707	6.8	738	7.0
Saunders	147	7.9	124	6.8	133	7.3	137	7.5
Scotts Bluff	271	7.3	284	7.9	315	8.8	301	8.4
Seward	119	7.4	100	6.5	117	7.6	120	7.8
Sheridan	32	4.4	36	5.3	37	5.5	38	5.8
Sherman	26	6.8	36	9.7	26	7.0	29	7.9
Sioux	8	5.0	5	3.2	5	3.2	2	1.3
Stanton	26	3.9	30	4.8	27	4.3	20	3.2
Thayer	59	8.7	40	6.0	39	5.9	45	6.9
Thomas	8	8.9	10	11.8	9	10.6	7	8.2
Thurston	46	6.5	43	6.2	31	4.5	44	6.3
Valley	27	5.0	33	6.4	39	7.6	42	8.2
Washington	105	6.5	105	6.3	87	5.2	125	7.5
Wayne	42	4.3	48	5.1	62	6.6	48	5.1
Webster	29	6.6	25	5.8	30	7.1	23	5.5
Wheeler	4	4.0	2	2.1	3	3.2	4	4.2
York	98	6.5	110	7.6	115	8.0	115	8.0

* - The number of marriages per 1,000 population by place of occurrence

NEBRASKA, 1992

TABLE 66: NUMBER OF MARRIAGES BY RACE OF BRIDE AND GROOM

GROOM	TOTAL	BRIDE WHITE	BLACK	INDIAN	ALL OTHER	UNKNOWN
White	11,547	11,389	32	52	72	2
Black	488	131	342	11	3	1
Indian	89	52	3	34		
All Other	87	30			57	
Unknown	226	2				224
TOTAL	12,437	11,604	377	97	132	227

TABLE 67: NUMBER OF THIS MARRIAGE BRIDE AND GROOM

GROOM	TOTAL	BRIDE 1st	2nd	3rd	4th	5th	6th	7th	Unknown
First	8,219	6,762	1,204	209	33	8	1		2
Second	3,149	1,091	1,615	352	76	11	4		
Third	712	153	334	176	38	8	3		
Fourth	98	18	47	17	13	2		1	
Fifth	29	3	14	5	6		1		
Sixth	5		3	1	1				
Seventh	1		1						
Unknown	224	1	2						221
TOTAL	12,437	8,028	3,220	760	167	29	9	1	223

TABLE 68: NUMBER OF MARRIAGES BY PREVIOUS MARITAL STATUS BRIDE AND GROOM

GROOM	TOTAL	BRIDE NEVER MARRIED	WIDOWED	DIVORCED	UNKNOWN
Never Married	8,219	6,762	46	1,409	2
Widowed	389	31	200	158	
Divorced	3,603	1,234	152	2,217	
Unknown	226	1		2	223
TOTAL	12,437	8,028	398	3,786	225

NEBRASKA, 1992

TABLE 69: NUMBER OF THIS MARRIAGE BY AGE OF BRIDE

AGE OF BRIDE	TOTAL	NUMBER OF MARRIAGES - BRIDE							
		1	2	3	4	5	6	7	UNKNOWN
≤19	1,096	1,077	10						9
20-24	4,544	4,175	301	11					57
25-29	2,708	1,833	720	95	4	1			55
30-34	1,653	647	771	163	21	4			47
35-39	931	203	506	156	37	7	1	1	20
40-44	624	63	346	143	49	3	3		17
45-49	317	15	198	68	24	4	1		7
50-54	191	4	127	40	12	4	2		2
55-59	128	5	77	30	7	3	2		4
60-64	84	4	53	16	6	2			3
65-69	70		46	21	3				
70-74	45	1	34	6	3				1
≥75	46	1	31	11	1	1			1
TOTAL	12,437	8,028	3,220	760	167	29	9	1	223

TABLE 70: NUMBER OF THIS MARRIAGE BY AGE OF GROOM

AGE OF GROOM	TOTAL	NUMBER OF MARRIAGES - GROOM							
		1	2	3	4	5	6	7	UNKNOWN
≤19	401	395							6
20-24	3,760	3,598	118	2					42
25-29	3,267	2,659	532	28	1				47
30-34	1,995	1,060	777	102	10	1			45
35-39	1,112	350	568	148	18	4			24
40-44	656	94	370	146	17	3	1		25
45-49	408	29	238	100	21	5	1		14
50-54	270	12	159	74	11	6		1	7
55-59	171	11	109	33	7	4			7
60-64	148	4	92	35	9	4	1		3
65-69	108	5	82	15	1	1	2		2
70-74	64	1	49	14					
≥75	77	1	55	15	3	1			2
TOTAL	12,437	8,219	3,149	712	98	29	5	1	224

TABLE 71: NUMBER OF MARRIAGES BY AGE OF BRIDE AND GROOM
NEBRASKA, 1992

		AGE OF BRIDE																										
AGE OF GROOM	TOTAL	≤17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75+
TOTAL	12,437	145	334	617	751	903	1,042	1,031	817	660	616	534	463	435	405	373	318	303	254	931	624	317	191	128	84	70	45	46
≤17	22	6	6	3	4	2															1							
18	98	14	31	30	10	5	4	3																				
19	281	32	57	95	48	25	5	5	5	1	3	1	1	1	1					1								
20	467	28	73	111	106	60	39	20	9	4	2	1	4	3	4				2	1								
21	681	22	63	102	134	154	85	53	16	12	12	13	4	2	3	1		1	3			1						
22	846	16	32	84	135	159	184	93	40	24	24	19	4	4	7	5	3	2	2	6	3							
23	894	6	11	56	100	147	177	182	91	29	28	19	18	7	6	7	1	3		4	2							
24	872	7	21	39	53	86	144	163	154	69	44	30	15	9	13	10	3	3	3	5			1					
25	798	3	13	28	37	76	106	135	101	97	61	32	22	22	13	12	11	6	7	11	4	1						
26	701	3	7	18	22	49	79	81	80	80	81	45	34	33	23	16	12	9	9	15	4	1						
27	633	2	3	15	26	33	58	62	77	75	67	57	40	23	20	18	18	9	6	18	6							
28	615	1	4	14	18	25	50	49	50	65	57	69	60	40	25	21	17	17	3	22	8							
29	520	2	2	3	13	26	22	55	59	39	46	45	40	42	35	14	21	14	5	29	6	1	1					
30	506		5	6	11	13	29	31	28	41	34	33	32	49	33	47	28	14	21	39	10	2						
31	450		4	6	11	10	15	30	29	30	36	34	38	45	36	25	18	23	12	39	8			1				
32	380	1		3	5	8	13	14	16	26	28	34	32	32	27	26	23	20	18	43	10	1						
33	357				2	5	12	14	14	16	17	18	20	24	39	43	22	20	19	51	17	3		1				
34	302	2		2	7	5	2	8	9	19	18	17	23	22	20	18	21	25	21	41	16	3	2	1				
35-39	1,112		2	1	8	13	12	24	30	27	37	44	41	48	69	75	76	82	84	271	140	27	1					
40-44	656				1	1	4	8	6	3	15	17	22	18	21	24	31	38	22	186	172	54	11	1				1
45-49	408			1		1	1	1	2	2	5	5	7	9	6	8	12	11	11	82	111	89	37	6	1			
50-54	270								1			1	3	2	3	1		3	1	43	64	74	50	17	6	1		
55-59	171						1				1		2			1	1	1	2	13	24	35	42	37	7	4		
60-64	148												1			1		1	2	5	14	20	32	32	29	7	3	1
65-69	108														1			1	1	6	3	4	10	22	21	29	8	2
70-74	64																				1	1	2	7	10	24	11	8
75+	77																						2	3	10	5	23	34

TABLE 72: NUMBER OF FIRST MARRIAGES BY AGE OF BRIDE AND GROOM
NEBRASKA, 1992

		AGE OF BRIDE																							
AGE OF GROOM	TOTAL	≤17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64
TOTAL	6,762	138	318	562	666	781	890	807	606	445	369	263	193	174	141	106	73	60	44	99	17	2	3	3	2
≤17	21	6	6	3	4	2																			
18	93	14	30	29	7	5	4	3		1															
19	269	32	57	94	47	21	5	3	5		2	1	1		1										
20	430	28	71	108	104	55	37	14	3	4	2		2	1					1						
21	631	22	62	101	133	146	81	44	13	12	8	4	2	2	1										
22	744	15	31	75	130	152	174	82	33	18	13	11	1	2	3	1		1	1	1					
23	793	6	11	51	91	142	167	168	80	25	21	10	9	2	3	3		2		2					
24	729	5	19	37	48	74	133	145	136	57	33	15	9	4	6	4	2		1	1					
25	618	3	11	23	29	66	92	113	91	82	47	20	13	8	7	5	3	2	2	1					
26	473	3	6	14	14	37	71	68	56	58	61	23	21	12	11	6	6	2	3	1					
27	424	1	3	12	18	26	43	47	61	56	49	42	23	10	10	7	7	2	1	6					
28	351		2	8	14	20	32	34	33	46	36	43	30	17	11	10	6	4		4	1				
29	274	1	1	2	7	14	11	35	39	24	32	32	20	21	15	5	6	2		5	1		1		
30	210		4	2	4	4	19	18	17	24	16	11	13	24	15	9	10	3	7	10					
31	167		3	1	5	5	6	11	12	14	18	16	16	25	12	9	1	5	4	4					
32	150	1		1	4	5	8	8	9	8	13	14	13	12	16	10	6	4	6	11	1				
33	94				1	2	3	8	6	7	4	6	7	9	15	8	4	3	2	9					
34	64	1		1	3	3	1	2	3	3	3	6	3	8	3	6	6	3	4	4	1				
35-39	177		1		3	2	3	4	8	5	10	8	6	17	11	19	12	21	11	28	8				
40-44	30								1		1	1	3			4	4	5	1	8	2				
45-49	7									1			1							2	1	1		1	
50-54	5																			2	1	1	1		
55-59	4																	1			1		1		1
60-64	1																							1	
65-69	3														1									1	1

MAP 14: DIVORCES BY COUNTY OF OCCURRENCE
NEBRASKA, 1992


0
24
21
29
2
5
14
5
35
15
17
16
-70
68
19
28
20
-22
167
3
1
6
2
0
10
2
126
18
23
31
19
7
2
1
4
35
10
1
14
127
25
141
-70
0
11
-1905
17
46
11
30
144
9
16
27
16
17
62
-511
96
4
117
158
244
23
47
41
1020
59
13
0
12
7
35
24
99
17
25
42
96
20
32
5
9
45
18
9
5
8
11
19
29
8
42

STATE TOTAL = 6,516

TABLE 73: DIVORCES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1989-1992

	1989		1990		1991		1992	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
STATE	6,273	3.9	6,454	4.1	6,624	4.2	6,516	4.1
Adams	91	3.0	104	3.5	118	4.0	99	3.4
Antelope	22	2.7	23	2.9	16	2.0	19	2.4
Arthur	2	4.0	2	4.3	0	-	2	4.4
Banner	2	2.0	1	1.2	1	1.2	0	-
Blaine	2	2.9	3	4.4	4	6.2	2	3.1
Boone	10	1.4	13	1.9	18	2.7	14	2.1
Box Butte	58	4.1	73	5.6	55	4.2	68	5.2
Boyd	9	3.0	5	1.8	10	3.6	5	1.8
Brown	9	2.4	12	3.3	15	4.2	14	4.0
Buffalo	132	3.6	130	3.5	149	4.0	158	4.2
Burt	38	4.6	25	3.2	29	3.7	31	4.0
Butler	20	2.2	21	2.4	13	1.5	17	2.0
Cass	80	3.6	102	4.8	77	3.6	96	4.5
Cedar	17	1.6	16	1.6	14	1.4	17	1.7
Chase	12	2.7	12	2.7	8	1.8	13	3.0
Cherry	20	3.2	20	3.2	27	4.3	29	4.7
Cheyenne	37	3.7	45	4.7	44	4.7	46	4.9
Clay	20	2.7	21	2.9	19	2.7	17	2.4
Colfax	30	3.3	20	2.2	25	2.7	25	2.8
Cuming	13	1.2	22	2.2	26	2.6	23	2.3
Custer	27	2.2	36	2.9	30	2.4	35	2.9
Dakota	93	5.4	60	3.6	80	4.8	70	4.2
Dawes	35	3.8	37	4.1	41	4.6	24	2.7
Dawson	87	4.2	104	5.2	103	5.2	117	5.9
Deuel	4	1.7	10	4.5	6	2.7	11	5.0
Dixon	10	1.6	19	3.1	19	3.1	16	2.7
Dodge	194	5.5	174	5.0	169	5.0	141	4.1
Douglas	1,807	4.3	1,806	4.3	1,930	4.6	1,905	4.5
Dundy	10	3.7	8	3.1	6	2.4	5	2.0
Fillmore	15	2.0	20	2.8	24	3.4	25	3.6
Franklin	11	2.8	13	3.3	3	0.8	5	1.3
Frontier	5	1.5	8	2.6	4	1.3	12	4.0
Furnas	16	2.8	15	2.7	14	2.6	18	3.3
Gage	91	4.0	99	4.3	93	4.1	96	4.3
Garden	7	2.6	9	3.7	7	2.9	7	2.9
Garfield	6	2.9	2	0.9	6	2.9	10	4.8
Gosper	6	2.9	6	3.1	6	3.2	7	3.7
Grant	4	5.0	1	1.3	1	1.3	3	4.0
Greeley	5	1.6	4	1.3	2	0.7	1	0.3
Hall	274	5.5	271	5.5	256	5.2	244	5.0
Hamilton	27	3.0	20	2.3	25	2.8	23	2.6
Harlan	8	2.0	10	2.6	12	3.2	9	2.4
Hayes	1	0.8	1	0.8	2	1.7	0	-
Hitchcock	12	3.1	5	1.3	10	2.7	9	2.4
Holt	46	3.5	32	2.5	42	3.3	35	2.8
Hooker	4	4.0	4	5.0	3	3.8	1	1.3
Howard	14	2.2	16	2.6	16	2.7	16	2.7
Jefferson	32	3.5	31	3.5	33	3.8	29	3.4
Johnson	20	4.2	16	3.4	13	2.8	20	4.4

TABLE 73: DIVORCES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1989-1992 (continued)

	1989		1990		1991		1992	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
Kearney	24	3.6	25	3.8	23	3.5	24	3.7
Keith	30	3.5	38	4.4	39	4.6	30	3.6
Keya Paha	1	0.9	0	-	2	2.0	2	2.0
Kimball	15	3.3	19	4.6	16	4.0	17	4.3
Knox	21	2.0	24	2.5	20	2.1	15	1.6
Lancaster	977	4.5	1,001	4.7	1,036	4.8	1,020	4.7
Lincoln	160	4.7	166	5.1	142	4.4	144	4.4
Logan	3	3.0	0	-	0	-	4	4.7
Loup	0	-	2	2.9	3	4.6	0	-
McPherson	1	1.7	1	1.8	0	-	1	1.8
Madison	119	3.6	134	4.1	127	3.9	126	3.8
Merrick	20	2.4	22	2.7	22	2.8	27	3.4
Morrill	10	1.8	14	2.6	20	3.7	19	3.6
Nance	13	3.0	6	1.4	16	3.8	11	2.6
Nemaha	28	3.4	27	3.4	39	4.9	32	4.1
Nuckolls	18	3.0	15	2.6	17	3.0	11	2.0
Otoe	52	3.6	67	4.7	61	4.3	59	4.2
Pawnee	9	2.6	14	4.2	9	2.8	8	2.5
Perkins	8	2.2	8	2.4	7	2.1	4	1.2
Phelps	31	3.2	26	2.7	38	3.9	35	3.6
Pierce	20	2.4	23	2.9	19	2.4	28	3.6
Platte	92	3.0	103	3.5	110	3.7	127	4.2
Polk	17	2.9	17	3.0	13	2.3	16	2.9
Red Willow	44	3.5	54	4.6	36	3.1	45	3.9
Richardson	30	3.0	47	4.7	54	5.5	42	4.4
Rock	5	2.3	9	4.5	2	1.0	5	2.6
Saline	38	3.0	38	3.0	52	4.1	42	3.3
Sarpy	478	4.8	476	4.6	502	4.8	511	4.8
Saunders	66	3.5	62	3.4	56	3.1	62	3.4
Scotts Bluff	165	4.5	195	5.4	197	5.5	167	4.7
Seward	35	2.2	49	3.2	45	2.9	41	2.7
Sheridan	21	2.9	20	3.0	21	3.1	21	3.2
Sherman	2	0.5	7	1.9	8	2.2	9	2.5
Sioux	2	1.3	7	4.5	0	-	0	-
Stanton	15	2.3	19	3.0	19	3.0	18	2.9
Thayer	16	2.4	16	2.4	25	3.8	19	2.9
Thomas	4	4.4	0	-	3	3.5	6	7.1
Thurston	29	4.1	25	3.6	30	4.3	22	3.2
Valley	16	3.0	10	1.9	16	3.1	10	2.0
Washington	57	3.5	53	3.2	56	3.4	70	4.2
Wayne	13	1.3	21	2.2	18	1.9	20	2.1
Webster	14	3.2	9	2.1	10	2.4	8	1.9
Wheeler	2	2.0	1	1.1	1	1.1	2	2.1
York	57	3.8	77	5.3	70	4.9	47	3.3

* - The number of divorces per 1,000 population by place of occurrence

TABLE 74: NUMBER OF DIVORCES BY AGE OF HUSBAND AND WIFE
NEBRASKA, 1992

AGE OF HUSBAND	TOTAL	AGE OF WIFE																												
		≤19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75	Not Sta-ted
TOTAL	6,516	92	91	168	174	231	204	239	275	252	279	269	293	286	268	266	228	220	246	196	210	187	818	458	238	115	61	35	9	10	98
≤19	16	7	2	4	1					1								1													
20	44	9	13	15	2			3			1					1															
21	74	14	19	14	7	10	3	1		1				1	1		1	2													
22	121	20	17	26	26	15	4	5	2	1	1		1		1																2
23	143	8	15	30	31	24	10	10	5	1	1	2				3		1													2
24	185	5	6	26	22	48	29	19	11	3	6	1	3	3					1				1								1
25	213	5	6	18	21	42	41	35	23	9	3	2	2	3		1								1							1
26	208	4	1	12	17	18	32	35	34	14	7	10	4	3	5	2	1				5		2								2
27	219	3	4	3	12	18	26	29	36	24	21	10	7	6	6	2	1		1	1	3	1	1	1							3
28	279	1	2	5	9	18	14	30	42	39	51	13	14	8	7	6	3	3	3		2		5	2							2
29	276		2	6	12	9	11	17	32	41	29	51	17	13	5	7	2	7	3	1	2		7								2
30	279	4	1	2	5	7	10	12	25	31	32	42	38	19	12	4	8	3	6		1	2	12	1							2
31	271	1		4	1	7	5	7	16	17	29	28	43	37	22	12	9	2	5	6	4	3	8		1						4
32	254	1			2	3	3	11	7	12	19	29	34	44	34	20	4	8	2	1	1	3	9	2							5
33	252	1			1	2	4	5	9	10	21	20	28	38	36	28	10	11	4	7	4	2	8	2							1
34	251	4			1	2	5	4	6	8	12	13	25	25	25	43	22	21	7	5	8	5	6	1	1						2
35	209	2	2	2	1		2	4	4	4	6	9	18	12	26	24	29	23	9	9	6	5	8	3							1
36	276				1	2		3	6	8	10	7	13	24	13	29	29	36	37	13	9	9	17	2	2	2	1				3
37	248	1				1	1		4	7	4	10	9	13	13	19	27	24	25	32	22	6	20	5			1				4
38	220				1			2	3	4	6	5	4	3	12	11	14	20	36	23	24	20	28	2							2
39	206							1	1	3	2	2	8	7	12	15	14	10	23	18	28	20	33	3		1					5
40-44	867		1	1		4	2	3	4	4	13	9	18	14	25	22	46	34	55	52	60	78	346	53	9	1					13
45-49	613	1						2	1	5	1	2	4	7	6	10	4	7	17	13	23	23	228	213	29	9	1	1			6
50-54	333						1		1			1		4	4	3	3	3	8	10	7	5	57	108	93	14	6	1			4
55-59	174									2					1	1				2		2	11	36	65	40	8	3			3
60-64	115																			2	1	1	2	16	27	28	25	6	2		5
65-69	51									1													1	2	8	15	12	8	1	2	1
70-74	20																							1		1	4	9	3	2	
75	20																							1	1	1	3	5	3	6	
Not Stated	79	1			1	1	1	1	3	2	4	3	3	2	2	3	1	4	4	1		2	8	3	2	3		2			22

TABLE 75: DIVORCES BY DURATION OF MARRIAGE
NEBRASKA, 1990-1992

DURATION OF MARRIAGE	1990 NUMBER	1990 PER CENT OF TOTAL	1991 NUMBER	1991 PER CENT OF TOTAL	1992 NUMBER	1992 PER CENT OF TOTAL
Under 1 year	162	2.5	190	2.9	182	2.8
1 year	469	7.3	502	7.6	523	8.0
2 years	523	8.1	561	8.5	599	9.2
3	487	7.5	525	7.9	535	8.2
4	493	7.6	524	7.9	450	6.9
5	448	6.9	458	6.9	387	5.9
6	409	6.3	368	5.6	373	5.7
7	356	5.5	353	5.3	337	5.2
8	315	4.9	348	5.3	285	4.4
9	276	4.3	329	5.0	283	4.3
10	249	3.9	238	3.6	245	3.8
11	221	3.4	247	3.7	232	3.6
12	189	2.9	193	2.9	192	2.9
13	177	2.7	162	2.4	184	2.8
14	152	2.4	143	2.2	147	2.3
15	134	2.1	129	1.9	141	2.2
16	136	2.1	119	1.8	117	1.8
17	126	2.0	131	2.0	124	1.9
18	124	1.9	127	1.9	134	2.1
19	125	1.9	106	1.6	120	1.8
20	117	1.8	121	1.8	116	1.8
21	108	1.7	94	1.4	105	1.6
22	99	1.5	84	1.3	91	1.4
23	60	0.9	67	1.0	81	1.2
24	66	1.0	66	1.0	83	1.3
25	51	0.8	60	0.9	53	0.8
26	57	0.9	45	0.7	55	0.8
27	48	0.7	48	0.7	46	0.7
28	29	0.4	27	0.4	40	0.6
29	32	0.5	43	0.6	37	0.6
30	34	0.5	34	0.5	26	0.4
31	21	0.3	19	0.3	25	0.4
32	13	0.2	16	0.2	18	0.3
33	19	0.3	20	0.3	28	0.4
34	16	0.2	16	0.2	23	0.4
35-39	54	0.8	54	0.8	49	0.8
40-44	25	0.4	32	0.5	20	0.3
45-49	5	0.1	8	0.1	12	0.2
50-54	4	0.1	8	0.1	4	0.1
55-59	1	0.0	1	0.0	0	-
60-64	2	0.0	0	-	0	-
Unknown	22	0.3	8	0.1	14	0.2
TOTAL	6,454	100.0	6,624	100.0	6,516	100.0

NEBRASKA, 1992

TABLE 76: NUMBER OF DIVORCES BY RACE OF HUSBAND AND WIFE

		WIFE				
		RACE				
HUSBAND	**TOTAL**	**WHITE**	**BLACK**	**INDIAN**	**ALL OTHER**	**UNKNOWN**
White	6,107	6,029	8	29	36	5
Black	320	43	272	1	4	0
Indian	43	26	1	15	1	0
All Other	28	13	1	0	14	0
Unknown	18	2	0	0	0	16
TOTAL	6,516	6,113	282	45	55	21

TABLE 77: NUMBER OF THIS MARRIAGE OF HUSBAND AND WIFE

		WIFE								
HUSBAND	**TOTAL**	**1st**	**2nd**	**3rd**	**4th**	**5th**	**6th**	**7th**	**8th**	**Unknown**
1st	4,698	3,958	625	80	22	8	0	1	0	4
2nd	1,363	535	627	153	27	11	0	2	1	7
3rd	317	74	146	74	14	6	2	0	0	1
4th	72	13	28	16	11	3	1	0	0	0
5th	19	3	7	4	2	3	0	0	0	0
6th	5	1	4	0	0	0	0	0	0	0
7th	1	1	0	0	0	0	0	0	0	0
Unknown	41	5	2	5	0	0	0	0	0	29
TOTAL	6,516	4,590	1,439	332	76	31	3	3	1	41

NEBRASKA, 1992

TABLE 78: NUMBER OF DIVORCES BY SETTLEMENTS MADE

None	747
Alimony	48
Child Support	412
Property Settlement	2,066
Alimony and Child Support	88
Alimony and Property Settlement	320
Child Support and Property Settlement	2,312
Alimony, Child Support, and Property Settlement	520
Other	3
TOTAL	6,516

TABLE 79: NUMBER OF CHILDREN AFFECTED

TOTAL NUMBER OF COUPLES	NUMBER OF CHILDREN PER COUPLE	TOTAL NUMBER OF CHILDREN AFFECTED
2,559	0	0
1,556	1	1,556
1,569	2	3,138
615	3	1,845
171	4	684
34	5	170
8	6	48
2	7	14
1	10	10
1	Unknown	
6,516		7,465

TABLE 80: CUSTODY AND NUMBER OF CHILDREN AWARDED TO

		NUMBER OF CHILDREN AWARDED						
CUSTODY TO	TOTAL	1	2	3	4	5	6	7
Husband	530	270	173	73	10	3		1
Wife	3,195	1,344	1,239	461	124	21	4	2
Joint	190	91	71	20	6	2		
Other	63	40	9	9	4	1		
TOTAL	3,978	1,745	1,492	563	144	27	4	3

Please Note: There were 56 cases in which it was unknown to whom custody was awarded

S4885-1-U A

NEBRASKA

1993

Vital Statistics Report

NEBRASKA

DEPARTMENT OF HEALTH

1993 VITAL STATISTICS REPORT

E. BENJAMIN NELSON

Governor

Mark B. Horton, M.D., M.S.P.H.
Director of Health

James D. McGee, Director
Division of Health Data Systems

Stanley S. Cooper, M.S., Ph.D.
Director, Bureau of Vital Statistics

Report Prepared by:

Division of Health Data Systems

FOREWORD

Nebraska statute requires that records of birth, death, fetal death, marriage, and divorce be filed with the Bureau of Vital Statistics of the Department of Health. Approximately 60,000 records of vital events occurring in Nebraska are filed annually, and are added to the nearly 5.6 million such records already on file. Over 100,000 certified copies from those records are issued each year.

Responsibility for filing certificates of birth lies with the individual in attendance at birth, usually a physician. Funeral directors are responsible for filing certificates of death and of fetal death when burial takes place. Hospitals must file fetal death certificates when hospital disposal is performed. County clerks and district court clerks are, respectively, responsible for filing records of marriage and divorce.

The excellent cooperation of all the individuals mentioned is appreciated. Without their support, this report would not be possible.

Providing useful data stands as the goal of this report, and any questions or comments regarding the report, or requests for more detailed information, should be directed to:

Division of Health Data Services
Nebraska Department of Health
301 Centennial Mall South
P.O. Box 95007
Lincoln, NE 68509
Phone: 402/471-2241

TABLE OF CONTENTS

Page

Introduction 1

Definitions of Terms 2-4

Graph 1: birth and death rates, 1925-1993 5

Graph 2: marriage and divorce rates, 1925-1993 6

Table 1: births, deaths, marriages and divorces by number and rate per 1,000 estimated population, 1930-1993 7

Table 2: population by county, 1950-1993 8-9

Table 3: summary of vital statistics, 1993 10-11

BIRTH SECTION

Birth Highlights 12-13

Map 1: births by county of residence, 1993 14

Table 4: births by place of occurrence and by usual residence of mother, 1991-1993, rate for 1993 15-18

Table 5: births by sex, race and Hispanic origin by place of residence, 1993 19-22

Graph 3: percent of all births by age of mother, 1989-1993 . . . 23

Graph 4: average age of mother giving birth, 1975-1993 23

Table 6: birth order by age of mother, 1993 24

Table 7: teen births by place of residence, 1993 and 1989-1993 25-26

Graph 5: trimester prenatal care began by age of mother, 1993 . 27

Table 8: births by trimester prenatal care began (percent) by number of prenatal visits, 1993 28

Table 9: births by number of prenatal visits (percent) by age of mother, 1993 28

Table 10: number of prenatal visits (percent) by education of mother, 1993 29

Table 11: number of prenatal visits (percent) by birth weight of child, 1993 29

Table 12: number of prenatal visits (percent) by race/Hispanic origin of mother, 1993 29

Table 13: births by trimester prenatal care began and percent receiving inadequate care, 1993 30-31

TABLE OF CONTENTS

Page

Graph 6: low and very low birth weight rates, 1970-1993 32
Table 14: births by weight groups, 1993 33
Table 15: births, very low and low birth weight by place of residence, 1993 and 1989-1993 34-35
Table 16: medical history factors of the mother, 1993 36
Table 17: obstetric procedures, 1993 36
Table 18: events of labor and/or delivery, 1993 37
Table 19: method of delivery, 1993 37
Table 20: conditions of the newborn, 1993 38
Graph 7: average birth weight by tobacco usage, 1990-1993 . . . 39
Graph 8: tobacco use by race/Hispanic origin, 1993 40
Graph 9: alcohol use by race/Hispanic origin, 1993 40
Graph 10: percent using tobacco by occupation, 1993 41
Graph 11: percent using tobacco by industry, 1993 41
Graph 12: percent using alcohol by occupation, 1993 42
Graph 13: percent using alcohol by industry, 1993 42
Graph 14: out-of-wedlock birth rates, 1960-1993 43
Table 21: out-of-wedlock births by place of residence, 1993 and 1989-1993 44-46
Table 22: out-of-wedlock births by age of mother, 1989-1993 . . 47
Table 23: out-of-wedlock births by age and race/Hispanic origin of mother, 1993 47
Table 24: percent of race/Hispanic origin out-of-wedlock, 1980-1993 48
Table 25: percent of age group out-of-wedlock, 1980-1993 48
Table 26: birth order of out-of-wedlock births by age of mother, 1993 49
Table 27: birth defects by number and rate, 1993 and 1989-1993 50-51
Table 28: birth defects by place of residence, 1993 and 1989-1993 52-53
Table 29: birth defects by month, 1993 54

TABLE OF CONTENTS

Page

Table 30: birth defects by age of mother, 1993 54

Table 31: birth defects by age of father, 1993 54

Table 32: birth defects by weight and sex of child, 1993 55

Table 33: birth defects by race/Hispanic origin of mother, 1993 55

DEATH SECTION

Death Highlights 56-57

Map 2: deaths by county of residence, 1993 58

Table 34: deaths by place of occurrence and by usual residence of deceased, 1991-1993 59-62

Table 35: deaths by sex and race by place of residence, 1993 63-66

Table 36: deaths by principal and other causes, 1989-1993 . . . 67

Table 37: deaths by principal and other causes, crude rates per 100,000 population, 1989-1993 68

Table 38: deaths by principal and other causes, age-adjusted rates per 100,000 population, 1989-1993 69

Table 39: cancer deaths by selected sites and sex, 1989-1993 . . 70

Table 40: age-adjusted cancer death rates by selected sites and sex, 1989-1993 70

Graph 15: average age at time of death, 1925-1993 71

Graph 16: average age at death by sex, 1960-1993 71

Table 41: deaths by age group and sex, 1993 72

Table 42: deaths by age group and average age by place of residence, 1993 73-74

Graph 17: ten leading causes of death, 1993 75

Graphs 18-23: leading causes of death by selected age groups and sex, 1993 75-78
    graph 17: all ages 75
    graph 18: by sex 76
    graph 19: ages 1-14 76
    graph 20: ages 15-29 77
    graph 21: ages 30-44 77
    graph 22: ages 45-59 78
    graph 23: ages 60+ 78

TABLE OF CONTENTS

Page

Tables 43-52 and maps 3-12: Ten leading causes of death by place of residence, 1993 and 1989-1993 79-118
  map 3 and table 43: heart disease 79-82
  map 4 and table 44: cancer 83-86
  map 5 and table 45: cerebrovascular disease 87-90
  map 6 and table 46: pneumonia 91-94
  map 7 and table 47: accidents 95-98
  map 8 and table 48: chronic lung disease 99-102
  map 9 and table 49: diabetes mellitus 103-106
  map 10 and table 50: atherosclerosis 107-110
  map 11 and table 51: suicide 111-114
  map 12 and table 52: nephritis and nephrosis 115-118

Table 53: accidental deaths by cause, 1989-1993 119

Graph 24: accidental deaths, leading causes, 1993 120

Table 54: accidental deaths by principal and other causes by place of residence, 1993 121-124

Table 55: drownings by site, sex and age group, 1993 125

Table 56: farm fatalities by type, sex and age group, 1993 . . . 125

Graph 25: suicide mortality, 1918-1993 126

Table 57: suicides by type, sex and age groups, 1993 127

Graph 26: infant and neonatal deaths, 1925-1993 128

Table 58: infant and neonatal deaths by place of residence, 1993 and 1989-1993 129-131

Table 59: deaths under one year of age by cause, 1993 132

Table 60: deaths under one year of age by race/Hispanic origin and sex, 1993 132

Table 61: deaths under one year of age by birth weight groups, 1993 132

Table 62: perinatal and fetal deaths by place of residence, 1993 and 1989-1993 133-135

Table 63: fetal deaths by cause of death, 1993 and 1989-1993 136-137

Table 64: fetal deaths by age group of mother, sex, race, Hispanic origin and place of delivery, 1993 137

MARRIAGE AND DIVORCE SECTION

Marriage and Divorce Highlights 138-139

Map 13: marriages by county of occurrence, 1993 140

Table 65: marriages by number and rate by county, 1990-1993 141-142

Table 66: number of marriages by race of bride and groom, 1993 143

TABLE OF CONTENTS

Page

Table 67: number of this marriage, bride and groom, 1993 143

Table 68: number of marriages by previous marital status, bride and groom, 1993 143

Table 69: number of this marriage by age of bride, 1993 144

Table 70: number of this marriage by age of groom, 1993 144

Table 71: number of marriages by age of bride and groom, 1993 . 145

Table 72: number of first marriages by age of bride and groom, 1993 146

Map 14: divorces by county of occurrence, 1993 147

Table 73: divorces by number and rate by county, 1990-1993 148-149

Table 74: number of divorces by age of husband and wife, 1993 150

Table 75: divorces by duration of marriage, 1991-1993 151

Table 76: number of divorces by race of husband and wife, 1993 152

Table 77: number of this marriage of husband and wife, 1993 . . 152

Table 78: number of divorces by settlements made, 1993 153

Table 79: number of children affected, 1993 153

Table 80: custody and number of children awarded to, 1993 . . . 153

INTRODUCTION

The information presented in this report is drawn from the vital records of the State of Nebraska. Records of events which occur in other states for Nebraska residents received through an Interstate Exchange Agreement are also utilized. The primary period covered is calendar year 1993, but selected data from previous years are also included. Data from 1993 records received after April 15, 1994, by the Bureau of Vital Statistics are not included in the tabulations in this report. However, the number of such records is minimal and their statistical effect negligible.

The birth defect data presented in the report are taken from the Nebraska Birth Defects Registry, with the exception of the death data which is taken from death certificates. Information for the Registry is provided by reporting personnel in approximately 100 Nebraska hospitals.

The state, county, city and balance of county population figures used in the calculation of rates are 1993 estimates provided by the Nebraska Department of Health. U.S. vital event data, presented for comparative purposes, are from the National Center for Health Statistics.

Characteristics of the population, such as size and age structure, can have a great influence on vital statistics data. Only 27 counties and 14 cities in Nebraska had populations over 10,000 at the 1990 Census. Ten counties had less than 1,000 residents. In any area with a population under 10,000, wide variations in numbers or rates of events can appear from year to year, and no single year may be truly representative of the population. Counties with a high proportion of young people will show relatively higher crude birth rates and lower crude death rates than counties with a greater number of older residents.

Information for towns having populations of 2,500 or more (in 1980) are included in this report. Information is available from the Division of Health Data Services for towns with a population of 1,000 or more persons.

DEFINITIONS OF TERMS

GEOGRAPHIC ALLOCATION

RESIDENCE DATA - A person's usual place of abode. This means, in general, the place where one lives and sleeps most of the time. However, when usual residence is in a nursing home or other institution, residence is considered the place where the person lived prior to admission to the institution.

OCCURRENCE - The location in which an event takes place irrespective of the usual residence of persons involved.

BIRTHS

BIRTH WEIGHT - The first weight of the fetus or newborn obtained after birth. This weight should be measured preferably within the first hour of life before significant postnatal weight loss has occurred.

LOW BIRTH WEIGHT - A birth weight under 2500 grams or 5 pounds, 9 ounces.

VERY LOW BIRTH WEIGHT - A birth weight under 1500 grams or 3 pounds, 5 ounces.

LENGTH OF PREGNANCY - The duration of gestation, in completed weeks, as calculated from the first day of the last normal menses to the date of birth.

LIVE BIRTH - The complete expulsion or extraction of a product of conception from its mother, irrespective of the period of gestation, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached, and is reportable.

LIVE BIRTH ORDER - The number of live born children including the current birth.

DEATHS

CAUSE OF DEATH - Deaths, by cause, are classified according to the International Classification of Diseases, Ninth Revision, of the World Health Organization.

FETAL DEATH - Death prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy. Until the pregnancy has reached 20 weeks duration, it is not required that such a death be reported.

INFANT DEATH - Death of a person under one year of age.

NEONATAL DEATH - Death of a person under 28 days of age.

DEFINITIONS OF TERMS

DEATHS

PERINATAL DEATH - Fetal deaths plus neonatal deaths.

MATERNAL DEATH - Deaths attributable to delivery or the complications of pregnancy, childbirth or the puerperium.

DEFINITIONS AND FORMULAS OF RATES AND RATIOS

CRUDE BIRTH RATE = The number of live births per 1,000 population.

$$\frac{\text{Number of Live Births}}{\text{Population of Area}} \times 1{,}000$$

FERTILITY RATE = The number of live births per 1,000 females 15-44 years of age.

$$\frac{\text{Number of Live Births}}{\text{Female Population (ages 15-44)}} \times 1{,}000$$

OUT-OF-WEDLOCK BIRTH RATE = The number of out-of-wedlock births per 1,000 live births.

$$\frac{\text{Number of Out-of-Wedlock Live Births}}{\text{Number of Live Births}} \times 1{,}000$$

SEX RATIO = The number of male births for each 1,000 female births.

$$\frac{\text{Number of Male Live Births}}{\text{Number of Female Live Births}} \times 1{,}000$$

CRUDE DEATH RATE = The number of deaths per 1,000 population.

$$\frac{\text{Number of Deaths}}{\text{Population of Area}} \times 1{,}000$$

FETAL DEATH RATIO = The number of fetal deaths per 1,000 live births.

$$\frac{\text{Number of Fetal Deaths}}{\text{Number of Live Births}} \times 1{,}000$$

INFANT DEATH RATE = The number of infant deaths per 1,000 live births.

$$\frac{\text{Number of Infant Deaths}}{\text{Number of Live Births}} \times 1{,}000$$

NEONATAL DEATH RATE - The number of neonatal deaths per 1,000 live births.

$$\frac{\text{Number of Neonatal Deaths}}{\text{Number of Live Births}} \times 1{,}000$$

DEFINITIONS OF TERMS

DEATHS

PERINATAL DEATH RATE = The number of perinatal deaths per 1,000 live births plus fetal deaths.

$$\frac{\text{Number of Perinatal Deaths}}{\text{Number of Live Births + Number of Fetal Deaths}} \quad \text{X 1,000}$$

MATERNAL DEATH RATE = The number of maternal deaths per 100,000 live births.

$$\frac{\text{Number of Maternal Deaths}}{\text{Number of Live Births}} \quad \text{X 100,000}$$

AGE-SPECIFIC DEATH RATE = Number of deaths in a specific age group per 100,000 population in the specific age group.

$$\frac{\text{Number of Deaths in Age Group}}{\text{Population in Age Group}} \quad \text{X 100,000}$$

AGE-ADJUSTED DEATH RATE = A weighted averaging of a crude death rate according to a standard age distribution. An age-adjusted death rate represents what the crude death rate would be if the population for which the rate is adjusted and the standard population had the same age distribution. This procedure allows for the comparison of death rates among populations having different age distributions. The death rates in this report have been adjusted according to the age distribution of the United States population in 1970.

$$\text{The sum of} \quad \frac{\text{Age-Specific Death Rates, for Each Age Group} \quad \text{X} \quad \text{Standard Population in each Age Group}}{\text{Total Standard Population}}$$

CAUSE-SPECIFIC DEATH RATE = The number of deaths from a specific cause per 100,000 population.

$$\frac{\text{Number of Deaths for a Specific Cause}}{\text{Population of Area}} \quad \text{X 100,000}$$

GRAPH 1
BIRTH AND DEATH RATES
NEBRASKA, 1925-1993



GRAPH 2
MARRIAGE AND DIVORCE RATES
NEBRASKA, 1925-1993



TABLE 1: BIRTHS, DEATHS, MARRIAGES AND DIVORCES BY NUMBER AND RATE PER 1,000 ESTIMATED POPULATION NEBRASKA, 1930-1993

YEAR	ESTIMATED POPULATION	BIRTHS	RATE	DEATHS	RATE	MAR-RIAGES	RATE	DI-VORCES	RATE
1930	1,377,963	27,006	19.6	13,280	9.6	10,248	7.4	1,635	1.2
1931	1,384,000	26,610	19.2	12,905	9.3	11,005	8.0	1,531	1.1
1932	1,388,000	25,160	18.1	12,923	9.3	11,757	8.5	1,454	1.1
1933	1,392,000	24,187	17.4	12,925	9.3	11,466	8.2	1,944	1.4
1934	1,395,000	25,087	18.0	13,372	9.6	12,611	9.0	2,269	1.6
1935	1,364,000	23,326	17.1	13,179	9.7	12,402	9.1	2,167	1.6
1936	1,364,000	23,799	17.4	13,756	10.1	12,701	9.3	2,137	1.6
1937	1,364,000	22,256	16.3	13,200	9.7	11,898	8.7	2,074	1.5
1938	1,364,000	22,402	16.4	11,960	8.8	11,610	8.5	1,892	1.4
1939	1,364,000	22,326	16.4	12,188	8.9	12,866	9.4	1,987	1.5
1940	1,315,834	22,153	16.8	12,593	9.6	15,977	12.1	2,028	1.5
1941	1,315,834	22,186	16.9	12,203	9.3	18,802	14.3	2,089	1.6
1942	1,315,834	23,950	18.2	12,293	9.3	18,462	14.0	1,805	1.4
1943	1,176,023	25,091	21.3	12,956	11.0	13,818	11.8	2,218	1.9
1944	1,213,792	24,694	20.3	12,560	10.3	9,115	7.5	2,471	2.0
1945	1,198,482	24,292	20.3	12,446	10.0	10,358	8.6	3,176	2.7
1946	1,198,482	27,753	23.2	12,365	10.3	14,130	11.8	4,504	3.8
1947	1,301,000	32,018	24.7	12,823	9.9	14,726	11.3	3,180	2.4
1948	1,301,000	31,066	23.9	12,569	9.7	14,928	11.5	2,648	2.0
1949	1,285,000	31,482	24.5	12,607	9.8	12,743	9.9	2,521	2.0
1950	1,325,510	31,713	23.9	12,548	9.5	13,828	10.4	2,471	1.9
1951	1,348,000	33,595	24.9	12,880	9.6	12,399	9.2	2,290	1.7
1952	1,371,000	33,809	24.7	13,056	9.5	11,484	8.4	2,363	1.7
1953	1,358,000	32,633	24.0	13,298	9.8	11,575	8.5	2,287	1.7
1954	1,358,000	33,617	24.8	12,741	9.4	11,307	8.3	2,355	1.7
1955	1,369,000	34,087	24.9	13,001	9.5	11,892	8.7	2,350	1.7
1956	1,402,000	33,855	24.1	13,161	9.4	11,364	8.1	2,284	1.6
1957	1,439,000	33,161	23.0	13,797	9.6	10,702	7.4	2,130	1.5
1958	1,444,000	32,935	23.0	13,680	9.5	10,607	7.3	2,062	1.4
1959	1,441,000	34,162	23.7	13,887	9.6	10,724	7.4	2,124	1.5
1960	1,411,330	34,257	24.3	14,071	10.0	10,635	7.5	2,092	1.5
1961	1,431,000	34,544	24.1	13,812	9.7	10,976	7.7	2,311	1.6
1962	1,484,000	33,886	22.8	14,305	9.6	11,185	7.5	2,301	1.6
1963	1,460,000	32,624	22.3	14,657	10.0	11,711	8.0	2,378	1.6
1964	1,480,000	30,727	20.8	14,758	10.0	11,920	8.1	2,455	1.7
1965	1,477,000	27,829	18.8	14,799	10.0	12,069	8.2	2,448	1.7
1966	1,456,000	25,618	17.6	14,799	10.2	12,390	8.5	2,531	1.7
1967	1,435,000	24,259	16.9	14,465	10.1	13,161	9.2	2,825	2.0
1968	1,439,000	24,236	16.8	15,017	10.4	14,287	9.9	2,940	2.0
1969	1,449,000	24,801	17.1	14,898	10.3	15,145	10.4	3,194	2.2
1970	1,483,791	25,877	17.4	15,016	10.1	15,666	10.6	3,629	2.4
1971	1,512,000	25,507	16.9	15,182	10.0	15,080	10.0	3,946	2.6
1972	1,525,000	23,473	15.4	15,540	10.2	14,106	9.2	4,326	2.8
1973	1,542,000	22,771	14.8	14,977	9.7	13,957	9.1	4,849	3.1
1974	1,543,000	23,695	15.4	15,016	9.7	13,873	9.0	5,114	3.3
1975	1,542,000	23,658	15.3	14,569	9.4	13,087	8.5	5,504	3.6
1976	1,553,000	23,767	15.3	14,536	9.4	13,431	8.6	5,788	3.7
1977	1,561,155	25,158	16.1	14,316	9.2	13,387	8.6	6,047	3.9
1978	1,565,390	25,103	16.0	14,408	9.2	13,711	8.8	6,010	3.8
1979	1,573,946	26,199	16.6	14,228	9.0	14,074	8.9	6,220	4.0
1980	1,569,825	27,335	17.4	14,465	9.2	14,239	9.1	6,368	4.1
1981	1,577,000	27,164	17.2	14,580	9.2	14,363	9.1	6,769	4.3
1982	1,586,000	26,954	17.0	14,567	9.2	14,350	9.0	6,357	4.0
1983	1,597,000	26,254	16.4	14,695	9.2	13,703	8.6	6,172	3.9
1984	1,606,000	26,099	16.3	14,633	9.1	13,274	8.3	6,348	4.0
1985	1,605,574	25,540	15.9	14,895	9.3	12,696	7.9	6,318	3.9
1986	1,598,000	24,425	15.3	14,662	9.2	12,107	7.6	6,127	3.8
1987	1,594,000	23,813	14.9	14,820	9.3	11,808	7.4	6,189	3.9
1988	1,602,000	23,904	14.9	14,858	9.3	12,242	7.6	6,225	3.9
1989	1,611,000	24,205	15.0	14,776	9.2	12,709	7.9	6,273	3.9
1990	1,578,385	24,362	15.4	14,751	9.3	12,625	8.0	6,454	4.1
1991	1,580,950	23,947	15.1	14,647	9.3	12,555	7.9	6,624	4.2
1992	1,582,900	23,336	14.7	14,577	9.2	12,437	7.9	6,516	4.1
1993	1,590,450	23,196	14.6	14,967	9.4	12,337	7.8	6,254	3.9

TABLE 2: POPULATION BY COUNTY
NEBRASKA, 1950-1993

COUNTY	1950	1960	1970	1980	1990	1993
Adams	28,855	28,944	30,553	30,656	29,625	29,500
Antelope	11,624	10,176	9,047	8,675	7,965	7,750
Arthur	803	680	606	513	462	450
Banner	1,325	1,269	1,034	918	852	850
Blaine	1,203	1,016	847	867	675	650
Boone	10,721	9,134	8,190	7,391	6,667	6,550
Box Butte	12,279	11,688	10,094	13,696	13,130	13,000
Boyd	4,911	4,513	3,752	3,331	2,835	2,700
Brown	5,164	4,436	4,021	4,377	3,657	3,500
Buffalo	25,134	26,236	31,222	34,797	37,447	38,000
Burt	11,536	10,192	9,247	8,813	7,868	7,700
Butler	11,432	10,312	9,461	9,330	8,601	8,500
Cass	16,361	17,821	18,076	20,297	21,318	21,650
Cedar	13,843	13,368	12,192	11,375	10,131	9,900
Chase	5,176	4,317	4,129	4,758	4,381	4,300
Cherry	8,397	8,218	6,846	6,758	6,307	6,200
Cheyenne	12,081	14,828	10,778	10,057	9,494	9,400
Clay	8,700	8,717	8,266	8,106	7,123	7,000
Colfax	10,010	9,595	9,498	9,890	9,139	9,100
Cuming	12,994	12,435	12,034	11,664	10,117	10,000
Custer	19,170	16,517	14,092	13,877	12,270	11,950
Dakota	10,401	12,168	13,137	16,573	16,742	17,000
Dawes	9,708	9,536	9,693	9,609	9,021	8,900
Dawson	19,393	19,405	19,467	22,304	19,940	20,900
Deuel	3,330	3,125	2,717	2,462	2,237	2,175
Dixon	9,129	8,106	7,453	7,137	6,143	6,000
Dodge	26,265	32,471	34,782	35,847	34,500	34,000
Douglas	281,020	343,490	389,455	397,038	416,444	423,000
Dundy	4,354	3,570	2,926	2,861	2,582	2,500
Fillmore	9,610	9,425	8,137	7,920	7,103	6,950
Franklin	7,096	5,449	4,566	4,377	3,938	3,800
Frontier	5,282	4,311	3,982	3,647	3,101	3,000
Furnas	9,385	7,711	6,897	6,486	5,553	5,350
Gage	28,052	26,818	25,719	24,456	22,794	22,500
Garden	4,114	3,472	2,929	2,802	2,460	2,350
Garfield	2,912	2,699	2,411	2,363	2,141	2,075
Gosper	2,734	2,489	2,178	2,140	1,928	1,900
Grant	1,057	1,009	1,019	877	769	750
Greeley	5,575	4,595	4,000	3,462	3,006	2,950
Hall	32,186	35,757	42,851	47,690	48,925	49,400
Hamilton	8,778	8,714	8,867	9,301	8,862	8,800
Harlan	7,189	5,081	4,357	4,292	3,810	3,700
Hayes	2,404	1,919	1,530	1,356	1,222	1,200
Hitchcock	5,867	4,829	4,051	4,079	3,750	3,700
Holt	14,859	13,722	12,933	13,552	12,599	12,500
Hooker	1,061	1,130	939	990	793	725
Howard	7,226	6,541	6,807	6,773	6,055	5,950
Jefferson	13,623	11,620	10,436	9,817	8,759	8,500
Johnson	7,251	6,281	5,743	5,285	4,673	4,550
Kearney	6,409	6,580	6,707	7,053	6,629	6,550

TABLE 2: POPULATION BY COUNTY
NEBRASKA, 1950-1993 (continued)

COUNTY	1950	1960	1970	1980	1990	1993
Keith	7,449	7,958	8,487	9,364	8,584	8,450
Keya Paha	2,160	1,672	1,340	1,301	1,029	975
Kimball	4,283	7,975	6,009	4,882	4,108	4,000
Knox	14,820	13,300	11,723	11,457	9,534	9,200
Lancaster	119,742	155,272	167,972	192,884	213,641	219,800
Lincoln	27,380	28,491	29,538	36,455	32,508	32,500
Logan	1,357	1,108	991	983	878	850
Loup	1,348	1,097	854	859	683	650
McPherson	825	735	623	593	546	550
Madison	24,338	25,147	27,402	31,382	32,655	33,000
Merrick	8,812	8,363	8,751	8,945	8,042	7,900
Morrill	8,263	7,057	5,813	6,085	5,423	5,300
Nance	6,512	5,635	5,142	4,740	4,275	4,200
Nemaha	10,973	9,099	8,976	8,367	7,980	7,900
Nuckolls	9,609	8,217	7,404	6,726	5,786	5,550
Otoe	17,056	16,503	15,576	15,183	14,252	14,050
Pawnee	6,744	5,356	4,473	3,937	3,317	3,150
Perkins	4,809	4,189	3,423	3,637	3,367	3,300
Phelps	9,048	9,800	9,553	9,769	9,715	9,750
Pierce	9,405	8,722	8,493	8,481	7,827	7,700
Platte	19,910	23,992	26,508	25,852	29,820	30,600
Polk	8,044	7,210	6,468	6,320	5,675	5,500
Red Willow	12,977	12,940	12,191	12,615	11,705	11,600
Richardson	16,886	13,903	12,277	11,315	9,937	9,600
Rock	3,026	2,554	2,231	2,383	2,019	1,950
Saline	14,046	12,542	12,809	13,131	12,715	12,600
Sarpy	15,693	31,281	63,696	86,015	102,583	107,000
Saunders	16,923	17,270	17,018	18,716	18,285	18,250
Scotts Bluff	33,939	33,809	36,432	38,344	36,025	35,900
Seward	13,155	13,581	14,460	15,789	15,450	15,400
Sheridan	9,539	9,049	7,285	7,544	6,750	6,550
Sherman	6,421	5,382	4,725	4,226	3,718	3,650
Sioux	3,124	2,575	2,034	1,845	1,549	1,500
Stanton	6,387	5,783	5,758	6,549	6,244	6,200
Thayer	10,563	9,118	7,779	7,582	6,635	6,450
Thomas	1,206	1,078	954	973	851	850
Thurston	8,590	7,237	6,942	7,186	6,936	7,000
Valley	7,252	6,590	5,783	5,633	5,169	5,100
Washington	11,511	12,103	13,310	15,508	16,607	16,750
Wayne	10,129	9,959	10,400	9,858	9,364	9,400
Webster	7,395	6,224	6,477	4,858	4,279	4,150
Wheeler	1,526	1,297	1,054	1,060	948	950
York	14,346	13,724	13,685	14,798	14,428	14,400
TOTAL	1,325,510	1,411,330	1,483,493	1,569,825	1,578,385	1,590,450

1950-1990 population figures are from the United States Bureau of the Census.

1993 figures are estimates from the Nebraska Department of Health, Division of Health Data Systems.

TABLE 3: SUMMARY OF VITAL STATISTICS
FIRST SIX MONTHS
NEBRASKA, 1993

	JAN.	FEB.	MAR.	APR.	MAY	JUNE
LIVE BIRTHS	1,787	1,831	2,071	1,888	2,001	1,977
Sex:						
Male	870	928	1,040	943	1,058	1,040
Female	917	903	1,031	945	943	937
Race:						
White	1,637	1,683	1,894	1,742	1,831	1,780
Black	97	84	105	91	108	123
American Indian	24	32	34	29	32	43
All Other	28	30	36	26	30	30
Unknown	1	2	2	0	0	1
Hispanic Origin*						
Mexican	75	70	92	72	76	85
All Other	19	23	25	20	28	26
Out-of-Wedlock	441	420	465	423	440	454
FETAL DEATHS	12	14	14	18	7	10
DEATHS	1,321	1,215	1,292	1,316	1,154	1,151
Sex:						
Male	682	614	646	673	612	579
Female	640	601	646	642	542	572
Race:						
White	1,276	1,181	1,236	1,266	1,122	1,097
Black	33	27	47	39	27	44
American Indian	10	5	7	9	5	7
All Other	2	2	1	1	0	2
Unknown	0	0	1	1	0	1
Hispanic Origin*						
Mexican	2	6	8	5	7	10
All Other	0	1	1	0	4	0
MARRIAGES	522	647	634	876	1,396	1,504
DIVORCES	468	486	477	526	553	487
ANNULMENTS	4	7	5	5	3	3

* - Hispanic Origin may be of any race.

TABLE 3: SUMMARY OF VITAL STATISTICS
SECOND SIX MONTHS
NEBRASKA, 1993 (continued)

	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR'S TOTAL
LIVE BIRTHS	2,094	2,012	1,940	1,916	1,854	1,825	23,196
Sex:							
Male	1,062	1,002	968	969	952	925	11,757
Female	1,032	1,010	972	947	902	900	11,439
Race:							
White	1,896	1,835	1,759	1,744	1,702	1,667	21,170
Black	129	102	117	110	95	98	1,259
American Indian	36	36	30	28	20	28	372
All Other	32	39	33	33	35	32	384
Unknown	1	0	1	1	2	0	11
Hispanic Origin*							
Mexican	98	74	74	96	80	70	962
All Other	22	26	21	36	28	22	296
Out-of-Wedlock	513	479	481	460	435	420	5,431
FETAL DEATHS	8	12	11	12	18	9	145
DEATHS	1,193	1,230	1,260	1,246	1,238	1,351	14,967
Sex:							
Male	611	604	630	634	633	636	7,554
Female	582	626	630	612	605	715	7,413
Race:							
White	1,143	1,183	1,221	1,204	1,195	1,309	14,433
Black	36	40	33	38	33	34	431
American Indian	9	5	5	3	6	6	77
All Other	3	2	1	1	4	2	21
Unknown	2	0	0	0	0	0	5
Hispanic Origin*							
Mexican	9	7	7	8	6	6	81
All Other	1	2	3	3	1	3	19
MARRIAGES	1,486	1,381	1,264	1,143	739	745	12,337
DIVORCES	496	580	545	473	615	548	6,254
ANNULMENTS	2	4	6	5	3	3	50

* - Hispanic Origin may be of any race.

BIRTH HIGHLIGHTS

In 1993, the number of live births in Nebraska declined for the third consecutive year. A total of 23,196 live births was recorded among Nebraska women in 1993, which is the lowest number for any single year since 1973. Moreover, Nebraska's live birth rate of 14.6 per 1,000 residents is the lowest ever recorded in the state's history*. 1993 also marks the eighth consecutive year in which Nebraska's birth rate was lower than the national birth rate, which was 15.7 per 1,000 U.S. residents in 1993.

Birth rates observed throughout Nebraska in 1993 varied considerably from place to place. Dawson County recorded the highest birth rate of the state's 93 counties, with a rate of 21.0 per 1,000 residents. Garden County had the lowest birth rate of any county, with a rate of 5.5 per 1,000 residents. Among communities with a population of at least 2,500, Lexington, for the third year in a row, recorded the highest birth rate in 1993 (30.3), while Broken Bow recorded the lowest (7.8).

Among Nebraska women who gave birth to their first child, the average age rose slightly, from 24.2 years in 1992 to 24.3 years in 1993. In recent years, the average age of Nebraska women giving birth to their first child has increased slightly (the figure was 24.0 years in 1988), while the average age of women giving birth to subsequent children has also increased. Among Nebraska women giving birth to their second child, the average age increased from 26.8 years in 1988 to 27.4 years in 1993, while during the same period, the average age for Nebraska women having their third child rose from 28.5 years to 29.3 years. The trend toward delayed childbearing is also reflected in the fact that women 30 and older continue to increase their share of all Nebraska live births, from 28.2% in 1988 to 34.3% in 1993.

Nebraska recorded a low birth weight rate (babies weighing less than 2500 grams, or 5 pounds 9 ounces, are considered low birth weight) for 1993 of 58.2 (per 1,000 live births), an increase from the 1992 figure of 56.1. The 1993 rate marks the state's highest low birth weight rate since 1976. Long-term trends show that low weight birth rates declined substantially in Nebraska during the 1970s and early 1980s; since the mid-1980s, however, the rates have risen slightly.

* - annual live birth rates for Nebraska are only available as far back as 1925

The state rate for very low weight births (i.e. babies weighing less than 1500 grams, or about 3 pounds 5 ounces) in 1993 was 10.0 per 1,000 live births, an increase over the 1992 figure of 9.1. Nebraska's rates of very low weight births have changed little over the past two decades; in fact, the state rate for 1970 (10.0) is identical to the 1993 rate. Prenatal care began during the first trimester of pregnancy for 83.0% of all 1993 Nebraska live births, which is the highest figure recorded since the state began collecting these data over 20 years ago. In spite of this achievement, however, progress in increasing this percentage has been slow: this figure stood at 82.1% in 1988 and 79.0% in 1980. The probability of starting prenatal care during the first trimester of pregnancy seems to be directly related to age: women who are 25 and older are considerably more likely to initiate prenatal care during the first trimester than are teenagers and women in their early twenties.

The frequency of out-of-wedlock births in Nebraska rose again in 1993, continuing a long-standing state and national trend. A total of 5,431 live births were recorded in Nebraska among unmarried women, accounting for nearly one-quarter (23.4%) of the state's 1993 live births. This percentage has more than doubled in little over a decade: in 1980, it stood at 11.6%. Out-of-wedlock birth rates decrease markedly as the age of the mother increases: 77% of all Nebraska live births to teenaged women in 1993 were out-of-wedlock, compared to just 8% for live births to women 30 and older. Out-of-wedlock births are more common in minority populations, yet over three-quarters (76.7%) of the state's out-of-wedlock live births in 1993 occurred among whites.

A total of 2,155 birth defects were diagnosed among 1,019 children born to Nebraska women in 1993. The latter figure translates into a rate of 43.9 cases per 1,000 resident live births, which is a slight decrease from the 1992 rate of 44.8. Defects of the circulatory system were the most frequently diagnosed conditions in Nebraska in 1993, accounting for 762 (35.4%) of all defects reported. Three conditions (ventricular septal defect, atrial septal defect, patent ductus arteriosus) accounted for about half (385 cases, 50.5%) of all reported circulatory defects. Musculoskeletal conditions were the second most frequently reported defects among Nebraska children in 1993, with 368 diagnoses, followed by genitourinary system defects, with 310 diagnoses. Considered together, defects of the circulatory, musculoskeletal, and genitourinary systems accounted for two-thirds (66.8%) of all birth defects reported in Nebraska in 1993.

MAP 1: BIRTHS BY COUNTY OF RESIDENCE
NEBRASKA, 1993


Sioux 15
Dawes 109
Box Butte 169
Sheridan 84
Cherry 80
Keya Paha 15
Boyd 41
Brown 53
Rock 22
Holt 151
Knox 92
Cedar 142
Dixon 66
Dakota 330
Thurston 146
Pierce 105
Wayne 108
Antelope 91
Madison 525
Stanton 88
Cuming 126
Burt 96
Scotts Bluff 549
Morrill 74
Garden 13
Banner 7
Kimball 54
Cheyenne 125
Deuel 23
Grant 15
Hooker 5
Thomas 11
Blaine 10
Loup 7
Garfield 21
Wheeler 12
Boone 83
Platte 476
Colfax 140
Dodge 395
Washington 186
Arthur 6
McPherson 5
Logan 5
Custer 129
Valley 58
Greeley 31
Nance 53
Sherman 39
Howard 78
Merrick 99
Polk 65
Butler 100
Saunders 250
Douglas 6872
Sarpy 1824
Keith 91
Lincoln 427
Perkins 28
Dawson 438
Buffalo 511
Hall 838
Hamilton 124
York 185
Seward 171
Lancaster 3244
Cass 341
Otoe 155
Chase 45
Hayes 12
Frontier 39
Gosper 27
Phelps 125
Kearney 96
Adams 412
Clay 76
Fillmore 87
Saline 135
Gage 273
Johnson 46
Nemaha 88
Dundy 24
Hitchcock 41
Red Willow 144
Furnas 43
Harlan 53
Franklin 35
Webster 39
Nuckolls 54
Thayer 55
Jefferson 75
Pawnee 30
Richardson 115

STATE TOTAL = 23,196

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER

NEBRASKA, 1991-1993

	1991		1992		1993		1993
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	BIRTH RATE**
STATE	24,199	23,947	23,641	23,336	23,386	23,196	14.6
Adams	613	426	642	446	610	412	14.0
*Hastings	613	326	642	325	608	319	14.0
Balance of Co.	0	100	0	121	2	93	13.9
Antelope	74	107	58	95	65	91	11.7
Arthur	0	0	0	9	0	6	13.3
Banner	0	8	0	6	0	7	8.2
Blaine	0	5	1	16	0	10	15.4
Boone	82	97	76	78	70	83	12.7
Box Butte	163	197	145	186	144	169	13.0
Alliance	1	151	2	148	1	128	13.2
Balance of Co.	162	46	143	38	143	41	12.4
Boyd	8	31	8	36	8	41	15.2
Brown	11	44	17	41	28	53	15.1
Buffalo	788	537	802	491	871	511	13.4
*Kearney	788	342	802	330	871	339	13.6
Balance of Co.	0	195	0	161	0	172	13.1
Burt	16	95	1	92	3	96	12.5
Butler	105	105	115	110	91	100	11.8
David City	105	39	115	30	91	28	11.2
Balance of Co.	0	66	0	80	0	72	12.0
Cass	1	311	0	280	1	341	15.8
Plattsmouth	0	121	0	129	0	133	19.9
Balance of Co.	1	190	0	151	1	208	13.9
Cedar	2	163	1	132	0	142	14.3
Chase	60	60	50	47	67	45	10.5
Cherry	87	88	84	83	122	80	12.9
Valentine	87	27	84	33	121	34	12.1
Balance of Co.	0	61	0	50	1	46	13.5
Cheyenne	120	120	128	125	123	125	13.3
Sidney	120	79	128	83	123	92	15.5
Balance of Co.	0	41	0	42	0	33	9.6
Clay	1	86	0	89	1	76	10.9
Colfax	82	135	64	130	78	140	15.4
Schuyler	82	71	64	70	77	76	18.5
Balance of Co.	0	64	0	60	1	64	12.8
Cuming	110	123	108	130	104	126	12.6
West Point	110	39	107	38	104	38	11.9
Balance of Co.	0	84	1	92	0	88	12.9
Custer	143	173	127	151	95	129	10.8
Broken Bow	105	61	105	49	85	29	7.8
Balance of Co.	38	112	22	102	10	100	12.1
Dakota	2	282	1	287	2	330	19.4
So. Sioux City	1	171	0	183	1	231	23.2
Balance of Co.	1	111	1	104	1	99	14.0
Dawes	114	101	136	118	139	109	12.2
Chadron	109	72	123	70	135	81	14.6
Balance of Co.	5	29	13	48	4	28	8.4

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER NEBRASKA, 1991-1993 (continued)

	1991		1992		1993		1993
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	BIRTH RATE**
Dawson	299	307	386	396	403	438	21.0
Cozad	51	51	55	65	49	62	15.7
Gothenburg	69	36	67	48	83	44	13.2
Lexington	179	131	263	196	270	222	30.3
Balance of Co.	0	89	1	87	1	110	17.5
Deuel	0	16	0	19	0	23	10.6
Dixon	0	71	0	70	1	66	11.0
Dodge	413	419	430	454	405	395	11.6
*Fremont	412	320	430	330	404	282	12.1
Balance of Co.	1	99	0	124	1	113	10.7
Douglas	9,360	7,209	9,116	6,989	9,047	6,872	16.2
*Omaha	9,343	5,758	9,106	5,563	9,042	5,367	15.7
Ralston	0	100	1	86	0	88	14.0
Balance of Co.	17	1,351	9	1,340	5	1,417	18.8
Dundy	11	33	9	22	4	24	9.6
Fillmore	45	86	47	92	47	87	12.5
Franklin	19	32	22	44	27	35	9.2
Frontier	0	36	0	34	0	39	13.0
Furnas	65	64	67	68	55	43	8.0
Gage	173	277	175	249	186	273	12.1
*Beatrice	173	139	173	159	186	157	12.8
Balance of Co.	0	138	2	90	0	116	11.3
Garden	0	26	0	30	0	13	5.5
Garfield	0	9	0	24	0	21	10.1
Gosper	0	23	0	28	0	27	14.2
Grant	0	15	0	9	0	15	20.0
Greeley	0	39	0	39	0	31	10.5
Hall	915	832	877	795	885	838	17.0
*Grand Island	915	691	877	653	884	719	18.0
Balance of Co.	0	141	0	142	1	119	12.5
Hamilton	104	130	118	110	97	124	14.1
Aurora	103	52	117	51	97	50	13.2
Balance of Co.	1	78	1	59	0	74	14.8
Harlan	0	39	0	44	1	53	14.3
Hayes	0	18	0	14	0	12	10.0
Hitchcock	0	31	0	32	1	41	11.1
Holt	152	178	154	169	150	151	12.1
O'Neill	103	50	118	46	112	41	10.8
Balance of Co.	49	128	36	123	38	110	12.6
Hooker	0	8	0	5	0	5	6.9
Howard	59	76	42	77	57	78	13.1
Jefferson	65	94	64	81	58	75	8.8
Fairbury	65	47	64	44	58	37	8.7
Balance of Co.	0	47	0	37	0	38	8.9
Johnson	52	62	51	41	41	46	10.1
Kearney	31	75	34	92	26	96	14.7
Minden	31	30	33	37	26	37	13.5
Balance of Co.	0	45	1	55	0	59	15.5

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER NEBRASKA, 1991-1993 (continued)

	1991		1992		1993		1993
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	BIRTH RATE**
Keith	107	100	108	100	98	91	10.8
Ogallala	107	61	108	69	98	51	10.1
Balance of Co.	0	39	0	31	0	40	11.8
Keya Paha	0	9	0	16	0	15	15.4
Kimball	39	40	29	40	45	54	13.5
Kimball	39	25	29	24	45	37	14.5
Balance of Co.	0	15	0	16	0	17	11.7
Knox	42	123	28	118	21	92	10.0
Lancaster	3,792	3,199	3,610	3,069	3,818	3,244	14.8
*Lincoln	3,789	2,971	3,609	2,855	3,812	2,985	15.1
Balance of Co.	3	228	1	214	6	259	11.9
Lincoln	544	502	541	476	466	427	13.1
*North Platte	544	359	541	342	465	306	13.4
Balance of Co.	0	143	0	134	1	121	12.5
Logan	0	7	0	7	0	5	5.9
Loup	0	6	0	5	0	7	10.8
McPherson	0	3	0	5	0	5	9.1
Madison	847	570	840	551	839	525	15.9
*Norfolk	845	387	839	382	839	378	17.3
Balance of Co.	2	183	1	169	0	147	13.1
Merrick	77	95	84	130	67	99	12.5
Central City	77	44	84	37	66	37	13.2
Balance of Co.	0	51	0	93	1	62	12.2
Morrill	17	68	12	64	1	74	14.0
Nance	14	63	6	50	16	53	12.6
Nemaha	83	91	59	71	52	88	11.1
Auburn	83	41	59	34	51	40	11.6
Balance of Co.	0	50	0	37	1	48	10.8
Nuckolls	63	49	64	50	64	54	9.7
Superior	63	17	64	16	64	22	9.7
Balance of Co.	0	32	0	34	0	32	9.8
Otoe	132	184	120	178	85	155	11.0
Nebraska City	91	91	89	89	58	70	10.8
Balance of Co.	41	93	31	89	27	85	11.3
Pawnee	24	28	25	38	11	30	9.5
Perkins	46	33	65	39	45	28	8.5
Phelps	161	148	191	138	164	125	12.8
Holdrege	161	82	191	81	164	73	12.8
Balance of Co.	0	66	0	57	0	52	12.8
Pierce	96	101	68	89	34	105	13.6
Platte	552	499	477	453	505	476	15.6
*Columbus	552	344	477	309	504	325	16.1
Balance of Co.	0	155	0	144	1	151	14.5
Polk	22	73	33	63	24	65	11.8
Red Willow	185	160	143	156	133	144	12.4
McCook	185	110	142	108	133	101	12.5
Balance of Co.	0	50	1	48	0	43	12.3
Richardson	113	129	101	113	100	115	12.0
Falls City	100	59	91	60	81	58	12.5
Balance of Co.	13	70	10	53	19	57	11.5

TABLE 4: BIRTHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF MOTHER NEBRASKA, 1991-1993 (continued)

	1991		1992		1993		1993
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	BIRTH RATE**
Rock	33	14	11	13	1	22	11.3
Saline	92	160	71	148	67	135	10.7
Crete	73	72	52	56	54	58	12.0
Balance of Co.	19	88	19	92	13	77	9.9
Sarpy	1,083	1,858	1,155	1,879	1,050	1,824	17.0
*Bellevue	0	440	3	454	2	432	13.1
LaVista	0	186	1	180	0	168	16.0
Papillion	0	170	0	188	0	196	18.0
Balance of Co.	1,083	1,062	1,151	1,057	1,048	1,028	19.5
Saunders	3	248	1	235	0	250	13.7
Wahoo	2	50	1	51	0	50	13.5
Balance of Co.	1	198	0	184	0	200	13.7
Scotts Bluff	732	569	788	609	753	549	15.3
Gering	0	145	1	143	1	124	15.7
*Scottsbluff	732	257	787	279	751	251	18.3
Balance of Co.	0	167	0	187	1	174	12.2
Seward	97	189	94	184	102	171	11.1
Seward	97	73	94	82	102	57	10.2
Balance of Co.	0	116	0	102	0	114	11.6
Sheridan	125	93	96	74	90	84	12.8
Sherman	1	45	0	39	0	39	10.7
Sioux	0	13	0	14	0	15	10.0
Stanton	0	70	0	75	0	88	14.2
Thayer	48	81	49	77	35	55	8.5
Thomas	0	7	0	11	0	11	12.9
Thurston	65	142	70	157	80	146	20.9
Valley	73	55	69	59	49	58	11.4
Ord	71	31	69	29	49	28	11.2
Balance of Co.	2	24	0	30	0	30	11.5
Washington	156	210	129	166	142	186	11.1
Blair	156	99	129	82	141	102	14.6
Balance of Co.	0	111	0	84	1	84	8.6
Wayne	141	127	133	120	122	108	11.5
Wayne	141	57	133	54	122	55	10.5
Balance of Co.	0	70	0	66	0	53	12.8
Webster	18	62	7	44	1	39	9.4
Wheeler	2	20	0	17	0	12	12.6
York	229	205	208	191	193	185	12.8
York	192	105	194	103	179	99	12.5
Balance of Co.	37	100	14	88	14	86	13.3

* - Cities over 10,000 population in 1980

Other cities listed have 2,500-10,000 population

** - The number of resident live births per 1,000 population

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
STATE	23,196	11,757	11,439	21,170	1,259	372	395	962	296
Adams	412	213	199	402	1	3	6	7	2
*Hastings	319	168	151	310	1	2	6	6	2
Balance of Co.	93	45	48	92	0	1	0	1	0
Antelope	91	49	42	91	0	0	0	1	0
Arthur	6	5	1	6	0	0	0	0	0
Banner	7	4	3	7	0	0	0	1	1
Blaine	10	6	4	10	0	0	0	0	0
Boone	83	44	39	83	0	0	0	0	0
Box Butte	169	87	82	161	0	7	1	13	8
Alliance	128	67	61	120	0	7	1	10	7
Balance of Co.	41	20	21	41	0	0	0	3	1
Boyd	41	25	16	41	0	0	0	0	0
Brown	53	27	26	53	0	0	0	0	1
Buffalo	511	242	269	506	1	1	3	21	5
*Kearney	339	165	174	337	1	1	0	15	3
Balance of Co.	172	77	95	169	0	0	3	6	2
Burt	96	46	50	95	0	1	0	0	0
Butler	100	44	56	100	0	0	0	0	2
David City	28	17	11	28	0	0	0	0	0
Balance of Co.	72	27	45	72	0	0	0	0	2
Cass	341	169	172	339	0	0	2	4	3
Plattsmouth	133	62	71	131	0	0	2	4	1
Balance of Co.	208	107	101	208	0	0	0	0	2
Cedar	142	63	79	140	0	2	0	1	0
Chase	45	25	20	45	0	0	0	3	0
Cherry	80	45	35	79	0	1	0	0	0
Valentine	34	21	13	34	0	0	0	0	0
Balance of Co.	46	24	22	45	0	1	0	0	0
Cheyenne	125	60	65	122	0	3	0	7	2
Sidney	92	44	48	90	0	2	0	6	2
Balance of Co.	33	16	17	32	0	1	0	1	0
Clay	76	39	37	75	0	1	0	2	0
Colfax	140	75	65	137	1	1	1	27	5
Schuyler	76	41	35	74	1	0	1	25	5
Balance of Co.	64	34	30	63	0	1	0	2	0
Cuming	126	65	61	126	0	0	0	4	0
West Point	38	24	14	38	0	0	0	2	0
Balance of Co.	88	41	47	88	0	0	0	2	0
Custer	129	70	59	126	0	0	3	1	0
Broken Bow	29	15	14	28	0	0	1	0	0
Balance of Co.	100	55	45	98	0	0	2	1	0
Dakota	330	178	152	296	3	13	18	72	6
So. Sioux City	231	127	104	203	3	11	14	57	6
Balance of Co.	99	51	48	93	0	2	4	15	0
Dawes	109	52	57	100	1	8	0	0	2
Chadron	81	36	45	72	1	8	0	0	2
Balance of Co.	28	16	12	28	0	0	0	0	0

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Dawson	438	214	224	415	0	4	19	121	22
Cozad	62	30	32	62	0	0	0	13	1
Gothenburg	44	15	29	42	0	2	0	1	0
Lexington	222	115	107	202	0	2	18	101	21
Balance of Co.	110	54	56	109	0	0	1	6	0
Deuel	23	13	10	23	0	0	0	1	0
Dixon	66	32	34	66	0	0	0	0	0
Dodge	395	208	187	392	0	2	1	3	0
*Fremont	282	138	144	279	0	2	1	2	0
Balance of Co.	113	70	43	113	0	0	0	1	0
Douglas	6,872	3,485	3,387	5,673	1,039	62	98	239	90
*Omaha	5,367	2,724	2,643	4,210	1,016	59	82	226	77
Ralston	88	40	48	87	0	0	1	1	0
Balance of Co.	1,417	721	696	1,376	23	3	15	12	13
Dundy	24	12	12	23	0	0	1	0	0
Fillmore	87	45	42	86	0	1	0	0	1
Franklin	35	16	19	35	0	0	0	0	0
Frontier	39	22	17	39	0	0	0	0	0
Furnas	43	20	23	43	0	0	0	0	0
Gage	273	128	145	270	1	1	1	0	1
*Beatrice	157	75	82	154	1	1	1	0	1
Balance of Co.	116	53	63	116	0	0	0	0	0
Garden	13	9	4	13	0	0	0	0	0
Garfield	21	9	12	21	0	0	0	0	0
Gosper	27	14	13	27	0	0	0	1	0
Grant	15	11	4	15	0	0	0	0	0
Greeley	31	12	19	31	0	0	0	0	1
Hall	838	408	430	818	0	5	15	97	6
*Grand Island	719	357	362	699	0	5	15	87	6
Balance of Co.	119	51	68	119	0	0	0	10	0
Hamilton	124	69	55	124	0	0	0	1	0
Aurora	50	24	26	50	0	0	0	0	0
Balance of Co.	74	45	29	74	0	0	0	1	0
Harlan	53	30	23	53	0	0	0	0	0
Hayes	12	3	9	12	0	0	0	0	0
Hitchcock	41	23	18	41	0	0	0	0	1
Holt	151	69	82	151	0	0	0	0	0
O'Neill	41	20	21	41	0	0	0	0	0
Balance of Co.	110	49	61	110	0	0	0	0	0
Hooker	5	1	4	5	0	0	0	0	0
Howard	78	35	43	78	0	0	0	0	1
Jefferson	75	41	34	74	0	0	1	0	0
Fairbury	37	23	14	36	0	0	1	0	0
Balance of Co.	38	18	20	38	0	0	0	0	0
Johnson	46	23	23	43	0	0	3	2	0
Kearney	96	54	42	95	0	1	0	3	0
Minden	37	17	20	37	0	0	0	2	0
Balance of Co.	59	37	22	58	0	1	0	1	0

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	INDIAN	ALL OTHERS	MEXICAN	ALL OTHERS
Keith	91	50	41	91	0	0	0	10	0
Ogallala	51	33	18	51	0	0	0	7	0
Balance of Co.	40	17	23	40	0	0	0	3	0
Keya Paha	15	8	7	15	0	0	0	1	0
Kimball	54	29	25	53	0	1	0	1	2
Kimball	37	20	17	36	0	1	0	1	2
Balance of Co.	17	9	8	17	0	0	0	0	0
Knox	92	49	43	80	0	12	0	0	1
Lancaster	3,244	1,645	1,599	2,961	100	38	145	62	32
*Lincoln	2,985	1,511	1,474	2,704	99	37	145	59	31
Balance of Co.	259	134	125	257	1	1	0	3	1
Lincoln	427	218	209	421	0	5	1	31	1
*North Platte	306	164	142	300	0	5	1	25	1
Balance of Co.	121	54	67	121	0	0	0	6	0
Logan	5	4	1	5	0	0	0	0	0
Loup	7	5	2	7	0	0	0	0	0
McPherson	5	3	2	5	0	0	0	0	0
Madison	525	267	258	505	5	11	4	62	2
*Norfolk	378	189	189	361	5	9	3	43	2
Balance of Co.	147	78	69	144	0	2	1	19	0
Merrick	99	45	54	97	0	1	1	1	0
Central City	37	15	22	37	0	0	0	0	0
Balance of Co.	62	30	32	60	0	1	1	1	0
Morrill	74	43	31	74	0	0	0	7	4
Nance	53	28	25	53	0	0	0	1	1
Nemaha	88	49	39	88	0	0	0	0	0
Auburn	40	20	20	40	0	0	0	0	0
Balance of Co.	48	29	19	48	0	0	0	0	0
Nuckolls	54	25	29	53	0	0	1	0	0
Superior	22	8	14	22	0	0	0	0	0
Balance of Co.	32	17	15	31	0	0	1	0	0
Otoe	155	85	70	154	0	1	0	2	0
Nebraska City	70	33	37	69	0	1	0	1	0
Balance of Co.	85	52	33	85	0	0	0	1	0
Pawnee	30	13	17	30	0	0	0	0	0
Perkins	28	17	11	28	0	0	0	0	0
Phelps	125	62	63	125	0	0	0	1	0
Holdrege	73	31	42	73	0	0	0	1	0
Balance of Co.	52	31	21	52	0	0	0	0	0
Pierce	105	61	44	105	0	0	0	0	0
Platte	476	259	217	468	0	3	5	15	4
*Columbus	325	180	145	319	0	2	4	12	2
Balance of Co.	151	79	72	149	0	1	1	3	2
Polk	65	25	40	63	0	0	2	1	0
Red Willow	144	70	74	143	0	1	0	2	1
McCook	101	50	51	100	0	1	0	1	0
Balance of Co.	43	20	23	43	0	0	0	1	1

TABLE 5: BIRTHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

		SEX		RACE				HISP. OR.**	
COUNTY	TOTAL BIRTHS	MALE	FEMALE	WHITE	BLACK	INDIAN	ALL OTHERS	MEXICAN	ALL OTHERS
Richardson	115	53	62	113	0	2	0	0	2
Falls City	58	29	29	58	0	0	0	0	2
Balance of Co.	57	24	33	55	0	2	0	0	0
Rock	22	13	9	22	0	0	0	0	0
Saline	135	70	65	131	1	1	2	4	2
Crete	58	32	26	55	1	0	2	4	1
Balance of Co.	77	38	39	76	0	1	0	0	1
Sarpy	1,824	893	931	1,667	94	15	48	44	26
*Bellevue	432	216	216	378	38	5	11	7	8
LaVista	168	77	91	155	6	3	4	2	1
Papillion	196	95	101	184	9	0	3	3	1
Balance of Co.	1,028	505	523	950	41	7	30	32	16
Saunders	250	124	126	249	1	0	0	4	0
Wahoo	50	28	22	49	1	0	0	2	0
Balance of Co.	200	96	104	200	0	0	0	2	0
Scotts Bluff	549	296	253	507	3	31	8	78	52
Gering	124	63	61	116	1	5	2	18	13
*Scottsbluff	251	131	120	222	2	24	3	42	24
Balance of Co.	174	102	72	169	0	2	3	18	15
Seward	171	89	82	171	0	0	0	0	1
Seward	57	26	31	57	0	0	0	0	1
Balance of Co.	114	63	51	114	0	0	0	0	0
Sheridan	84	42	42	64	0	19	1	1	0
Sherman	39	24	15	38	0	1	0	0	0
Sioux	15	11	4	15	0	0	0	0	0
Stanton	88	40	48	88	0	0	0	0	0
Thayer	55	28	27	55	0	0	0	1	1
Thomas	11	5	6	11	0	0	0	0	0
Thurston	146	73	73	33	1	111	1	0	0
Valley	58	31	27	57	0	0	1	1	0
Ord	28	13	15	27	0	0	1	1	0
Balance of Co.	30	18	12	30	0	0	0	0	0
Washington	186	93	93	185	1	0	0	0	3
Blair	102	52	50	101	1	0	0	0	1
Balance of Co.	84	41	43	84	0	0	0	0	2
Wayne	108	47	61	107	0	0	1	0	0
Wayne	55	24	31	54	0	0	1	0	0
Balance of Co.	53	23	30	53	0	0	0	0	0
Webster	39	19	20	38	0	0	1	0	0
Wheeler	12	7	5	12	0	0	0	0	0
York	185	100	85	177	6	2	0	0	1
York	99	49	50	95	2	2	0	0	1
Balance of Co.	86	51	35	82	4	0	0	0	0

* - Cities over 10,000 population in 1980
Other cities listed have 2,500-10,000 population

** - Hispanic Origin may be of any race

311 sets of twins 9 sets of triplets
1 set of quadruplets

GRAPH 3: % OF ALL BIRTHS BY AGE OF MOTHER NEBRASKA, 1989-1993



	1989	1990	1991	1992	1993
UNDER 20	9.3	9.8	9.8	9.9	10.1
20-24	25.8	25.3	25.1	25.7	25
25-29	35.7	34.4	34.1	31.9	30.7
30 AND OVER	29.2	30.5	31	32.5	34.3

YEAR

GRAPH 4: AVERAGE AGE OF MOTHER GIVING BIRTH NEBRASKA, 1975-1993



	1975	1980	1985	1990	1993
1ST BORN	22.7	23.3	23.6	24.2	24.3
2ND BORN	25.4	25.9	26.3	27	27.4
3RD BORN	27.6	28.4	28.2	28.8	29.3

YEAR

TABLE 6: BIRTH ORDER BY AGE OF MOTHER
NEBRASKA, 1993

AGE OF MOTHER	TOTAL	BIRTH ORDER 1	2	3	4	5	6	7	8	9	10	11	>12	Unk*
TOTAL	23,196	8,838	7,464	4,279	1,597	619	229	102	37	17	8	1	2	3
12	2	2												
13	10	10												
14	30	30												
15	84	79	5											
16	263	250	12	1										
17	415	355	57	3										
18	674	534	111	23	4	1								1
19	855	610	187	51	7									
20	1,004	647	279	62	13	3								
21	1,134	635	351	107	32	6	2	1						
22	1,178	546	400	169	46	11	5	1						
23	1,257	575	424	187	52	16	2	1						
24	1,225	546	429	173	55	20	1	1						
25	1,321	534	469	216	68	20	9	5						
26	1,372	527	502	239	74	26	2	2						
27	1,423	496	546	267	81	23	7	2	1					
28	1,466	461	537	314	118	19	10	4	3					
29	1,529	464	559	334	106	42	16	5	3					
30	1,421	320	574	352	99	55	18	3						
31	1,319	307	464	340	131	46	18	11	1		1			
32	1,178	243	393	333	131	48	18	10	1	1				
33	958	171	318	285	103	47	22	9	3					
34	813	148	260	223	106	52	12	6	3	3				
35	643	103	181	179	114	36	17	5	2	3			2	1
36	464	87	121	140	62	27	17	4	3	1	2			
37	361	47	91	93	61	44	13	8	2	2				
38	285	44	85	61	47	22	16	3	3	2	2			
39	197	29	43	53	34	19	8	6	3	1	1			
40	130	18	28	26	22	19	3	8	5	1				
41	77	8	14	25	11	7	4	5	3					
42	45	3	11	12	9	4	3	1	1			1		
43	37	5	11	6	6	3	3	1			2			
44	12	2		4	1	1	3			1				
45	7		1	1	4					1				
46	4	1	1			1				1				
47	1					1								
Unknown	2	1												1

TABLE 7: TEEN BIRTHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TEEN BIRTHS	TOTAL BIRTHS	% TEEN BIRTHS	TEEN BIRTHS	TOTAL BIRTHS	% TEEN BIRTHS
TOTAL	2,333	23,196	10.1	11,637	119,047	9.8
Adams	41	412	10.0	197	2,158	9.1
Antelope	6	91	6.6	22	517	4.3
Arthur	*	6		0	28	0.0
Banner	*	7		2	36	5.6
Blaine	*	10		1	43	2.3
Boone	*	83		17	452	3.8
Box Butte	27	169	16.0	135	953	14.2
Boyd	6	41	14.6	20	169	11.8
Brown	5	53	9.4	25	225	11.1
Buffalo	41	511	8.0	255	2,673	9.5
Burt	11	96	11.5	38	453	8.4
Butler	10	100	10.0	36	522	6.9
Cass	31	341	9.1	155	1,580	9.8
Cedar	*	142		32	754	4.2
Chase	*	45		32	272	11.8
Cherry	8	80	10.0	40	436	9.2
Cheyenne	12	125	9.6	75	630	11.9
Clay	8	76	10.5	21	408	5.1
Colfax	13	140	9.3	50	694	7.2
Cuming	18	126	14.3	67	659	10.2
Custer	9	129	7.0	67	782	8.6
Dakota	38	330	11.5	188	1,525	12.3
Dawes	10	109	9.2	63	571	11.0
Dawson	67	438	15.3	236	1,700	13.9
Deuel	*	23		13	103	12.6
Dixon	7	66	10.6	41	378	10.8
Dodge	51	395	12.9	247	2,228	11.1
Douglas	716	6,872	10.4	3,814	35,688	10.7
Dundy	*	24		11	130	8.5
Fillmore	8	87	9.2	35	428	8.2
Franklin	*	35		8	207	3.9
Frontier	*	39		16	176	9.1
Furnas	*	43		30	284	10.6
Gage	42	273	15.4	158	1,352	11.7
Garden	*	13		9	127	7.1
Garfield	*	21		10	116	8.6
Gosper	*	27		2	115	1.7
Grant	*	15		1	60	1.7
Greeley	5	31	16.1	19	180	10.6
Hall	120	838	14.3	544	4,055	13.4
Hamilton	5	124	4.0	49	596	8.2
Harlan	*	53		11	226	4.9
Hayes	*	12		7	83	8.4
Hitchcock	7	41	17.1	28	196	14.3
Holt	12	151	7.9	66	920	7.2
Hooker	*	5		5	32	15.6
Howard	11	78	14.1	38	403	9.4

TABLE 7: TEEN BIRTHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TEEN BIRTHS	TOTAL BIRTHS	% TEEN BIRTHS	TEEN BIRTHS	TOTAL BIRTHS	% TEEN BIRTHS
Jefferson	7	75	9.3	31	478	6.5
Johnson	*	46	8.7	25	237	10.5
Kearney	6	96	6.3	23	465	4.9
Keith	19	91	20.9	78	491	15.9
Keya Paha	*	15		4	64	6.3
Kimball	6	54	11.1	21	246	8.5
Knox	7	92	7.6	51	569	9.0
Lancaster	240	3,244	7.4	1,254	15,789	7.9
Lincoln	61	427	14.3	304	2,2[illegible]1	13.3
Logan	*	5		3	42	7.1
Loup	*	7		2	29	6.9
McPherson	*	5		2	25	8.0
Madison	50	525	9.5	279	2,768	10.1
Merrick	11	99	11.1	41	543	7.6
Morrill	8	74	10.8	45	349	12.9
Nance	6	53	11.3	18	276	6.5
Nemaha	*	88		34	417	8.2
Nuckolls	7	54	13.0	23	273	8.4
Otoe	24	155	15.5	104	882	11.8
Pawnee	*	30		13	182	7.1
Perkins	*	28		16	183	8.7
Phelps	14	125	11.2	57	658	8.7
Pierce	7	105	6.7	32	526	6.1
Platte	40	476	8.4	204	2,386	8.5
Polk	6	65	9.2	22	328	6.7
Red Willow	18	144	12.5	94	785	12.0
Richardson	13	115	11.3	62	610	10.2
Rock	*	22		9	98	9.2
Saline	12	135	8.9	54	734	7.4
Sarpy	124	1,824	6.8	624	9,461	6.6
Saunders	13	250	5.2	87	1,260	6.9
Scotts Bluff	120	549	21.9	512	2,827	18.1
Seward	14	171	8.2	60	931	6.4
Sheridan	11	84	13.1	49	416	11.8
Sherman	6	39	15.4	21	216	9.7
Sioux	*	15		3	66	4.5
Stanton	11	88	12.5	44	426	10.3
Thayer	*	55		22	376	5.9
Thomas	*	11		2	49	4.1
Thurston	20	146	13.7	135	789	17.1
Valley	7	58	12.1	27	290	9.3
Washington	13	186	7.0	68	939	7.2
Wayne	8	108	7.4	35	607	5.8
Webster	5	39	12.8	23	255	9.0
Wheeler	*	12		4	79	5.1
York	24	185	13.0	80	1,013	7.9

Teen Births = Mother was age 19 or under

* - Teen Births are not provided for 1993 if there were less than five for any given county for reasons of confidentiality

GRAPH 5
TRIMESTER PRENATAL CARE BEGAN
NEBRASKA, 1993



	<=17	18-19	20-24	25-29	30-34	>=35
1st	59.2	64.7	76.5	88.5	89.8	87.7
2nd	32	28.6	18.8	9.8	8.9	11.2
3rd	7.4	5.8	3.8	1.4	1	0.9
No Care	1.4	0.9	0.9	0.3	0.3	0.2

Age of Mother

NEBRASKA, 1993

TABLE 8: BIRTHS BY TRIMESTER PRENATAL CARE BEGAN (PERCENT) BY NUMBER OF PRENATAL VISITS

	TRIMESTER					
NO. OF VISITS	FIRST	SECOND	THIRD	NO PRENATAL CARE	UNKNOWN	TOTAL
0	-	-	-	100.0	-	100.0
1-5	27.5	39.5	32.9	-	0.2	100.0
6-9	65.9	30.1	4.0	-	0.0	100.0
10-12	89.4	10.3	0.3	-	0.0	100.0
13-15	94.7	5.3	0.0	-	0.1	100.0
16-18	96.1	3.9	-	-	-	100.0
≥19	97.1	2.7	-	-	0.2	100.0
Unknown	30.9	1.8	1.8	-	65.5	100.0
TOTAL	83.0	13.9	2.3	0.5	0.2	100.0

TABLE 9: BIRTHS BY NUMBER OF PRENATAL VISITS (PERCENT) BY AGE OF MOTHER

	PRENATAL VISITS								
AGE OF MOTHER	0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
≤ 16	1.3	11.8	31.6	32.4	19.0	3.1	0.8	-	100.0
17-19	1.0	10.0	28.0	35.6	20.3	3.5	1.0	0.6	100.0
20-24	0.9	5.9	22.8	39.0	24.8	4.5	1.9	0.3	100.0
25-29	0.3	2.8	18.7	44.6	26.5	5.1	2.0	0.2	100.0
30-34	0.3	2.3	19.0	47.1	25.2	3.9	2.2	0.1	100.0
35-39	0.2	2.4	21.5	45.8	23.5	4.4	2.0	0.4	100.0
≥ 40	0.6	2.6	24.0	43.8	21.4	5.4	1.6	0.6	100.0
Unknown	-	-	50.0	-	-	-	-	50.0	100.0
TOTAL	0.5	4.2	21.1	42.9	24.8	4.4	1.9	0.2	100.0

TABLE 10: NUMBER OF PRENATAL VISITS (PERCENT) BY EDUCATION OF MOTHER

EDUCATION OF MOTHER (YEARS)	PRENATAL VISITS								
	0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
≤ 8	1.5	15.6	31.1	32.6	16.8	1.4	0.4	0.6	100.0
9-11	1.0	11.2	29.8	32.9	19.7	3.9	1.0	0.4	100.0
12	0.5	4.6	22.9	41.5	24.2	4.1	1.9	0.3	100.0
13	0.9	3.0	18.9	44.2	25.3	5.4	2.1	0.2	100.0
14	0.4	2.3	19.2	44.9	25.2	5.2	2.6	0.2	100.0
15	0.6	3.3	17.9	44.0	27.2	4.9	2.0	-	100.0
16	0.1	1.2	16.8	47.9	28.1	4.1	1.6	0.2	100.0
≥ 17	0.1	1.3	16.6	48.5	26.2	4.9	2.4	-	100.0
Unknown	4.6	-	31.8	45.5	-	-	-	18.2	100.0
TOTAL	0.5	4.2	21.1	42.9	24.8	4.4	1.9	0.2	100.0

TABLE 11: NUMBER OF PRENATAL VISITS (PERCENT) BY BIRTH WEIGHT OF CHILD

BIRTH WEIGHT OF CHILD (GRAMS)	PRENATAL VISITS								
	0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
<1500	4.3	29.7	43.1	10.3	3.0	1.7	7.8	-	100.0
1500-2499	1.0	10.1	31.8	31.0	18.0	3.5	4.4	0.3	100.0
2500-4499	0.5	3.6	20.4	43.9	25.3	4.5	1.7	0.2	100.0
≥4500	-	2.8	15.5	44.4	28.6	5.8	3.0	-	100.0
Unknown	-	-	-	-	4.8	-	-	95.2	100.0
TOTAL	0.5	4.2	21.1	42.9	24.8	4.4	1.9	0.2	100.0

TABLE 12: NUMBER OF PRENATAL VISITS (PERCENT) BY RACE/HISPANIC ORIGIN OF MOTHER

RACE/ HISP. OR.** OF MOTHER	PRENATAL VISITS								
	0	1-5	6-9	10-12	13-15	16-18	≥19	UNKNOWN	TOTAL
RACE									
White	0.4	3.3	20.6	43.9	25.0	4.6	1.9	0.2	100.0
Black	1.1	13.7	27.0	29.6	24.8	2.5	1.2	0.2	100.0
Am. Indian	2.7	16.7	26.6	29.0	15.9	3.8	3.0	2.4	100.0
All Other	1.0	7.3	24.0	45.1	18.8	2.3	0.8	0.8	100.0
Unknown	-	9.1	9.1	18.2	18.2	-	-	45.5	100.0
HISP. OR.**									
Mexican	0.9	11.9	32.1	31.3	20.0	2.6	0.6	0.6	100.0
All Other	0.7	10.8	34.8	29.1	21.0	2.0	1.0	0.7	100.0
TOTAL	0.5	4.2	21.1	42.9	24.8	4.4	1.9	0.2	100.0

** - Hispanic Origin may be of any race

TABLE 13: BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND PERCENT RECEIVING INADEQUATE CARE
NEBRASKA, 1993

County	First Trimester	Second Trimester	Third Trimester	None	Unknown	Percent Inadequate Care*
TOTAL	19,256	3,232	540	120	48	4.4
Adams	345	57	8	2		3.2
Antelope	75	16				–
Arthur	6					–
Banner	6	1				–
Blaine	7	2	1			10.0
Boone	70	11	2			4.8
Box Butte	138	24	5	1	1	8.3
Boyd	36	4	1			4.9
Brown	43	10				1.9
Buffalo	431	67	10	2	1	3.1
Burt	79	14	2	1		3.1
Butler	79	16	5			7.0
Cass	287	47	6		1	3.5
Cedar	130	12				2.1
Chase	35	9	1			2.2
Cherry	58	17	4	1		6.3
Cheyenne	94	25	6			5.6
Clay	65	10	1			1.3
Colfax	105	24	7	3	1	10.0
Cuming	96	25	3	1	1	3.2
Custer	109	17	2	1		3.9
Dakota	263	52	2	1	12	7.0
Dawes	78	15	12	4		22.0
Dawson	303	104	28	3		8.2
Deuel	19	3	1			4.4
Dixon	51	13		1	1	3.0
Dodge	326	60	6	3		3.8
Douglas	5,845	825	161	37	4	4.4
Dundy	18	4	2			12.5
Fillmore	60	25	2			3.5
Franklin	33	1		1		2.9
Frontier	34	5				5.1
Furnas	38	5				4.7
Gage	219	45	7	2		4.4
Garden	11	2				–
Garfield	18	3				–
Gosper	25	2				–
Grant	13	2				–
Greeley	23	7	1			3.2
Hall	608	187	30	12	1	6.8
Hamilton	100	23	1			0.8
Harlan	43	7	3			7.6
Hayes	10	2				–
Hitchcock	34	6			1	4.9
Holt	120	25	6			5.3
Hooker	4	1				–
Howard	64	11	3			5.1
Jefferson	48	22	5			8.0

TABLE 13: BIRTHS BY TRIMESTER PRENATAL CARE BEGAN AND PERCENT RECEIVING INADEQUATE CARE
NEBRASKA, 1993 (continued)

County	First Trimester	Second Trimester	Third Trimester	None	Unknown	Percent Inadequate Care*
Johnson	40	4	2			4.4
Kearney	83	13				-
Keith	70	17	4			6.6
Keya Paha	13	2				-
Kimball	44	8	2			5.6
Knox	80	10	1	1		2.2
Lancaster	2,828	327	76	12	1	3.3
Lincoln	338	76	7	6		3.8
Logan	4	1				-
Loup	6	1				-
McPherson	4	1				20.0
Madison	433	77	10	3	2	3.8
Merrick	80	15	3		1	7.1
Morrill	55	18	1			4.1
Nance	38	14	1			5.7
Nemaha	77	10	1			2.3
Nuckolls	42	10	1	1		3.7
Otoe	127	21	4	1	2	4.5
Pawnee	22	8				-
Perkins	24	3	1			3.6
Phelps	109	13	3			2.4
Pierce	90	13	2			4.8
Platte	420	50	6			2.7
Polk	54	11				3.1
Red Willow	125	16	1	2		2.8
Richardson	92	22	1			0.9
Rock	16	6				-
Saline	115	15	4	1		4.4
Sarpy	1,571	225	21	3	4	2.1
Saunders	221	25	4			3.2
Scotts Bluff	380	137	26	4	2	10.6
Seward	141	29	1			1.8
Sheridan	66	15	1	1	1	8.3
Sherman	23	12	2	1	1	7.7
Sioux	11	4				6.7
Stanton	73	12	2	1		6.8
Thayer	37	14	2	1	1	12.7
Thomas	8	2	1			9.1
Thurston	108	25	5	3	5	15.8
Valley	45	12	1			1.7
Washington	166	15	2	1	2	2.7
Wayne	88	17	2		1	2.8
Webster	34	5				2.6
Wheeler	9	3				-
York	144	33	5	2	1	4.3

* - Calculated by using the Kessner Index. The Kessner Index measures adequacy of prenatal care (adequate, inadequate, intermediate) by using a combination of the following factors: number of prenatal visits; gestation; and trimester prenatal care started.

GRAPH 6
LOW AND VERY LOW BIRTH WEIGHT RATES
NEBRASKA, 1970-1993



TABLE 14: BIRTHS BY WEIGHT GROUPS
NEBRASKA, 1993

WEIGHT	NUMBER	PER CENT OF TOTAL
1 lb. and under	18	0.1
1 lb. 1 oz. - 2 lbs.	88	0.4
2 lbs. 1 ozs. - 3 lbs. 8 ozs.	176	0.8
3 lbs. 9 ozs. - 4 lbs. 8 ozs.	266	1.1
4 lbs. 9 ozs. - 5 lbs. 8 ozs.	803	3.5
5 lbs. 9 ozs. - 5 lbs. 15 ozs.	859	3.7
6 lbs. - 6 lbs. 15 ozs.	4,813	20.7
7 lbs. - 7 lbs. 15 ozs.	8,044	34.7
8 lbs. - 8 lbs. 15 ozs.	5,863	25.3
9 lbs. - 9 lbs. 15 ozs.	1,902	8.2
10 lbs. - 10 lbs. 15 ozs.	309	1.3
11 lbs. - 11 lbs. 15 ozs.	30	0.1
12 lbs. - 12 lbs. 15 ozs.	3	0.0
13 lbs. - 13 lbs. 15 ozs.	1	0.0
Unknown	21	0.1
TOTAL BIRTHS	23,196	100.0

WEIGHT (in grams)	NUMBER	PER CENT OF TOTAL
≤499	23	0.1
500 - 999	104	0.4
1000 - 1499	105	0.5
1500 - 1999	261	1.1
2000 - 2499	857	3.7
2500 - 2999	3,311	14.3
3000 - 3499	8,373	36.1
3500 - 3999	7,414	32.0
4000 - 4499	2,328	10.0
4500 - 4999	366	1.6
≥5000	33	0.1
Unknown	21	0.1
TOTAL BIRTHS	23,196	100.0

TABLE 15: BIRTHS, VERY LOW AND LOW BIRTH WEIGHT BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993

	1993				1989-1993			
	<1500		<2500		<1500		<2500	
COUNTY	grams	Rate*	grams	Rate*	grams	Rate*	grams	Rate*
STATE	232	10.0	1,350	58.2	1,141	9.6	6,686	56.2
Adams	4	9.7	24	58.3	11	5.1	128	59.3
Antelope	0	-	2	22.0	4	7.7	17	32.9
Arthur	0	-	1	166.7	0	-	4	142.9
Banner	0	-	0	-	0	-	1	27.8
Blaine	0	-	0	-	0	-	1	23.3
Boone	0	-	2	24.1	1	2.2	13	28.8
Box Butte	3	17.8	15	88.8	19	19.9	72	75.6
Boyd	0	-	1	24.4	0	-	3	17.8
Brown	1	18.9	6	113.2	1	4.4	9	40.0
Buffalo	4	7.8	27	52.8	20	7.5	152	56.9
Burt	0	-	2	20.8	2	4.4	22	48.6
Butler	0	-	3	30.0	1	1.9	20	38.3
Cass	5	14.7	17	49.9	15	9.5	79	50.0
Cedar	0	-	3	21.1	5	6.6	26	34.5
Chase	0	-	2	44.4	1	3.7	8	29.4
Cherry	1	12.5	6	75.0	4	9.2	29	66.5
Cheyenne	0	-	8	64.0	5	7.9	40	63.5
Clay	1	13.2	2	26.3	4	9.8	18	44.1
Colfax	4	28.6	8	57.1	10	14.4	32	46.1
Cuming	0	-	3	23.8	4	6.1	21	31.9
Custer	0	-	6	46.5	5	6.4	41	52.4
Dakota	6	18.2	19	57.6	18	11.8	75	49.2
Dawes	3	27.5	8	73.4	7	12.3	36	63.0
Dawson	5	11.4	25	57.1	21	12.4	110	64.7
Deuel	0	-	1	43.5	0	-	8	77.7
Dixon	1	15.2	2	30.3	4	10.6	18	47.6
Dodge	3	7.6	16	40.5	16	7.2	108	48.5
Douglas	75	10.9	454	66.1	440	12.3	2,350	65.8
Dundy	0	-	1	41.7	0	-	13	100.0
Fillmore	1	11.5	5	57.5	8	18.7	30	70.1
Franklin	2	57.1	2	57.1	2	9.7	13	62.8
Frontier	0	-	2	51.3	0	-	5	28.4
Furnas	0	-	1	23.3	3	10.6	15	52.8
Gage	1	3.7	17	62.3	8	5.9	75	55.5
Garden	0	-	0	-	0	-	6	47.2
Garfield	0	-	3	142.9	1	8.6	7	60.3
Gosper	0	-	3	111.1	2	17.4	8	69.6
Grant	0	-	1	66.7	0	-	3	50.0
Greeley	2	64.5	2	64.5	4	22.2	10	55.6
Hall	7	8.4	54	64.4	33	8.1	257	63.4
Hamilton	4	32.3	8	64.5	9	15.1	29	48.7
Harlan	0	-	1	18.9	0	-	9	39.8
Hayes	0	-	0	-	1	12.0	4	48.2
Hitchcock	0	-	2	48.8	1	5.1	13	66.3
Holt	1	6.6	3	19.9	4	4.3	31	33.7
Hooker	0	-	1	200.0	0	-	2	62.5
Howard	3	38.5	5	64.1	6	14.9	19	47.1
Jefferson	0	-	4	53.3	3	6.3	16	33.5

TABLE 15: BIRTHS, VERY LOW AND LOW BIRTH WEIGHT
BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993				1989-1993			
	<1500		<2500		<1500		<2500	
COUNTY	grams	Rate*	grams	Rate*	grams	Rate*	grams	Rate*
Johnson	0	-	4	87.0	1	4.2	14	59.1
Kearney	1	10.4	7	72.9	6	12.9	26	55.9
Keith	0	-	2	22.0	1	2.0	15	30.5
Keya Paha	2	133.3	2	133.3	2	31.3	2	31.3
Kimball	0	-	4	74.1	0	-	15	61.0
Knox	0	-	5	54.3	4	7.0	22	38.7
Lancaster	42	12.9	192	59.2	152	9.6	856	54.2
Lincoln	5	11.7	33	77.3	21	9.2	146	63.7
Logan	0	-	0	-	0	-	1	23.8
Loup	0	-	0	-	0	-	2	69.0
McPherson	0	-	0	-	0	-	0	-
Madison	6	11.4	32	61.0	24	8.7	137	49.5
Merrick	2	20.2	3	30.3	6	11.0	29	53.4
Morrill	0	-	1	13.5	1	2.9	13	37.2
Nance	0	-	2	37.7	1	3.6	12	43.5
Nemaha	0	-	7	79.5	1	2.4	18	43.2
Nuckolls	2	37.0	7	129.6	3	11.0	19	69.6
Otoe	0	-	11	71.0	9	10.2	51	57.8
Pawnee	0	-	4	133.3	0	-	9	49.5
Perkins	0	-	1	35.7	2	10.9	9	49.2
Phelps	1	8.0	8	64.0	5	7.6	36	54.7
Pierce	0	-	5	47.6	4	7.6	17	32.3
Platte	0	-	29	60.9	7	2.9	101	42.3
Polk	2	30.8	6	92.3	3	9.1	18	54.9
Red Willow	0	-	2	13.9	6	7.6	35	44.6
Richardson	1	8.7	8	69.6	2	3.3	43	70.5
Rock	0	-	0	-	0	-	3	30.6
Saline	3	22.2	11	81.5	6	8.2	39	53.1
Sarpy	19	10.4	84	46.1	86	9.1	432	45.7
Saunders	0	-	10	40.0	8	6.3	63	50.0
Scotts Bluff	1	1.8	38	69.2	33	11.7	184	65.1
Seward	2	11.7	7	40.9	8	8.6	42	45.1
Sheridan	1	11.9	10	119.0	1	2.4	29	69.7
Sherman	0	-	1	25.6	1	4.6	14	64.8
Sioux	0	-	1	66.7	0	-	3	45.5
Stanton	0	-	3	34.1	1	2.3	19	44.6
Thayer	1	18.2	1	18.2	3	8.0	12	31.9
Thomas	0	-	0	-	0	-	0	-
Thurston	0	-	4	27.4	5	6.3	29	36.8
Valley	0	-	0	-	0	-	17	58.6
Washington	1	5.4	7	37.6	11	11.7	51	54.3
Wayne	0	-	5	46.3	5	8.2	31	51.1
Webster	1	25.6	1	25.6	1	3.9	9	35.3
Wheeler	0	-	1	83.3	1	12.7	6	75.9
York	2	10.8	13	70.3	7	6.9	51	50.3

* - Per 1,000 live births

NOTE: Rates based on small numbers may be unreliable.

TABLE 16: MEDICAL HISTORY FACTORS OF THE MOTHER

MEDICAL HISTORY FACTORS	NUMBER*	PERCENT OF BIRTHS**
TOTAL	24,135	
Anemia (Hct. <30/Hgb. <10)	190	0.8
Cardiac Disease	39	0.2
Acute or Chronic Lung Disease	33	0.1
Diabetes	543	2.3
Genital Herpes	138	0.6
Hydramnios	77	0.3
Oligohydramnios	175	0.8
Hemoglobinopathy	2	0.0
Hypertension, Chronic	120	0.5
Hypertension, Pregnancy Induced	660	2.8
Eclampsia	45	0.2
Incompetent Cervix	76	0.3
Previous Infant 4000+ Grams	418	1.8
Previous Preterm or Small-for-Gestational-Age Infant	441	1.9
Renal Disease	23	0.1
Blood Group Sensitization	60	0.3
Uterine Bleeding	75	0.3
Pre-Eclampsia	218	0.9
Other Sexually Transmitted Disease	175	0.8
Other	2,833	12.2
None	17,762	76.6
Not Classifiable	32	0.1

* - These figures do not equal the total number of resident births due to the indication of multiple medical history factors on some birth certificates

TABLE 17: OBSTETRIC PROCEDURES

OBSTETRIC PROCEDURES	NUMBER*	PERCENT OF BIRTHS**
TOTAL	50,984	
Amniocentesis	965	4.2
Fetal Monitoring	22,031	95.0
Induction of Labor	4,308	18.6
Stimulation (Augmentation) of Labor	6,506	28.0
Tocolysis	489	2.1
Ultrasound	11,891	51.3
Scalp pH	159	0.7
Other	4,073	17.6
None	534	2.3
Not Classifiable	28	0.1

* - These figures do not equal the total number of resident births due to indication of multiple obstetric procedures on some birth certificates

** - Will equal more than 100.0 since the denominator used is the total number of resident births (23,196)

NEBRASKA BIRTHS, 1993

TABLE 18: EVENTS OF LABOR AND/OR DELIVERY

EVENTS OF LABOR AND/OR DELIVERY	NUMBER*	PERCENT OF BIRTHS**
TOTAL	25,850	
Febrile (>100°F or 38°C)	441	1.9
Meconium, Moderate/Heavy	1,113	4.8
Premature Rupture of Membrane (>12 hours)	620	2.7
Abruptio Placenta	132	0.6
Placenta Previa	86	0.4
Other Excessive Bleeding	100	0.4
Seizures During Labor	8	0.0
Precipitous Labor (<3 hours)	642	2.8
Prolonged Labor (>20 hours)	315	1.4
Dysfunctional Labor	525	2.3
Breech/Malpresentation	1,042	4.5
Cephalopelvic Disproportion	872	3.8
Cord Prolapse	36	0.2
Anesthetic Complications	6	0.0
Fetal Distress	860	3.7
Preterm Labor	1,042	4.5
Other	2,677	11.5
None	15,304	66.0
Not Classifiable	29	0.1

* - These figures do not equal the total number of resident births due to the indication of multiple events of labor and/or delivery on some birth certificates

TABLE 19: METHOD OF DELIVERY

METHOD OF DELIVERY	NUMBER*	PERCENT OF BIRTHS**
TOTAL	26,821	
Vaginal	17,597	75.9
Vaginal Birth after Previous C-Section	743	3.2
Primary C-Section	2,947	12.7
Repeat C-Section	1,827	7.9
Forceps	2,252	9.7
Vacuum	1,413	6.1
Not Classifiable	42	0.2

* - These figures do not equal the total number of resident births due to the indication of multiple methods used in delivery on some birth certificates

** - Will equal more than 100.0 since the denominator used is the total number of resident births (23,196)

NEBRASKA, 1993

TABLE 20: CONDITIONS OF THE NEWBORN

CONDITIONS OF THE NEWBORN	NUMBER*	PERCENT OF BIRTHS**
TOTAL	22,915	
Anemia (Hct. <39/Hgb. <13)	26	0.1
Fetal Alcohol Syndrome	4	0.0
Hyaline Membrane Disease	172	0.7
Meconium Aspiration Syndrome	121	0.5
RDS (Respiratory Distress Syndrome)	277	1.2
Assisted Ventilation <30 min.	196	0.8
Assisted Ventilation >30 min.	327	1.4
Seizures	10	0.0
Oxygen Need >4 hours	659	2.8
Other	10	0.0
None	21,066	90.8
Not Classifiable	47	0.2

* - These figures do not equal the total number of resident births due to the indication of multiple conditions of the newborn on some birth certificates

** - Will equal more than 100.0 since the denominator used is the total number of resident births (23,196)

Graph 7
Average Birth Weight by Tobacco Usage
Nebraska, 1990-1993



Graph 8
Tobacco Use by Race/Hispanic Origin
Nebraska, 1993



* - Hispanic origin may be of any race

Graph 9
Alcohol Use by Race/Hispanic Origin
Nebraska, 1993



* - Hispanic origin may be of any race

Graph 10
Percent Using Tobacco by Occupation
Nebraska, 1993



Graph 11
Percent Using Tobacco by Industry
Nebraska, 1993



Graph 12
Percent Consuming Alcohol by Occupation
Nebraska, 1993



Graph 13
Percent Consuming Alcohol by Industry
Nebraska, 1993



GRAPH 14
OUT-OF-WEDLOCK BIRTH RATES NEBRASKA, 1960-1993



TABLE 21: OUT-OF-WEDLOCK BIRTHS
BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993		1989-1993	
COUNTY	TOTAL	RATE*	TOTAL	RATE*
STATE	5,431	234.1	25,541	214.5
Adams	85	206.3	413	191.4
Hastings	76	238.2	367	224.6
Balance of Co.	9	96.8	46	87.8
Antelope	9	98.9	54	104.4
Arthur	0	-	0	-
Banner	1	142.9	2	55.6
Blaine	1	100.0	2	46.5
Boone	9	108.4	36	79.6
Box Butte	33	195.3	210	220.4
Boyd	10	243.9	32	189.3
Brown	10	188.7	32	142.2
Buffalo	98	191.8	463	173.2
Kearney	72	212.4	363	207.9
Balance of Co.	26	151.2	100	107.9
Burt	22	229.2	89	196.5
Butler	17	170.0	59	113.0
Cass	60	176.0	252	159.5
Cedar	12	84.5	60	79.6
Chase	8	177.8	36	132.4
Cherry	12	150.0	53	121.6
Cheyenne	30	240.0	130	206.3
Clay	8	105.3	48	117.6
Colfax	25	178.6	89	128.2
Cuming	26	206.3	75	113.8
Custer	18	139.5	92	117.6
Dakota	98	297.0	415	272.1
Dawes	32	293.6	137	239.9
Dawson	139	317.4	420	247.1
Deuel	5	217.4	22	213.6
Dixon	15	227.3	64	169.3
Dodge	100	253.2	478	214.5
Fremont	83	294.3	397	251.3
Balance of Co.	17	150.4	81	125.0
Douglas	2,105	306.3	10,586	296.6
Omaha	1,978	368.5	9,989	352.0
Balance of Co.	127	84.4	597	81.7
Dundy	2	83.3	19	146.2
Fillmore	15	172.4	53	123.8
Franklin	3	85.7	16	77.3
Frontier	3	76.9	12	68.2
Furnas	5	116.3	38	133.8
Gage	52	190.5	226	167.2
Beatrice	35	222.9	156	202.6
Balance of Co.	17	146.6	70	120.3
Garden	1	76.9	12	94.5
Garfield	4	190.5	13	112.1

TABLE 21: OUT-OF-WEDLOCK BIRTHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993	
COUNTY	TOTAL	RATE*	TOTAL	RATE*
Gosper	3	111.1	11	95.7
Grant	0	-	3	50.0
Greeley	10	322.6	37	205.6
Hall	239	285.2	998	246.1
Grand Island	214	297.6	889	265.2
Balance of Co.	25	210.1	109	155.0
Hamilton	19	153.2	78	130.9
Harlan	7	132.1	23	101.8
Hayes	1	83.3	7	84.3
Hitchcock	7	170.7	29	148.0
Holt	20	132.5	94	102.2
Hooker	0	-	3	93.8
Howard	22	282.1	67	166.3
Jefferson	13	173.3	62	129.7
Johnson	3	65.2	27	113.9
Kearney	14	145.8	59	126.9
Keith	21	230.8	100	203.7
Keya Paha	2	133.3	2	31.3
Kimball	10	185.2	44	178.9
Knox	13	141.3	87	152.9
Lancaster	659	203.1	3,056	193.6
Lincoln	631	211.4	2,953	202.6
Balance of Co.	28	108.1	103	85.0
Lincoln	110	257.6	534	233.1
North Platte	92	300.7	443	268.8
Balance of Co.	18	148.8	91	141.5
Logan	0	-	3	71.4
Loup	2	285.7	4	137.9
McPherson	0	-	0	-
Madison	112	213.3	552	199.4
Norfolk	84	222.2	419	217.8
Balance of Co.	28	190.5	133	157.6
Merrick	17	171.7	69	127.1
Morrill	18	243.2	72	206.3
Nance	10	188.7	37	134.1
Nemaha	11	125.0	74	177.5
Nuckolls	8	148.1	29	106.2
Otoe	40	258.1	166	188.2
Pawnee	4	133.3	12	65.9
Perkins	1	35.7	20	109.3
Phelps	17	136.0	82	124.6
Pierce	20	190.5	64	121.7
Platte	97	203.8	359	150.5
Columbus	78	240.0	277	173.9
Balance of Co.	19	125.8	82	103.4
Polk	7	107.7	28	85.4
Red Willow	25	173.6	136	173.2
Richardson	21	182.6	125	204.9

TABLE 21: OUT-OF-WEDLOCK BIRTHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993	
COUNTY	TOTAL	RATE*	TOTAL	RATE*
Rock	3	136.4	11	112.2
Saline	21	155.6	97	132.2
Sarpy	249	136.5	1,178	124.5
Bellevue	88	203.7	423	189.9
Balance of Co.	161	115.7	755	104.4
Saunders	34	136.0	153	121.4
Scotts Bluff	203	369.8	911	322.2
Scottsbluff	101	402.4	492	384.4
Balance of Co.	102	342.3	419	270.8
Seward	29	169.6	106	113.9
Sheridan	21	250.0	126	302.9
Sherman	10	256.4	43	199.1
Sioux	1	66.7	6	90.9
Stanton	16	181.8	65	152.6
Thayer	8	145.5	42	111.7
Thomas	3	272.7	7	142.9
Thurston	95	650.7	485	614.7
Valley	9	155.2	41	141.4
Washington	23	123.7	129	137.4
Wayne	14	129.6	69	113.7
Webster	2	51.3	28	109.8
Wheeler	1	83.3	2	25.3
York	33	178.4	151	149.1

Cities listed have over 10,000 population

* - Per 1,000 live births

NOTE: Rates based on small numbers may be unreliable

NEBRASKA, 1989-1993
TABLE 22: OUT-OF-WEDLOCK BIRTHS BY AGE OF MOTHER

AGE	1989		1990		1991		1992		1993	
	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*
10	0	-	1	1000.0	0	-	0	-	0	-
12	0	-	2	1000.0	3	1000.0	0	-	2	1000.0
13	4	800.0	6	1000.0	6	1000.0	5	1000.0	10	1000.0
14	25	1000.0	35	1000.0	27	1000.0	30	937.5	29	966.7
15	79	929.4	90	989.0	100	934.6	88	926.3	84	1000.0
16	199	892.4	200	873.4	212	906.0	227	900.8	244	927.8
17	342	830.1	342	846.5	353	832.5	343	838.6	365	879.5
18	437	699.2	487	720.4	464	754.5	481	737.7	511	758.2
19	508	576.0	574	612.6	571	608.1	565	653.2	561	656.1
20	499	481.2	552	511.6	561	489.1	563	535.2	554	551.8
21	422	380.2	447	384.0	472	423.7	517	432.3	546	481.5
22	326	283.0	372	303.4	344	292.3	416	346.1	452	383.7
23	270	201.3	287	219.3	295	241.0	338	271.9	367	292.0
24	241	150.2	234	167.7	260	194.3	250	191.1	236	192.7
25	199	117.3	239	149.2	238	159.7	208	149.6	214	162.0
26	189	109.6	193	117.9	198	117.3	179	121.9	182	132.7
27	170	93.0	164	95.5	167	102.6	158	106.1	173	121.6
28	142	83.9	159	90.6	162	92.8	163	105.9	144	98.2
29	141	83.0	131	78.9	132	82.0	140	89.7	134	87.6
30-34	332	63.0	380	69.7	415	77.2	394	73.5	449	78.9
35-39	103	64.9	128	73.7	137	76.2	151	78.4	141	72.3
≥40	29	139.4	25	101.2	26	101.6	44	150.2	32	102.2
Unknown	1	500.0	0	-	1	500.0	0	-	1	500.0
TOTAL	4,658	192.4	5,048	207.2	5,144	214.8	5,260	225.4	5,431	234.1

TABLE 23: BY AGE AND RACE/HISPANIC ORIGIN OF MOTHER, 1993

AGE	WHITE		BLACK		AM. INDIAN		ALL OTHER		HISP. OR.**	
	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*	NUMBER	RATE*
≤15	77	1000.0	32	1000.0	12	1000.0	3	750.0	8	888.9
16	183	905.9	41	1000.0	15	1000.0	5	1000.0	32	800.0
17	290	863.1	56	965.5	15	937.5	4	800.0	37	860.5
18	401	727.8	86	934.8	18	750.0	6	857.1	43	632.4
19	440	615.4	89	946.8	20	625.0	12	857.1	45	600.0
20-24	1,664	325.2	356	807.3	93	715.4	42	396.2	178	408.3
25-29	624	94.1	157	556.7	54	642.9	12	108.1	78	250.0
30-34	345	63.9	82	506.2	18	428.6	4	46.5	30	155.4
≥35	139	65.0	24	421.1	7	411.8	3	65.2	21	259.3
Unknown	1	1000.0	0	-	0	-	0	-	1	1000.0
TOTAL	4,164	196.7	923	733.1	252	677.4	91	237.0	473	376.0

* - per 1,000 live births for each age category
** - Hispanic Origin may be of any race

TABLE 24: PERCENT OF RACE/HISPANIC ORIGIN OUT-OF-WEDLOCK NEBRASKA, 1980-1993

RACE OF MOTHER	1980	1989	1990	1991	1992	1993
White	8.9	15.4	16.9	17.5	18.7	19.7
Black	61.5	70.4	71.3	74.7	72.7	73.3
Am. Indian	49.8	70.2	67.6	67.9	70.1	67.7
All Other	5.2	6.3	9.1	13.9	16.6	23.7
Hispanic Origin*						
Mexican	22.6	32.9	31.3	34.2	34.9	35.5
All Other	19.4	30.2	32.3	39.0	37.9	44.6

TABLE 25: PERCENT OF AGE GROUP OUT-OF-WEDLOCK NEBRASKA, 1980-1993

AGE OF MOTHER	1980	1989	1990	1991	1992	1993
Under 20	43.6	70.6	72.8	73.7	75.3	77.4
20-24	12.0	28.2	30.5	32.2	34.7	37.2
25-29	4.2	9.7	10.6	11.0	11.4	11.9
30 and over	3.7	6.6	7.2	7.8	7.8	7.8
Unknown	-	50.0	-	50.0	-	50.0

* - Hispanic Origin may be of any race

TABLE 26: BIRTH ORDER OF OUT-OF-WEDLOCK BIRTHS
BY AGE OF MOTHER
NEBRASKA, 1993

AGE OF MOTHER	TOTAL	BIRTH ORDER 1	2	3	4	5	6	7	8	9	10	Unknown
TOTAL	5,431	3,079	1,220	619	295	136	41	23	13	2	2	1
12	2	2										
13	10	10										
14	29	29										
15	84	79	5									
16	244	233	10	1								
17	365	313	50	2								
18	511	418	71	17	3	1						1
19	561	410	111	34	6							
20	554	381	123	39	8	3						
21	546	324	146	49	19	6	1	1				
22	452	238	116	67	20	6	4	1				
23	367	149	120	61	26	10		1				
24	236	90	74	38	23	10	1					
25	214	66	66	45	23	6	6	2				
26	182	61	58	35	17	8	1	2				
27	173	56	45	32	24	11	3	1	1			
28	144	35	38	36	21	6	2	3	3			
29	134	34	34	28	19	10	6	2	1			
30	121	30	31	31	13	13	3					
31	109	31	24	23	17	8	1	4	1			
32	97	26	23	27	8	9	2	2				
33	76	14	23	14	13	6	2	2	2			
34	46	13	11	9	7	3	1		1	1		
35	44	7	14	8	7	5	3					
36	34	9	8	8	5	3					1	
37	24	5	4	4	6	2	1	1	1			
38	24	7	7	2	2	2	1		1	1	1	
39	15	3	3	2	2	4	1					
40	11	1	3	2	2	3						
41	6	2			1		1		2			
42	5			4	1							
43	4		1		1		1	1				
44	3	1		1	1							
45	1		1									
46	1	1										
47	1					1						
Unknown	1	1										

TABLE 27: BIRTH DEFECTS BY NUMBER AND RATE
NEBRASKA, 1993 AND 1989-1993

	1993		1989-1993	
TYPE OF DEFECT*	NUMBER	RATE	NUMBER	RATE
CENTRAL NERVOUS SYSTEM				
Anencephalus	7	0.30	36	0.30
Spina bifida	20	0.86	65	0.55
Hydrocephalus	20	0.86	89	0.75
Other central nervous system defects	61	2.63	234	1.97
DEFECTS OF EYE	32	1.38	144	1.21
DEFECTS OF EAR, FACE, NECK	60	2.59	263	2.21
CIRCULATORY SYSTEM				
Transposition of great vessels	15	0.65	50	0.42
Ventricular septal defect	103	4.44	425	3.57
Atrial septal defect	115	4.96	327	2.75
Other heart defects	273	11.77	807	6.78
Patent ductus arteriosus	167	7.20	519	4.36
Coarctation of aorta	17	0.73	48	0.40
Other circulatory system defects	72	3.10	253	2.13
DEFECTS OF RESPIRATORY SYSTEM	51	2.20	166	1.39
CRANIOFACIAL				
Cleft palate	27	1.16	96	0.81
Cleft lip	11	0.47	61	0.51
Cleft palate with cleft lip	17	0.73	80	0.67
DIGESTIVE SYSTEM				
Pyloric stenosis	41	1.77	203	1.71
Tracheo-esophageal fistula	9	0.39	49	0.41
Other upper alimentary defects	28	1.21	67	0.56
Other abdominal cavity defects	36	1.55	131	1.10
Other digestive defects	70	3.02	218	1.83
GENITOURINARY SYSTEM				
Hypospadius	80	3.45	397	3.33
Renal agenesis	22	0.95	78	0.66
Cystic kidney disease	10	0.43	55	0.46
Other genitourinary defects	198	8.54	760	6.38
MUSCULOSKELETAL SYSTEM				
Club foot	68	2.93	318	2.67
Polydactyly	35	1.51	179	1.50
Syndactyly	29	1.25	125	1.05
Reduction deformity	12	0.52	82	0.69
Dislocated hips	46	1.98	215	1.81
Omphalocele	13	0.56	34	0.29
Gastrochisis	3	0.13	12	0.10
Other musculoskeletal defects	162	6.98	644	5.41
DEFECTS OF SKIN, HAIR, NAILS	31	1.34	136	1.14
DEFECTS OF METABOLIC & BLOOD SYSTEMS**	6	0.26	76	0.64

TABLE 27: BIRTH DEFECTS BY NUMBER AND RATE
NEBRASKA, 1993 AND 1989-1993 (continued)

TYPE OF DEFECT*	1993 NUMBER	1993 RATE	1989-1993 NUMBER	1989-1993 RATE
MULTIPLE SYSTEMS				
Down's syndrome	28	1.21	129	1.08
Other chromosomal syndromes	34	1.47	141	1.18
Other multiple system defects	26	1.12	111	0.93
OTHER AND UNSPECIFIED DEFECTS	100	4.31	289	2.43
TOTAL DEFECTS	2,155		8,112	
TOTAL CASES+	1,019	43.93	4,560	38.30

*Classified according to the British Pediatric Association (BPA) Classification of Disease World Health Organization's 1979 International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), with modifications developed by the National Centers for Disease Control

**This category was expanded in 1989

+Includes all cases reported through July 8, 1994

Rate per 1,000 live births

NOTE: Some variance between years may be caused by a change in the coding classification.

TABLE 28: BIRTH DEFECTS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

COUNTY	1993 NUMBER OF CASES	1993 PERCENT OF TOTAL BIRTHS	1989-1993 NUMBER OF CASES	1989-1993 PERCENT OF TOTAL BIRTHS
STATE	1,019	4.4	4,560	3.8
Adams	28	6.8	91	4.2
Antelope	2	2.2	8	1.5
Arthur	0	-	0	-
Banner	0	-	2	5.6
Blaine	0	-	0	-
Boone	3	3.6	12	2.7
Box Butte	4	2.4	36	3.8
Boyd	1	2.4	3	1.8
Brown	2	3.8	7	3.1
Buffalo	27	5.3	138	5.2
Burt	4	4.2	17	3.8
Butler	1	1.0	11	2.1
Cass	11	3.2	60	3.8
Cedar	4	2.8	13	1.7
Chase	5	11.1	8	2.9
Cherry	2	2.5	13	3.0
Cheyenne	0	-	21	3.3
Clay	6	7.9	19	4.7
Colfax	6	4.3	18	2.6
Cuming	4	3.2	29	4.4
Custer	4	3.1	37	4.7
Dakota	2	0.6	15	1.0
Dawes	2	1.8	10	1.8
Dawson	16	3.7	59	3.5
Deuel	0	-	1	1.0
Dixon	1	1.5	9	2.4
Dodge	15	3.8	113	5.1
Douglas	380	5.5	1,597	4.5
Dundy	1	4.2	3	2.3
Fillmore	1	1.1	14	3.3
Franklin	1	2.9	5	2.4
Frontier	2	5.1	3	1.7
Furnas	2	4.7	13	4.6
Gage	15	5.5	56	4.1
Garden	0	-	5	3.9
Garfield	2	9.5	5	4.3
Gosper	1	3.7	3	2.6
Grant	0	-	0	-
Greeley	0	-	4	2.2
Hall	29	3.5	114	2.8
Hamilton	5	4.0	21	3.5
Harlan	1	1.9	11	4.9
Hayes	0	-	1	1.2
Hitchcock	1	2.4	5	2.6
Holt	9	6.0	35	3.8

TABLE 28: BIRTH DEFECTS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993	
COUNTY	NUMBER OF CASES	PERCENT OF TOTAL BIRTHS	NUMBER OF CASES	PERCENT OF TOTAL BIRTHS
Hooker	0	-	2	6.3
Howard	6	7.7	15	3.7
Jefferson	3	4.0	13	2.7
Johnson	0	-	6	2.5
Kearney	4	4.2	25	5.4
Keith	3	3.3	11	2.2
Keya Paha	2	13.3	2	3.1
Kimball	1	1.9	10	4.1
Knox	4	4.3	14	2.5
Lancaster	157	4.8	617	3.9
Lincoln	13	3.0	63	2.7
Logan	0	-	0	-
Loup	0	-	1	3.4
McPherson	0	-	0	-
Madison	18	3.4	89	3.2
Merrick	3	3.0	19	3.5
Morrill	2	2.7	9	2.6
Nance	5	9.4	12	4.3
Nemaha	5	5.7	15	3.6
Nuckolls	2	3.7	9	3.3
Otoe	2	1.3	25	2.8
Pawnee	4	13.3	10	5.5
Perkins	0	-	6	3.3
Phelps	5	4.0	34	5.2
Pierce	6	5.7	10	1.9
Platte	15	3.2	81	3.4
Polk	2	3.1	11	3.4
Red Willow	5	3.5	31	3.9
Richardson	6	5.2	30	4.9
Rock	1	4.5	3	3.1
Saline	4	3.0	24	3.3
Sarpy	64	3.5	323	3.4
Saunders	9	3.6	47	3.7
Scotts Bluff	27	4.9	142	5.0
Seward	5	2.9	33	3.5
Sheridan	1	1.2	18	4.3
Sherman	1	2.6	6	2.8
Sioux	1	6.7	2	3.0
Stanton	1	1.1	11	2.6
Thayer	0	-	9	2.4
Thomas	1	9.1	1	2.0
Thurston	3	2.1	12	1.5
Valley	2	3.4	6	2.1
Washington	15	8.1	44	4.7
Wayne	2	1.9	14	2.3
Webster	2	5.1	10	3.9
Wheeler	0	-	4	5.1
York	7	3.8	36	3.6

NEBRASKA, 1993

TABLE 29: BIRTH DEFECTS BY MONTH

MONTH OF BIRTH

MONTH	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
TOTAL	23,196	1,019	4.4
January	1,787	80	4.5
February	1,831	83	4.5
March	2,071	89	4.3
April	1,888	76	4.0
May	2,001	95	4.7
June	1,977	89	4.5
July	2,094	102	4.9
August	2,012	89	4.4
September	1,940	89	4.6
October	1,916	89	4.6
November	1,854	75	4.0
December	1,825	63	3.5

TABLE 30: BIRTH DEFECTS BY AGE OF MOTHER

AGE	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
≤19	2,333	100	4.3
20 - 24	5,798	248	4.3
25 - 29	7,111	331	4.7
30 - 34	5,689	232	4.1
35 - 39	1,950	88	4.5
≥40	313	20	6.4
Unknown	2	0	-

TABLE 31: BIRTH DEFECTS BY AGE OF FATHER

AGE	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
≤19	580	31	5.3
20 - 24	3,342	141	4.2
25 - 29	5,940	260	4.4
30 - 34	6,176	283	4.6
35 - 39	2,957	117	4.0
≥40	1,220	57	4.7
Unknown	2,981	130	4.4

TABLE 32: BIRTH DEFECTS BY WEIGHT AND SEX OF CHILD

BIRTH WEIGHT		SEX	
<1500	67	Male	631
1500-2499	131	Female	387
2500-4499	802	Unknown	1
≥4500	16		
Unknown	3		

TABLE 33: BIRTH DEFECTS BY RACE/HISPANIC ORIGIN OF MOTHER

RACE	TOTAL BIRTHS	NO. OF CASES WITH DEFECTS	PERCENT OF TOTAL BIRTHS
White	21,170	915	4.3
Black	1,259	69	5.5
Indian	372	21	5.6
All Other	384	14	3.6
Unknown	11	0	-
Hispanic Origin*	1,258	43	3.4

* - Hispanic Origin may be of any race

DEATH HIGHLIGHTS

A total of 14,967 deaths occurred among Nebraska residents in 1993, which translates into a rate of 9.4 deaths per 1,000 residents. The annual death rate in Nebraska has fluctuated little in recent years, ranging between 9.0 and 9.4 since 1975.

In 1993, the average age at death among Nebraskans was 74.1 years, a slight decrease from the 1992 figure (and the all-time state record) of 74.3 years. The decrease was confined exclusively to males: their average age at death dropped from 70.9 years in 1992 to 70.2 years in 1993. For women, however, the average age at death rose for the sixth year in a row, from 77.7 years in 1992 to 78.0 years in 1993. The gap between the genders, which is now almost eight years, has nearly doubled in Nebraska since 1960.

The state's leading cause of death in 1993 was heart disease, which accounted for 5,021 resident deaths. This figure represents just over one-third (33.5%) of all deaths among Nebraskans in 1993. As in the rest of the United States, heart disease has been the most frequent cause of death among Nebraskans for several decades, although mortality rates have fallen in recent years. In fact, Nebraska's heart disease mortality rate (age-adjusted) decreased from 245.4 (deaths per 100,000 population) in 1983 to 195.8 in 1993, a 20% decline in just ten years.

Cancer ranked as the second leading cause of death among Nebraskans in 1993, accounting for 3,333 deaths. This figure represents over one-fifth (22.3%) of all deaths among Nebraska residents in 1993. Cancer continues to claim more lives both in Nebraska and throughout the United States. During the past decade, Nebraska's cancer mortality rate (age-adjusted) increased from 149.8 in 1983 to 159.3 in 1993, a 6% increase.

For Nebraska women, 1993 saw a major change in cancer mortality. For the first time ever in the state's history, the number of women who died from lung cancer exceeded the number who died from breast cancer, by a margin of 276 to 267, making lung cancer the leading cause of female cancer deaths in Nebraska. This historic shift is the result of a rising number of lung cancer deaths among women, coupled with a breast cancer mortality rate that remains essentially unchanged. This same trend has already occurred throughout much of the United States; in fact, lung cancer began to exceed breast cancer as the leading cause of female cancer deaths for the entire nation in 1987.

The third most common cause of death among Nebraskans in 1993 was cerebrovascular disease, more commonly known as stroke. Cerebrovascular disease accounted for 1,134 (7.6%) of all resident deaths in Nebraska in 1993. Cerebrovascular mortality rates have steadily declined throughout the United States in recent years. In Nebraska, the cerebrovascular mortality rate (age-adjusted) has fallen 26% in only a decade, from 54.2 in 1983 to 40.3 in 1993.

Accidents (usually referred to as "unintentional injuries") were the fifth leading cause of death among Nebraskans in 1993, claiming 610 lives. Motor vehicle accidents (traffic and non-traffic) accounted for nearly half of this figure, with 270 (44.3%) deaths, followed by accidental falls, which accounted for 127, or over one in five (20.8%), accidental deaths. Accidents also continue to be responsible for a disproportionate share of deaths among children and young adults. Accidents were the leading cause of death in 1993 among Nebraskans under 45 years of age (excluding infants under one year of age), accounting for 264 (29.3%) of the 902 deaths in this age group.

A total of 211 infant deaths occurred among Nebraska residents in 1993, which translates into an infant mortality rate of 9.1 per 1,000 live births. This figure is considerably greater than the 1992 rate of 7.3, which was the lowest ever recorded in the state's history. No single cause of death could be identified as responsible for the increase in infant deaths, although most of the increase was confined to neonates (infants less than 28 days old). In considering these data, however, a long-term perspective is helpful: infant deaths in Nebraska have declined steadily for many decades, yet decreases in the number and rate of infant deaths have not occurred in every single year.

Of note, in 1993 the Nebraska Unicameral legislated that the records of all infant deaths are to be reviewed by an Infant Death Review team. The cases of the 211 infants who died in 1993 are currently under review by this team, and a report will be issued addressing the preventability and other public health aspects of these deaths by the end of 1995.

MAP 2: DEATHS BY COUNTY OF RESIDENCE
NEBRASKA, 1993


Sioux
11
Dawes
110
Box Butte
127
Sheridan
100
Cherry
67
Keya Paha
14
Boyd
47
Brown
43
Rock
23
Holt
130
Knox
155
Cedar
103
Dixon
79
Dakota
157
Thurston
74
Antelope
106
Pierce
100
Wayne
77
Scotts Bluff
397
Morrill
83
Garden
40
Banner
4
Kimball
54
Cheyenne
95
Deuel
34
Grant
8
Hooker
23
Thomas
13
Blaine
2
Loup
13
Garfield
38
Wheeler
8
Madison
391
Stanton
55
Cuming
103
Burt
112
Boone
85
Platte
223
Colfax
89
Dodge
401
Washington
150
Arthur
6
McPherson
7
Logan
5
Custer
170
Valley
67
Greeley
30
Nance
61
Douglas
3474
Sarpy
403
Keith
70
Lincoln
292
Sherman
50
Howard
76
Merrick
102
Polk
81
Butler
117
Saunders
183
Perkins
30
Dawson
234
Buffalo
308
Hall
484
Hamilton
113
York
164
Seward
170
Lancaster
1512
Cass
212
Otoe
183
Chase
49
Hayes
9
Frontier
27
Gosper
29
Phelps
109
Kearney
80
Adams
310
Clay
95
Fillmore
104
Saline
164
Gage
291
Johnson
61
Nemaha
87
Dundy
34
Hitchcock
39
Red Willow
130
Furnas
97
Harlan
54
Franklin
66
Webster
70
Nuckolls
82
Thayer
90
Jefferson
125
Pawnee
57
Richardson
160

STATE TOTAL = 14,967

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1991-1993

	1991		1992		1993		CRUDE
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	DEATH RATE
STATE	14,971	14,647	14,914	14,577	15,178	14,967	9.4
Adams	322	290	357	337	321	310	10.5
*Hastings	284	236	317	274	302	261	11.4
Balance of Co.	38	54	40	63	19	49	7.3
Antelope	62	75	82	101	91	106	13.7
Arthur	1	4	1	4	0	6	13.3
Banner	3	4	0	3	2	4	4.7
Blaine	0	4	3	4	1	2	3.1
Boone	75	81	76	71	82	85	13.0
Box Butte	95	108	110	130	110	127	9.8
Alliance	47	73	48	90	63	100	10.3
Balance of Co.	48	35	62	40	47	27	8.2
Boyd	17	40	27	40	43	47	17.4
Brown	47	51	34	43	40	43	12.3
Buffalo	407	324	403	291	427	308	8.1
*Kearney	351	200	350	177	365	180	7.2
Balance of Co.	56	124	53	114	62	128	9.8
Burt	82	108	91	118	77	112	14.5
Butler	100	118	107	124	105	117	13.8
David City	91	58	92	57	103	62	24.8
Balance of Co.	9	60	15	67	2	55	9.2
Cass	102	215	91	187	86	212	9.8
Plattsmouth	50	78	48	73	50	91	13.6
Balance of Co.	52	137	43	114	36	121	8.1
Cedar	89	117	74	116	65	103	10.4
Chase	59	56	57	52	59	49	11.4
Cherry	54	65	62	75	62	67	10.8
Valentine	48	48	52	45	56	50	17.9
Balance of Co.	6	17	10	30	6	17	5.0
Cheyenne	85	86	83	98	103	95	10.1
Sidney	82	62	72	67	100	74	12.4
Balance of Co.	3	24	11	31	3	21	6.1
Clay	35	74	41	83	47	95	13.6
Colfax	86	118	87	98	77	89	9.8
Schuyler	63	58	63	57	64	55	13.4
Balance of Co.	23	60	24	41	13	34	6.8
Cuming	98	114	101	137	90	103	10.3
West Point	68	43	67	50	50	38	11.9
Balance of Co.	30	71	34	87	40	65	9.6
Custer	157	178	158	184	149	170	14.2
Broken Bow	77	66	84	69	91	80	21.6
Balance of Co.	80	112	74	115	58	90	10.9
Dakota	82	129	104	146	93	157	9.2
So. Sioux City	63	89	82	106	69	105	10.6
Balance of Co.	19	40	22	40	24	52	7.4
Dawes	113	107	89	87	113	110	12.4
Chadron	82	65	59	44	61	55	9.9
Balance of Co.	31	42	30	43	52	55	16.4

TABLE 34: DEATHS BY PLACE OF OCCURRENCE
AND BY USUAL RESIDENCE OF DECEASED
NEBRASKA, 1991-1993 (continued)

	1991		1992		1993		CRUDE
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	DEATH RATE
Dawson	197	220	221	220	226	234	11.2
Cozad	56	64	67	67	56	47	11.9
Gothenburg	52	46	49	46	63	68	20.5
Lexington	79	69	92	63	93	78	10.6
Balance of Co.	10	41	13	44	14	41	6.5
Deuel	8	28	11	18	16	34	15.6
Dixon	41	77	42	80	38	79	13.2
Dodge	365	368	363	361	386	401	11.8
*Fremont	285	243	304	249	310	289	12.4
Balance of Co.	80	125	59	112	76	112	10.6
Douglas	4,402	3,364	4,481	3,443	4,440	3,474	8.2
*Omaha	4,276	3,092	4,358	3,163	4,335	3,219	9.4
Ralston	6	19	4	29	3	22	3.5
Balance of Co.	120	253	119	251	102	233	3.1
Dundy	30	35	22	24	26	34	13.6
Fillmore	97	98	83	102	102	104	15.0
Franklin	43	67	54	73	51	66	17.4
Frontier	18	42	16	24	18	27	9.0
Furnas	92	110	63	90	85	97	18.1
Gage	277	317	250	271	264	291	12.9
*Beatrice	229	195	200	174	208	191	15.6
Balance of Co.	48	122	50	97	56	100	9.8
Garden	34	43	36	35	34	40	17.0
Garfield	24	31	21	32	18	38	18.3
Gosper	12	25	20	32	20	29	15.3
Grant	2	7	1	5	5	8	10.7
Greeley	17	43	23	44	16	30	10.2
Hall	576	482	554	453	586	484	9.8
*Grand Island	547	398	520	388	551	419	10.5
Balance of Co.	29	84	34	65	35	65	6.8
Hamilton	84	81	82	91	105	113	12.8
Aurora	73	51	73	55	96	83	21.8
Balance of Co.	11	30	9	36	9	30	6.0
Harlan	49	57	50	54	51	54	14.6
Hayes	3	9	1	6	0	9	7.5
Hitchcock	12	39	11	42	19	39	10.5
Holt	115	144	104	143	112	130	10.4
O'Neill	52	45	61	56	53	44	11.6
Balance of Co.	63	99	43	87	59	86	9.9
Hooker	7	12	11	14	19	23	31.7
Howard	69	73	55	69	61	76	12.8
Jefferson	97	130	105	136	99	125	14.7
Fairbury	91	90	95	95	87	86	20.2
Balance of Co.	6	40	10	41	12	39	9.2
Johnson	54	63	73	85	53	61	13.4
Kearney	44	70	59	74	58	80	12.2
Minden	39	46	53	57	51	55	19.6
Balance of Co.	5	24	6	17	7	25	6.6
Keith	81	98	90	104	60	70	8.3
Ogallala	66	60	80	69	53	43	8.5
Balance of Co.	15	38	10	35	7	27	7.9

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1991-1993 (continued)

	1991		1992		1993		CRUDE
COUNTY	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	OCCUR-RENCE	RESI-DENCE	DEATH RATE
Keya Paha	1	8	2	11	3	14	14.4
Kimball	48	56	38	47	56	54	13.5
Kimball	43	48	36	31	51	44	17.3
Balance of Co.	5	8	2	16	5	10	6.9
Knox	99	148	98	142	99	155	16.8
Lancaster	1,889	1,494	1,803	1,494	1,829	1,512	6.9
*Lincoln	1,827	1,370	1,753	1,392	1,762	1,410	7.1
Balance of Co.	62	124	50	102	67	102	4.7
Lincoln	327	329	344	352	300	292	9.0
*North Platte	292	262	308	268	262	232	10.2
Balance of Co.	35	67	36	84	38	60	6.2
Logan	2	5	2	10	1	5	5.9
Loup	1	5	1	5	4	13	20.0
McPherson	2	2	1	5	4	7	12.7
Madison	335	318	377	320	411	391	11.8
*Norfolk	280	193	305	205	322	251	11.5
Balance of Co.	55	125	72	115	89	140	12.5
Merrick	71	88	59	75	85	102	12.9
Central City	60	50	45	43	68	64	22.9
Balance of Co.	11	38	14	32	17	38	7.5
Morrill	56	73	47	65	65	83	15.7
Nance	38	50	34	50	39	61	14.5
Nemaha	66	83	70	78	80	87	11.0
Auburn	39	32	36	23	46	42	12.2
Balance of Co.	27	51	34	55	34	45	10.1
Nuckolls	61	75	61	77	76	82	14.8
Superior	44	33	45	38	57	50	22.0
Balance of Co.	17	42	16	39	19	32	9.8
Otoe	169	210	174	188	174	183	13.0
Nebraska City	91	96	100	102	117	105	16.2
Balance of Co.	78	114	74	86	57	78	10.3
Pawnee	40	52	28	38	42	57	18.1
Perkins	53	53	54	45	31	30	9.1
Phelps	131	119	118	124	119	109	11.2
Holdrege	104	76	77	67	83	57	10.0
Balance of Co.	27	43	41	57	36	52	12.8
Pierce	83	76	79	94	84	100	13.0
Platte	223	238	171	215	190	223	7.3
*Columbus	203	181	158	169	172	169	8.4
Balance of Co.	20	57	13	46	18	54	5.2
Polk	63	82	55	75	61	81	14.7
Red Willow	103	123	112	119	98	130	11.2
McCook	102	98	104	97	93	98	12.1
Balance of Co.	1	25	8	22	5	32	9.1
Richardson	139	170	129	143	128	160	16.7
Falls City	102	106	87	78	93	92	19.8
Balance of Co.	37	64	42	65	35	68	13.7
Rock	20	22	11	14	22	23	11.8
Saline	161	166	178	168	168	164	13.0
Crete	81	61	84	53	84	67	13.8
Balance of Co.	80	105	94	115	84	97	12.5

TABLE 34: DEATHS BY PLACE OF OCCURRENCE AND BY USUAL RESIDENCE OF DECEASED NEBRASKA, 1991-1993 (continued)

	1991		1992		1993		CRUDE
COUNTY	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	OCCURRENCE	RESIDENCE	DEATH RATE
Sarpy	333	403	300	372	315	403	3.8
*Bellevue	40	155	56	146	62	151	4.6
LaVista	6	23	8	30	5	31	3.0
Papillion	25	54	19	39	35	65	6.0
Balance of Co.	262	171	217	157	213	156	3.0
Saunders	105	160	93	191	90	183	10.0
Wahoo	63	44	55	58	51	50	13.5
Balance of Co.	42	116	38	133	39	133	9.1
Scotts Bluff	436	366	477	402	450	397	11.1
Gering	66	108	77	96	70	106	13.4
*Scottsbluff	327	162	360	184	325	168	12.2
Balance of Co.	43	96	40	122	55	123	8.6
Seward	129	153	134	135	156	170	11.0
Seward	92	68	89	58	114	84	15.0
Balance of Co.	37	85	45	77	42	86	8.8
Sheridan	87	91	64	73	91	100	15.3
Sherman	24	45	20	33	21	50	13.7
Sioux	6	10	4	10	3	11	7.3
Stanton	19	42	22	49	28	55	8.9
Thayer	91	110	86	97	71	90	14.0
Thomas	1	6	2	7	3	13	15.3
Thurston	60	82	70	85	65	74	10.6
Valley	56	55	72	81	69	67	13.1
Ord	54	41	65	52	64	39	15.6
Balance of Co.	2	14	7	29	5	28	10.8
Washington	138	156	131	141	152	150	9.0
Blair	125	89	118	72	134	93	13.3
Balance of Co.	13	67	13	69	18	57	5.8
Wayne	79	65	75	70	82	77	8.2
Wayne	69	39	68	45	72	49	9.3
Balance of Co.	10	26	7	25	10	28	6.7
Webster	62	89	61	80	51	70	16.9
Wheeler	0	8	2	8	3	8	8.4
York	143	162	115	135	148	164	11.4
York	114	109	88	84	118	99	12.5
Balance of Co.	29	53	27	51	30	65	10.1

* - Cities over 10,000 population in 1980
Other cities listed have 2,500 - 10,000 population

TABLE 35: DEATHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993

		SEX		RACE				HISPANIC OR**	
COUNTY	TOTAL DEATHS	MALE	FEMALE	WHITE	BLACK	IN- DIAN	ALL OTHERS	MEX- ICAN	ALL OTHERS
STATE	14,967	7,554	7,413	14,433	431	77	26	81	19
Adams	310	150	160	308	1	1		1	
*Hastings	261	122	139	259	1	1			
Balance of Co.	49	28	21	49				1	
Antelope	106	52	54	106					
Arthur	6	2	4	6					
Banner	4	1	3	4					
Blaine	2		2	2					
Boone	85	52	33	85					
Box Butte	127	68	59	123	1	3		1	
Alliance	100	52	48	96	1	3		1	
Balance of Co.	27	16	11	27					
Boyd	47	21	26	47					
Brown	43	29	14	42		1			
Buffalo	308	172	136	308				1	
*Kearney	180	94	86	180					
Balance of Co.	128	78	50	128				1	
Burt	112	62	50	110		2		1	
Butler	117	45	72	117					
David City	62	17	45	62					
Balance of Co.	55	28	27	55					
Cass	212	120	92	212					1
Plattsmouth	91	49	42	91					1
Balance of Co.	121	71	50	121					
Cedar	103	56	47	103					
Chase	49	28	21	49					
Cherry	67	32	35	66		1			
Valentine	50	21	29	50					
Balance of Co.	17	11	6	16		1			
Cheyenne	95	53	42	94		1		1	1
Sidney	74	40	34	73		1		1	
Balance of Co.	21	13	8	21					1
Clay	95	43	52	95					
Colfax	89	45	44	89					
Schuyler	55	24	31	55					
Balance of Co.	34	21	13	34					
Cuming	103	53	50	103					
West Point	38	21	17	38					
Balance of Co.	65	32	33	65					
Custer	170	90	80	169		1			
Broken Bow	80	36	44	80					
Balance of Co.	90	54	36	89		1			
Dakota	157	87	70	152	1	2	2	2	
So. Sioux City	105	60	45	102	1	1	1	2	
Balance of Co.	52	27	25	50		1	1		
Dawes	110	55	55	109		1		2	
Chadron	55	27	28	54		1		2	
Balance of Co.	55	28	27	55					

TABLE 35: DEATHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

		SEX		RACE				HISPANIC OR**	
COUNTY	TOTAL DEATHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Dawson	234	119	115	232			2	4	3
Cozad	47	20	27	47					
Gothenburg	68	30	38	68					
Lexington	78	40	38	76			2	4	3
Balance of Co.	41	29	12	41					
Deuel	34	16	18	34					
Dixon	79	37	42	79					
Dodge	401	188	213	400		1			1
*Fremont	289	130	159	289					1
Balance of Co.	112	58	54	111		1			
Douglas	3,474	1,780	1,694	3,062	389	16	7	25	3
*Omaha	3,219	1,633	1,586	2,810	386	16	7	24	3
Ralston	22	16	6	21	1				
Balance of Co.	233	131	102	231	2			1	
Dundy	34	16	18	34					
Fillmore	104	51	53	104					
Franklin	66	32	34	65		1			
Frontier	27	15	12	27					
Furnas	97	41	56	97					
Gage	291	142	149	290		1		1	
*Beatrice	191	87	104	190		1		1	
Balance of Co.	100	55	45	100					
Garden	40	24	16	40					
Garfield	38	18	20	38					
Gosper	29	13	16	29				1	
Grant	8	7	1	8					
Greeley	30	11	19	30					
Hall	484	265	219	483	1			4	
*Grand Island	419	223	196	418	1			4	
Balance of Co.	65	42	23	65					
Hamilton	113	42	71	112		1			
Aurora	83	25	58	83					
Balance of Co.	30	17	13	29		1			
Harlan	54	27	27	54					
Hayes	9	4	5	9					
Hitchcock	39	19	20	39					
Holt	130	59	71	130					
O'Neill	44	19	25	44					
Balance of Co.	86	40	46	86					
Hooker	23	8	15	23					
Howard	76	45	31	76					
Jefferson	125	63	62	125					
Fairbury	86	36	50	86					
Balance of Co.	39	27	12	39					
Johnson	61	31	30	61					
Kearney	79	44	35	79					1
Minden	54	28	26	54					1
Balance of Co.	25	16	9	25					

TABLE 35: DEATHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

		SEX		RACE				HISPANIC OR**	
COUNTY	TOTAL DEATHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Keith	70	30	40	69		1		1	
Ogallala	43	18	25	42		1			
Balance of Co.	27	12	15	27				1	
Keya Paha	14	6	8	14					
Kimball	54	30	24	54				4	
Kimball	44	22	22	44				4	
Balance of Co.	10	8	2	10					
Knox	155	79	76	151		4			
Lancaster	1,512	731	781	1,472	27	3	10	3	3
*Lincoln	1,410	671	739	1,371	27	3	9	3	3
Balance of Co.	102	60	42	101			1		
Lincoln	292	153	139	290		2		2	1
*North Platte	232	122	110	230		2		2	1
Balance of Co.	60	31	29	60					
Logan	5	2	3	5					
Loup	13	7	6	13					
McPherson	7	3	4	7					
Madison	391	189	202	391				2	
*Norfolk	251	114	137	251				1	
Balance of Co.	140	75	65	140				1	
Merrick	102	55	47	102					
Central City	64	30	34	64					
Balance of Co.	38	25	13	38					
Morrill	83	37	46	82		1		2	
Nance	61	31	30	61				1	
Nemaha	87	45	42	87					
Auburn	42	24	18	42					
Balance of Co.	45	21	24	45					
Nuckolls	82	41	41	82					
Superior	50	22	28	50					
Balance of Co.	32	19	13	32					
Otoe	183	78	105	181	1		1		
Nebraska City	105	41	64	103	1		1		
Balance of Co.	78	37	41	78					
Pawnee	57	30	27	57					
Perkins	30	15	15	30					
Phelps	109	51	58	109					
Holdrege	57	28	29	57					
Balance of Co.	52	23	29	52					
Pierce	100	53	47	100					
Platte	223	110	113	223				1	2
*Columbus	169	73	96	169					1
Balance of Co.	54	37	17	54				1	1
Polk	81	48	33	81					
Red Willow	130	55	75	130					
McCook	98	38	60	98					
Balance of Co.	32	17	15	32					
Richardson	160	76	84	158		2			
Falls City	92	46	46	91		1			
Balance of Co.	68	30	38	67		1			

TABLE 35: DEATHS BY SEX, RACE AND HISPANIC ORIGIN
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

		SEX		RACE				HISPANIC OR**	
COUNTY	TOTAL DEATHS	MALE	FEMALE	WHITE	BLACK	IN-DIAN	ALL OTHERS	MEX-ICAN	ALL OTHERS
Rock	23	8	15	22			1		
Saline	164	81	83	163	1				
Crete	67	32	35	66	1				
Balance of Co.	97	49	48	97					
Sarpy	403	196	207	393	7		3		2
*Bellevue	151	71	80	147	4				1
LaVista	31	18	13	29	1		1		
Papillion	65	28	37	64	1				
Balance of Co.	156	79	77	153	1		2		1
Saunders	183	98	85	183				1	
Wahoo	50	23	27	50					
Balance of Co.	133	75	58	133				1	
Scotts Bluff	397	208	189	393	2	2		20	1
Gering	106	46	60	106				4	
*Scottsbluff	168	87	81	165	2	1		12	1
Balance of Co.	123	75	48	122		1		4	
Seward	170	89	81	170					
Seward	84	43	41	84					
Balance of Co.	86	46	40	86					
Sheridan	100	52	48	95		5			
Sherman	50	33	17	50					
Sioux	11	9	2	11					
Stanton	55	35	20	55					
Thayer	90	53	37	90					
Thomas	13	7	6	13					
Thurston	74	33	41	50		24			
Valley	67	28	39	67					
Ord	39	13	26	39					
Balance of Co.	28	15	13	28					
Washington	150	67	83	150					
Blair	93	34	59	93					
Balance of Co.	57	33	24	57					
Wayne	77	40	37	77					
Wayne	49	18	31	49					
Balance of Co.	28	22	6	28					
Webster	70	38	32	70					
Wheeler	8	5	3	8					
York	164	85	79	164					
York	99	46	53	99					
Balance of Co.	65	39	26	65					

* - Cities over 10,000 population in 1980
Other cities listed have 2,500 - 10,000 population
** - Hispanic Origin may be of any race

TABLE 36: DEATHS BY PRINCIPAL AND OTHER CAUSES
NEBRASKA, 1989-1993

CAUSE	1989	1990	1991	1992	1993
Acquired Immunodeficiency Syndrome (042)	29	30	39	53	41
Alcoholism (acute and chronic) (303)	17	21	18	24	11
Aortic Aneurysm (441)	150	120	114	92	103
Appendicitis (540-543)	4	1	1	3	3
Asthma (493.9)	55	48	56	46	60
Atherosclerosis (440)	235	225	190	207	241
Birth Defects (740-759)	75	85	85	61	66
Birth Trauma (767)	0	0	2	0	1
Bronchitis (all forms) (466, 490-491)	38	40	40	34	34
Cancer (all forms) (140-208)	3306	3293	3168	3204	3333
Cerebrovascular Disease (430-438)	1154	1073	1081	995	1134
Chronic Lung Disease (496)	448	541	460	483	537
Cirrhosis and Chronic Liver Disease (571)	112	91	103	98	86
Diabetes Mellitus (250)	258	252	285	268	281
Diarrhea and Enteritis (008-009, 555-558)	53	56	75	66	68
Emphysema (492)	105	111	112	83	121
Heart Disease (all forms) (390-398, 402, 404-429)	5114	5036	5110	5267	5021
Hernia and Intestinal Obstruction (550-553, 560)	43	52	49	47	51
Influenza (all forms) (487)	20	55	38	14	12
Nephritis and Nephrosis (580-589)	184	172	158	144	162
Pneumonia (480-486)	616	623	621	570	616
Premature Births (765)	7	12	7	15	21
Prostate Disease (600-602)	7	9	4	1	2
Puerperal State (630-676)	1	0	2	0	0
Senility (797)	51	39	39	38	41
Septicemia (038)	79	87	85	82	90
Tuberculosis (all forms) (010-018)	4	2	4	2	1
Ulcer of Stomach and Duodenum (531-533)	45	52	51	41	32
Accidental Deaths (800-949)	610	567	597	557	610
Airplane Accidents (840-845)	11	3	4	9	17
Auto and Train Collisions (810)	14	14	21	15	9
Excessive Cold (901)	2	6	3	2	5
Excessive Heat (900)	0	6	1	0	0
Motor Vehicle Accidents (traffic and non-traffic) (810-825)	308	280	294	265	270
Railroad Accidents (800-807)	4	4	2	3	4
Homicides (960-969)	44	44	55	62	59
Suicides (950-959)	173	220	190	185	170
All Other Causes	1739	1794	1808	1835	1959
TOTAL DEATHS	14776	14751	14647	14577	14967

Cause codes listed are taken from the Ninth Revision of the ICD

TABLE 37: DEATHS BY PRINCIPAL AND OTHER CAUSES
CRUDE RATES PER 100,000 POPULATION
NEBRASKA, 1989-1993

CAUSE	1989	1990	1991	1992	1993
Acquired Immunodeficiency Syndrome (042)	1.8	1.9	2.5	3.4	2.6
Alcoholism (acute and chronic) (303)	1.1	1.3	1.1	1.5	0.7
Aortic Aneurysm (441)	9.3	7.6	7.2	5.8	6.5
Appendicitis (540-543)	0.2	0.1	0.1	0.2	0.2
Asthma (493.9)	3.4	3.0	3.5	2.9	3.8
Atherosclerosis (440)	14.6	14.3	12.0	13.1	15.3
Birth Defects (740-759)	4.8	5.4	5.4	3.9	4.2
Birth Trauma (767)	-	-	0.1	-	0.1
Bronchitis (all forms) (466, 490-491)	2.4	2.5	2.5	2.2	2.2
Cancer (all forms) (140-208)	205.2	208.6	200.4	202.8	211.1
Cerebrovascular Disease (430-438)	71.6	68.0	68.4	63.0	71.8
Chronic Lung Disease (496)	27.8	34.3	29.1	30.6	34.0
Cirrhosis and Chronic Liver Disease (571)	7.0	5.8	6.5	6.2	5.4
Diabetes Mellitus (250)	16.0	16.0	18.0	17.0	17.8
Diarrhea and Enteritis (008-009, 555-558)	3.3	3.5	4.7	4.2	4.3
Emphysema (492)	6.5	7.0	7.1	5.3	7.7
Heart Disease (all forms) (390-398, 402, 404-429)	317.4	319.1	323.2	333.3	317.9
Hernia and Intestinal Obstruction (550-553, 560)	2.7	3.3	3.1	3.0	3.2
Influenza (all forms) (487)	1.2	3.5	2.4	0.9	0.8
Nephritis and Nephrosis (580-589)	11.4	10.9	10.0	9.1	10.3
Pneumonia (480-486)	38.2	39.5	39.3	36.1	39.0
Premature Births (765)	0.4	0.8	0.4	0.9	1.3
Prostate Disease (600-602)	0.4	0.6	0.3	0.1	0.1
Puerperal State (630-676)	0.1	-	0.1	-	-
Senility (797)	3.2	2.5	2.5	2.4	2.6
Septicemia (038)	5.0	5.5	5.4	5.2	5.7
Tuberculosis (all forms) (010-018)	0.2	0.1	0.3	0.1	0.1
Ulcer of Stomach and Duodenum (531-533)	2.8	3.3	3.2	2.6	2.0
Accidental Deaths (800-949)	37.9	35.9	37.8	35.3	38.6
Airplane Accidents (840-845)	0.7	0.2	0.3	0.6	1.1
Auto and Train Collisions (810)	0.9	0.9	1.3	0.9	0.6
Excessive Cold (901)	0.1	0.4	0.2	0.1	0.3
Excessive Heat (900)	-	0.4	0.1	-	-
Motor Vehicle Accidents (traffic and non-traffic) (810-825)	19.1	17.7	18.6	16.8	17.1
Railroad Accidents (800-807)	0.2	0.3	0.1	0.2	0.3
Homicides (960-969)	2.7	2.8	3.5	3.9	3.7
Suicides (950-959)	10.7	13.9	12.0	11.7	10.8
All Other Causes	107.9	113.7	114.4	115.9	123.2
TOTAL DEATHS	917.2	934.6	926.5	920.9	941.1

Cause codes listed are taken from the Ninth Revision of the ICD

TABLE 38: DEATHS BY PRINCIPAL AND OTHER CAUSES
AGE-ADJUSTED RATES PER 100,000 POPULATION
NEBRASKA, 1989-1993

CAUSE	1989	1990	1991	1992	1993
Acquired Immunodeficiency Syndrome (042.9)	1.6	1.6	2.0	2.9	2.1
Alcoholism (acute and chronic) (303)	1.0	1.3	1.0	1.4	0.7
Aortic Aneurysm (441)	6.5	5.0	4.7	3.7	4.3
Appendicitis (540-543)	0.1	0.0	0.0	0.1	0.1
Asthma (493.9)	2.7	2.3	2.6	1.9	2.9
Atherosclerosis (440)	7.1	7.3	6.0	6.5	7.5
Birth Defects (740-759)	4.9	5.4	5.8	3.9	4.5
Birth Trauma (767)	-	-	0.1	-	0.1
Bronchitis (all forms) (466, 490-491)	1.6	1.6	1.8	1.4	1.5
Cancer (all forms) (140-208)	159.4	160.7	150.1	154.2	159.3
Cerebrovascular Disease (430-438)	40.6	38.9	38.9	35.1	40.3
Chronic Lung Disease (496)	19.2	23.1	19.9	20.1	23.4
Cirrhosis and Chronic Liver Disease (571)	6.3	5.1	5.7	5.7	4.8
Diabetes Mellitus (250)	11.6	11.2	12.8	11.8	12.4
Diarrhea and Enteritis (008-009, 555-558)	2.3	2.2	3.0	2.7	2.7
Emphysema (492)	5.0	4.9	5.1	3.9	5.6
Heart Disease (all forms) (390-398, 402, 404-429)	202.2	201.1	200.0	202.6	195.8
Hernia and Intestinal Obstruction (550-553, 560)	1.6	1.8	1.8	1.8	1.9
Influenza (all forms) (487)	0.7	1.8	1.3	0.4	0.4
Nephritis and Nephrosis (580-589)	7.1	6.4	6.1	5.4	6.1
Pneumonia (480-486)	21.3	21.2	21.4	19.0	20.5
Premature Births (765)	0.5	0.8	0.5	1.1	1.5
Prostate Disease (600-602)	0.2	0.3	0.1	0.1	0.0
Puerperal State (630-676)	0.0	-	0.1	-	-
Senility (797)	1.3	1.1	1.1	1.0	1.1
Septicemia (038)	3.3	3.8	3.7	3.3	4.1
Tuberculosis (all forms) (010-018)	0.2	0.1	0.2	0.1	0.0
Ulcer of Stomach and Duodenum (531-533)	1.7	2.1	1.7	1.6	1.2
Accidental Deaths (800-949)	32.6	31.1	32.5	30.2	33.0
Airplane Accidents (840-845)	0.7	0.1	0.2	0.6	1.0
Auto and Train Collisions (810)	0.8	0.9	1.5	1.0	0.5
Excessive Cold (901)	0.1	0.3	0.1	0.1	0.2
Excessive Heat (900)	-	0.3	0.1	-	-
Motor Vehicle Accidents (traffic and non-traffic) (810-825)	17.7	17.6	18.3	16.6	16.8
Railroad Accidents (800-807)	0.2	0.3	0.2	0.1	0.2
Homicides (960-969)	2.6	2.6	3.5	3.8	3.9
Suicides (950-959)	9.5	13.3	11.0	10.9	10.1
TOTAL DEATHS	626.8	634.6	[illegible]1.4	612.6	633.0

Cause codes listed are taken from the Ninth Revision of the ICD

NEBRASKA, 1989-1993

TABLE 39: CANCER DEATHS BY SELECTED SITES AND SEX

SITE	1989 M	1989 F	1990 M	1990 F	1991 M	1991 F	1992 M	1992 F	1993 M	1993 F
Buccal Cavity & Pharynx	28	18	30	14	33	13	18	18	30	14
Esophagus	40	15	52	15	45	13	57	9	39	13
Stomach	48	40	46	33	45	31	30	24	51	24
Large Intestine	174	156	147	176	175	162	164	154	180	166
Rectum	25	19	31	27	29	19	23	30	35	31
Other Digestive Organs	143	122	122	148	137	163	137	145	138	126
Larynx	25	3	14	7	11	6	23	5	27	1
Bronchus & Lung	547	279	580	282	506	272	549	284	586	276
Skin	39	32	25	24	34	26	29	18	37	28
Breast	1	306	1	309	1	275	1	286	1	267
Cervix	0	25	0	24	0	19	0	16	0	17
Uterus	0	54	0	47	0	44	0	47	0	33
Ovary	0	92	0	73	0	89	0	94	0	82
Prostate	236	0	218	0	212	0	226	0	222	0
Bladder	55	24	45	18	39	25	47	20	53	17
Kidney	38	29	49	25	42	27	43	33	50	24
Brain & Nervous System Organs	43	36	44	38	45	39	39	42	44	36
Leukemia	72	53	83	43	62	54	59	44	75	75
Other Lymphatic & Hematopoietic Tissues	105	108	101	111	111	122	98	109	112	111
All Sites	1761	1545	1740	1553	1644	1524	1680	1524	1837	1496

TABLE 40: AGE-ADJUSTED CANCER DEATH RATES BY SELECTED SITES AND SEX

SITE	1989 M	1989 F	1990 M	1990 F	1991 M	1991 F	1992 M	1992 F	1993 M	1993 F
Buccal Cavity & Pharynx	3.6	1.7	3.4	1.3	3.9	0.9	2.2	1.7	3.7	1.2
Esophagus	5.0	1.1	6.2	1.2	5.5	1.1	6.8	0.8	4.6	0.8
Stomach	5.6	2.5	5.3	2.5	5.1	2.2	3.5	1.6	5.7	1.5
Large Intestine	20.2	11.6	16.7	12.9	20.1	11.3	18.6	11.4	20.6	12.4
Rectum	2.9	1.3	3.7	1.6	3.2	1.3	2.6	2.5	4.0	2.3
Other Digestive Organs	16.8	8.7	14.2	10.8	15.2	11.8	15.9	10.5	15.9	9.5
Larynx	3.1	0.2	1.6	0.6	1.4	0.6	2.7	0.3	3.1	0.1
Bronchus & Lung	65.8	25.6	69.2	26.7	59.8	24.9	64.4	25.7	68.7	25.5
Skin	5.1	2.7	3.1	1.9	3.9	2.3	3.1	1.4	4.4	2.4
Breast	0.1	27.1	0.1	28.0	0.1	25.0	0.1	26.3	0.2	23.4
Cervix	-	2.4	-	2.4	-	2.0	-	1.6	-	1.8
Uterus	-	3.6	-	3.9	-	3.2	-	3.5	-	2.1
Ovary	-	7.8	-	6.6	-	7.2	-	9.3	-	7.2
Prostate	25.8	-	23.6	-	22.0	-	23.3	-	23.1	-
Bladder	6.3	1.6	5.1	1.0	4.2	1.7	5.1	1.1	5.6	1.1
Kidney	4.6	2.6	5.9	2.0	4.8	1.9	5.1	2.9	5.9	2.0
Brain & Nervous System Organs	5.3	3.4	5.1	4.0	5.5	3.6	4.8	4.3	5.5	3.7
Leukemia	8.5	3.8	9.4	3.8	7.1	4.6	6.7	3.5	8.3	5.6
Other Lymphatic & Hematopoietic Tissues	12.4	8.8	11.8	8.7	12.9	9.6	11.4	9.1	12.5	9.4
All Sites	208.3	127.1	202.3	131.6	187.7	124.7	192.3	129.2	210.0	124.1

Rate per 100,000 population

GRAPH 15
AVERAGE AGE AT TIME OF DEATH
NEBRASKA, 1925-1993



GRAPH 16
AVERAGE AGE AT DEATH BY SEX
NEBRASKA, 1960-1993



TABLE 41: DEATHS BY AGE GROUP AND SEX
NEBRASKA, 1993

AGE GROUP	TOTAL	MALE	FEMALE
TOTAL	14,967	7,554	7,413
< 1	211	128	83
1-4	44	25	19
5-9	27	17	10
10-14	35	23	12
15-19	81	63	18
20-24	94	67	27
25-29	106	75	31
30-34	138	98	40
35-39	162	109	53
40-44	215	139	76
45-49	253	166	87
50-54	316	188	128
55-59	554	339	215
60-64	828	508	320
65-69	1,266	811	455
70-74	1,681	1,015	666
75-79	2,019	1,132	887
80-84	2,286	1,111	1,175
85-89	2,214	871	1,343
90-94	1,579	482	1,097
95-99	673	147	526
100-104	167	36	131
105-109	16	3	13
≥ 110	1	0	1
Unknown	1	1	0
Average Age:	74.1	70.2	78.0

TABLE 42: DEATHS BY AGE GROUP AND AVERAGE AGE BY PLACE OF RESIDENCE
NEBRASKA, 1993

County	Average Age	AGE GROUP ≤44	45-64	65-74	75-84	≥85	Unknown
TOTAL	74.1	1,113	1,951	2,947	4,305	4,650	1
Adams	75.4	19	40	63	79	109	0
Antelope	73.3	10	10	23	30	33	0
Arthur	72.3	1	0	2	2	1	0
Banner	78.5	0	0	1	2	1	0
Blaine	50.0	0	2	0	0	0	0
Boone	76.6	4	9	15	29	28	0
Box Butte	75.1	12	12	19	39	45	0
Boyd	80.9	1	4	8	11	23	0
Brown	70.4	5	9	3	13	13	0
Buffalo	75.4	22	27	57	89	113	0
Burt	77.4	6	8	18	39	41	0
Butler	79.0	6	7	20	33	51	0
Cass	71.3	20	40	41	59	52	0
Cedar	77.9	2	16	17	27	41	0
Chase	78.7	2	5	8	15	19	0
Cherry	74.8	5	10	9	22	21	0
Cheyenne	76.0	5	8	25	24	33	0
Clay	78.8	4	7	19	24	41	0
Colfax	74.8	6	9	17	28	29	0
Cuming	78.1	5	10	10	37	41	0
Custer	77.3	7	17	36	49	61	0
Dakota	69.5	20	25	28	46	38	0
Dawes	76.7	4	14	21	37	34	0
Dawson	72.0	25	33	41	68	67	0
Deuel	78.5	0	6	6	10	12	0
Dixon	78.2	4	7	11	16	41	0
Dodge	76.5	23	34	88	104	152	0
Douglas	70.6	350	571	795	934	823	1
Dundy	75.1	2	5	5	11	11	0
Fillmore	80.8	2	8	15	30	49	0
Franklin	78.8	1	6	12	23	24	0
Frontier	76.5	1	3	5	8	10	0
Furnas	82.0	1	3	16	37	40	0
Gage	76.4	18	34	40	93	106	0
Garden	77.1	1	2	13	9	15	0
Garfield	77.5	0	4	6	16	12	0
Gosper	78.0	2	3	4	7	13	0
Grant	70.1	1	1	2	2	2	0
Greeley	78.3	1	2	5	9	13	0
Hall	73.2	33	63	111	155	122	0
Hamilton	79.1	5	12	15	28	53	0
Harlan	77.3	3	6	7	17	21	0
Hayes	77.7	1	0	1	3	4	0
Hitchcock	79.1	3	0	5	11	20	0
Holt	78.0	3	19	24	32	52	0
Hooker	84.8	0	2	2	5	14	0
Howard	76.3	6	6	11	21	32	0
Jefferson	77.5	6	10	20	47	42	0

TABLE 42: DEATHS BY AGE GROUP AND AVERAGE AGE BY PLACE OF RESIDENCE NEBRASKA, 1993 (continued)

	Average	AGE GROUP					
County	Age	≤44	45-64	65-74	75-84	≥85	Unknown
Johnson	79.6	2	10	5	18	26	0
Kearney	76.3	5	12	12	20	31	0
Keith	78.6	0	9	18	18	25	0
Keya Paha	74.6	1	2	0	7	4	0
Kimball	74.3	2	7	16	19	10	0
Knox	77.0	8	12	32	52	51	0
Lancaster	72.2	147	220	288	433	424	0
Lincoln	72.9	22	37	58	96	79	0
Logan	84.4	0	1	0	0	4	0
Loup	80.0	1	0	0	7	5	0
McPherson	83.0	0	0	0	4	3	0
Madison	74.3	33	42	75	103	138	0
Merrick	76.1	7	12	21	17	45	0
Morrill	77.1	2	15	10	29	27	0
Nance	78.3	1	5	13	22	20	0
Nemaha	80.0	1	6	14	33	33	0
Nuckolls	76.5	2	15	12	27	26	0
Otoe	80.6	5	16	20	62	80	0
Pawnee	78.9	2	5	13	15	22	0
Perkins	75.5	2	3	7	9	9	0
Phelps	76.2	8	7	19	33	42	0
Pierce	76.6	5	3	30	32	30	0
Platte	74.2	17	25	44	68	69	0
Polk	76.4	4	5	19	20	33	0
Red Willow	76.2	1	22	31	36	40	0
Richardson	77.4	7	18	26	53	56	0
Rock	76.5	1	3	5	5	9	0
Saline	77.0	10	14	29	54	57	0
Sarpy	66.7	54	87	81	89	92	0
Saunders	75.5	10	26	35	55	57	0
Scotts Bluff	72.7	31	62	80	121	103	0
Seward	76.8	10	15	37	50	58	0
Sheridan	74.5	8	13	15	27	37	0
Sherman	73.6	5	6	9	21	9	0
Sioux	70.4	1	1	4	3	2	0
Stanton	76.8	4	6	8	18	19	0
Thayer	79.8	3	7	19	20	41	0
Thomas	72.7	1	2	4	3	3	0
Thurston	72.1	8	12	14	16	24	0
Valley	79.2	3	6	7	24	27	0
Washington	75.9	7	19	31	43	50	0
Wayne	74.9	7	5	17	23	25	0
Webster	81.4	0	4	17	24	25	0
Wheeler	68.6	1	0	3	1	3	0
York	76.5	6	25	29	45	59	0

GRAPH 17
TEN LEADING CAUSES OF DEATH
NEBRASKA, 1993



Number of Deaths

GRAPH 18
EIGHT LEADING CAUSES BY SEX
NEBRASKA, 1993



GRAPH 19
LEADING CAUSES
BY SELECTED AGE GROUPS AND SEX
NEBRASKA, 1993



GRAPH 20
LEADING CAUSES
BY SELECTED AGE GROUPS AND SEX
NEBRASKA, 1993



Graph 21
LEADING CAUSES
BY SELECTED AGE GROUPS AND SEX
NEBRASKA, 1993



Graph 22
LEADING CAUSES BY SELECTED AGE GROUPS AND SEX NEBRASKA, 1993



GRAPH 23
LEADING CAUSES BY SELECTED AGE GROUPS AND SEX NEBRASKA, 1993



MAP 3

HEART DISEASE DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
67.9 to 121.4
121.5 to 175.1
175.2 to 228.8
228.9 to 282.6

TABLE 43: HEART DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	5,021	315.7	192.8	25,547	323.5	200.6
Adams	112	379.7	202.8	581	391.2	204.7
Hastings	94	412.7	209.3	468	410.2	202.8
Balance of Co.	18	275.2	182.1	113	337.0	221.5
Antelope	35	451.6	185.8	185	465.8	201.9
Arthur	3	666.7	336.5	11	475.8	257.5
Banner	2	235.3	135.1	6	136.3	80.1
Blaine	0	-	-	6	180.5	67.9
Boone	27	412.2	176.2	144	432.9	203.9
Box Butte	46	353.8	218.0	232	350.8	226.1
Boyd	19	703.7	203.9	80	568.0	194.3
Brown	11	314.3	142.1	55	306.3	143.2
Buffalo	90	236.8	157.0	491	261.2	180.5
Kearney	52	205.0	147.5	306	247.6	188.4
Balance of Co.	38	295.2	169.1	185	284.8	168.7
Burt	37	480.5	219.1	223	565.7	231.8
Butler	45	529.4	189.5	205	473.4	194.8
Cass	61	281.8	185.9	297	274.8	185.7
Cedar	36	363.6	189.3	182	360.9	171.3
Chase	22	511.6	221.1	108	494.7	214.5
Cherry	22	354.8	158.1	103	329.5	171.1
Cheyenne	25	266.0	131.8	154	323.2	164.3
Clay	44	628.6	246.8	191	534.7	232.7
Colfax	25	274.7	125.6	164	361.3	153.9
Cuming	38	380.0	155.6	248	484.2	205.4
Custer	83	694.6	273.0	352	577.3	229.3
Dakota	59	347.1	281.2	243	286.9	230.0
Dawes	49	550.6	297.8	172	381.6	207.8
Dawson	85	406.7	228.1	402	397.1	214.2
Deuel	13	597.7	195.7	52	468.0	176.5
Dixon	28	466.7	149.8	147	479.7	180.0
Dodge	147	432.4	188.6	708	411.9	198.4
Fremont	97	411.2	183.6	473	400.0	202.9
Balance of Co.	50	475.9	194.3	235	438.6	188.5
Douglas	1,101	260.3	207.8	5,603	266.4	216.5
Omaha	1,034	302.1	215.9	5,235	309.8	223.6
Balance of Co.	67	83.7	151.1	368	91.5	174.1
Dundy	13	520.0	212.1	71	553.3	218.7
Fillmore	41	589.9	192.2	215	604.7	234.9
Franklin	27	710.5	209.1	132	680.8	215.0
Frontier	9	300.0	178.3	57	368.9	180.4
Furnas	34	635.5	132.6	206	750.4	205.1
Gage	96	426.7	166.5	522	460.1	190.3
Beatrice	59	483.9	168.6	292	474.8	166.9
Balance of Co.	37	366.2	164.6	230	445.4	223.4

TABLE 43: HEART DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	18	766.0	263.4	82	666.1	238.4
Garfield	13	626.5	204.5	67	637.1	220.4
Gosper	12	631.6	196.5	56	575.7	230.4
Grant	4	533.3	405.2	12	314.2	180.5
Greeley	10	339.0	141.3	64	423.7	179.7
Hall	155	313.8	199.3	772	313.7	207.1
Grand Island	136	329.7	214.2	646	322.9	211.9
Balance of Co.	19	236.1	140.7	126	278.7	197.5
Hamilton	34	386.4	165.9	153	344.9	176.2
Harlan	20	540.5	206.1	119	627.6	243.9
Hayes	5	416.7	166.6	14	232.5	111.7
Hitchcock	14	378.4	135.9	74	394.7	161.1
Holt	52	416.0	210.6	267	422.5	216.0
Hooker	9	1241.4	238.1	30	737.5	203.3
Howard	23	386.6	148.9	117	385.4	178.6
Jefferson	43	505.9	187.4	260	596.2	213.8
Johnson	26	571.4	289.7	118	508.1	205.8
Kearney	29	442.7	177.3	131	396.6	179.5
Keith	32	378.7	176.3	164	385.6	207.2
Keya Paha	3	307.7	111.4	19	372.3	170.2
Kimball	14	350.0	172.7	71	343.7	172.8
Knox	72	782.6	271.0	360	750.3	267.5
Lancaster	444	202.0	156.1	2,330	215.4	171.9
Lincoln	417	210.6	162.8	2,140	220.6	175.1
Balance of Co.	27	123.4	101.5	190	174.8	149.2
Lincoln	106	326.2	192.0	597	364.9	219.4
North Platte	86	390.1	217.5	466	415.7	237.4
Balance of Co.	20	215.5	133.8	131	270.2	182.7
Logan	2	235.3	178.3	9	203.3	128.7
Loup	6	923.1	375.9	16	466.1	251.7
McPherson	3	545.5	191.8	8	286.1	112.0
Madison	138	418.2	222.5	610	371.1	215.7
Norfolk	83	375.8	224.3	348	321.1	202.6
Balance of Co.	55	502.2	218.6	262	471.9	238.1
Merrick	36	455.7	190.5	151	374.8	178.9
Morrill	19	358.5	160.4	114	419.5	195.0
Nance	24	571.4	253.7	116	544.0	241.9
Nemaha	28	354.4	189.1	154	384.7	173.0
Nuckolls	24	432.4	159.7	123	429.5	156.5
Otoe	42	298.9	121.3	257	362.2	155.9
Pawnee	21	666.7	246.7	103	627.4	217.0
Perkins	10	303.0	126.0	67	397.2	195.0
Phelps	42	430.8	208.5	247	508.6	218.0
Pierce	34	441.6	217.2	173	438.2	204.7

TABLE 43: HEART DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	69	225.5	151.3	406	267.2	186.1
Columbus	54	268.3	163.8	311	315.8	199.3
Balance of Co.	15	150.2	122.8	95	185.9	155.2
Polk	22	400.0	155.5	151	535.0	197.7
Red Willow	43	370.7	186.3	222	375.0	201.5
Richardson	46	479.2	182.5	234	477.7	191.5
Rock	8	410.3	195.9	32	316.2	150.9
Saline	56	444.4	172.6	329	518.4	194.8
Sarpy	132	123.4	206.4	629	121.2	213.9
Bellevue	44	130.4	179.6	236	148.0	203.1
Balance of Co.	88	119.2	224.0	393	108.7	219.4
Saunders	64	350.7	208.8	333	362.8	200.2
Scotts Bluff	114	317.5	169.7	591	327.2	182.0
Scottsbluff	45	331.4	165.3	247	361.5	193.6
Balance of Co.	69	317.2	172.5	344	310.9	175.1
Seward	80	519.5	261.1	334	430.1	220.7
Sheridan	32	488.5	226.8	155	458.6	212.0
Sherman	23	630.1	330.6	95	513.0	206.3
Sioux	6	400.0	264.7	19	246.8	139.9
Stanton	19	306.5	202.5	95	301.6	205.0
Thayer	47	728.7	255.4	212	642.7	217.1
Thomas	5	588.2	333.4	18	418.5	277.4
Thurston	25	357.1	260.1	141	403.6	282.6
Valley	23	451.0	175.8	126	486.5	181.7
Washington	42	250.7	142.7	245	295.3	180.2
Wayne	22	234.0	133.9	133	281.1	172.8
Webster	32	771.0	235.8	170	802.7	247.4
Wheeler	2	210.5	144.8	11	229.3	148.5
York	57	395.8	190.0	293	403.7	210.3
United States, 1989:	733,775	297.3	230.5			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 4

CANCER DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
⸬ 73.7 to 116.8
▨ 116.9 to 160.0
▦ 160.1 to 203.2
▧ 203.3 to 246.5

TABLE 44: CANCER DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	3,333	209.6	158.0	16,304	205.2	156.9
Adams	69	233.9	149.1	368	247.8	165.2
Hastings	59	259.1	159.7	308	270.0	172.6
Balance of Co.	10	152.9	108.1	60	179.0	136.7
Antelope	19	245.2	148.5	103	259.3	147.3
Arthur	1	222.2	234.4	3	129.8	88.5
Banner	0	-	-	5	113.6	84.6
Blaine	2	307.7	257.5	12	360.9	246.5
Boone	18	274.8	153.9	70	210.4	116.2
Box Butte	24	184.6	137.9	111	167.9	136.7
Boyd	10	370.4	149.2	45	319.5	146.2
Brown	10	285.7	154.4	51	284.0	145.8
Buffalo	74	194.7	162.3	341	181.4	156.9
Kearney	38	149.8	141.2	185	149.7	148.5
Balance of Co.	36	279.6	192.9	156	240.1	170.4
Burt	26	337.7	127.1	112	284.7	144.1
Butler	33	388.2	193.3	145	334.9	179.8
Cass	54	249.4	202.3	228	211.0	167.3
Cedar	18	181.8	99.1	126	249.8	137.4
Chase	13	302.3	166.0	51	233.6	143.7
Cherry	13	209.7	116.3	72	230.3	136.6
Cheyenne	16	170.2	95.1	102	214.1	135.8
Clay	14	200.0	124.5	95	265.9	144.9
Colfax	25	274.7	156.9	125	275.4	151.4
Cuming	18	180.0	88.8	120	234.3	127.5
Custer	24	200.8	102.3	161	264.1	141.9
Dakota	31	182.4	166.5	152	179.5	158.5
Dawes	24	269.7	200.0	88	195.2	141.0
Dawson	51	244.0	168.5	224	221.3	145.4
Deuel	9	413.8	240.9	33	297.0	159.5
Dixon	15	250.0	139.2	82	267.6	147.0
Dodge	83	244.1	150.3	398	231.5	148.2
Fremont	61	258.6	158.3	276	233.4	152.2
Balance of Co.	22	209.4	133.0	122	227.7	138.6
Douglas	832	196.7	180.2	3,992	189.8	175.0
Omaha	756	220.9	185.3	3,635	215.1	179.5
Balance of Co.	76	95.0	157.1	357	88.8	151.4
Dundy	8	320.0	229.6	32	249.4	138.3
Fillmore	17	244.6	113.3	101	284.1	147.6
Franklin	15	394.7	203.1	91	469.4	224.5
Frontier	8	266.7	130.2	34	220.1	117.2
Furnas	18	336.4	146.7	119	433.5	195.7
Gage	59	262.2	141.4	320	282.1	155.2
Beatrice	38	311.7	152.5	196	318.7	157.5
Balance of Co.	21	207.9	128.6	124	240.1	151.7

TABLE 44: CANCER DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	8	340.4	144.3	33	268.1	137.3
Garfield	7	337.3	165.7	27	256.8	96.9
Gosper	3	157.9	116.2	20	205.6	122.9
Grant	1	133.3	37.1	9	235.7	159.9
Greeley	5	169.5	78.9	37	244.9	143.5
Hall	119	240.9	178.3	548	222.7	171.8
Grand Island	103	249.7	185.2	461	230.5	177.9
Balance of Co.	16	198.8	148.7	87	192.4	149.3
Hamilton	26	295.5	201.9	101	227.7	159.1
Harlan	13	351.4	179.3	58	305.9	148.7
Hayes	2	166.7	89.9	8	132.8	73.7
Hitchcock	8	216.2	78.4	52	277.3	153.5
Holt	30	240.0	140.7	144	227.9	150.4
Hooker	4	551.7	390.1	11	270.4	121.4
Howard	14	235.3	137.0	80	263.5	145.4
Jefferson	37	435.3	188.6	155	355.4	171.1
Johnson	6	131.9	79.7	65	279.9	131.7
Kearney	10	152.7	103.3	85	257.3	162.4
Keith	17	201.2	126.0	101	237.5	152.5
Keya Paha	3	307.7	208.8	10	195.9	116.8
Kimball	11	275.0	153.4	53	256.6	148.7
Knox	27	293.5	137.1	137	285.5	143.9
Lancaster	388	176.5	164.2	1,805	166.9	159.0
Lincoln	363	183.3	172.8	1,664	171.6	164.5
Balance of Co.	25	114.2	99.5	141	129.7	119.0
Lincoln	57	175.4	122.0	322	196.8	139.3
North Platte	43	195.1	132.7	235	209.7	144.8
Balance of Co.	14	150.8	104.2	87	179.5	132.5
Logan	0	-	-	7	158.1	100.4
Loup	3	461.5	202.6	11	320.4	184.6
McPherson	0	-	-	5	178.8	88.7
Madison	74	224.2	178.4	331	201.4	154.3
Norfolk	52	235.5	201.2	238	219.6	177.7
Balance of Co.	22	200.9	136.3	93	167.5	115.5
Merrick	20	253.2	160.1	92	228.3	146.3
Morrill	21	396.2	243.7	61	[illegible]	129.7
Nance	10	238.1	146.6	61	286.0	165.4
Nemaha	18	227.8	96.9	84	209.8	111.5
Nuckolls	20	360.4	198.6	97	338.7	162.3
Otoe	33	234.9	95.3	208	293.2	159.2
Pawnee	17	539.7	194.6	54	328.9	131.3
Perkins	6	181.8	92.9	53	314.2	186.1
Phelps	13	133.3	75.4	92	189.4	113.6
Pierce	25	324.7	155.3	97	245.7	133.9

TABLE 44: CANCER DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	50	163.4	135.2	251	165.2	138.4
Columbus	35	173.9	128.6	184	186.8	147.5
Balance of Co.	15	150.2	149.5	67	131.1	120.5
Polk	13	236.4	97.4	76	269.3	137.7
Red Willow	31	267.2	160.2	139	234.8	145.5
Richardson	25	260.4	135.3	161	328.7	169.2
Rock	6	307.7	186.2	27	266.8	177.8
Saline	35	277.8	163.8	176	277.3	170.5
Sarpy	99	92.5	148.7	528	101.8	172.0
Bellevue	41	121.5	150.3	211	132.3	169.9
Balance of Co.	58	78.6	144.2	317	87.6	174.7
Saunders	41	224.7	145.6	211	229.9	147.3
Scotts Bluff	97	270.2	186.5	394	218.1	151.0
Scottsbluff	51	375.6	262.8	165	241.5	163.9
Balance of Co.	46	211.4	140.2	229	207.0	141.7
Seward	32	207.8	141.5	156	200.9	145.4
Sheridan	19	290.1	129.8	87	257.4	122.9
Sherman	8	219.2	114.6	47	253.8	132.7
Sioux	2	133.3	56.3	19	246.8	156.7
Stanton	15	241.9	181.6	51	161.9	130.7
Thayer	11	170.5	69.3	110	333.5	156.0
Thomas	5	588.2	423.7	12	279.0	207.9
Thurston	11	157.1	107.6	73	209.0	159.7
Valley	19	372.5	150.9	72	277.8	127.7
Washington	39	232.8	176.3	165	198.9	145.0
Wayne	15	159.6	110.1	70	147.9	108.4
Webster	12	289.2	133.5	81	382.5	166.5
Wheeler	0	-	-	6	125.1	78.8
York	41	284.7	197.7	166	228.7	152.5
United States, 1989:	496,152	201.0	171.9			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health.

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 5

CEREBROVASCULAR DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 28.8
28.9 to 37.1
37.2 to 44.0
44.1 to 79.5

TABLE 45: CEREBROVASCULAR DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993

COUNTY	1993 TOTAL DEATHS	1993 CRUDE RATE*	1993 AGE-ADJUSTED RATE**	1989-1993 TOTAL DEATHS	1989-1993 CRUDE RATE*	1989-1993 AGE-ADJUSTED RATE**
STATE	1,134	71.3	39.5	5,437	68.4	38.8
Adams	23	78.0	42.7	131	88.2	41.2
Hastings	20	87.8	44.0	109	95.5	40.6
Balance of Co.	3	45.9	33.7	22	65.6	42.5
Antelope	10	129.0	47.4	44	110.8	42.0
Arthur	1	222.2	91.6	1	43.3	19.9
Banner	1	117.6	141.4	2	45.4	44.2
Blaine	0	-	-	0	-	-
Boone	4	61.1	34.1	37	111.2	42.7
Box Butte	9	69.2	27.8	39	59.0	33.1
Boyd	3	111.1	22.3	17	120.7	37.0
Brown	4	114.3	28.6	20	111.4	37.1
Buffalo	27	71.1	40.7	127	67.6	41.3
Kearney	16	63.1	34.1	71	57.4	37.0
Balance of Co.	11	85.4	47.5	56	86.2	46.7
Burt	12	155.8	57.8	63	159.8	50.5
Butler	11	129.4	46.1	43	99.3	32.5
Cass	3	13.9	7.3	46	42.6	27.8
Cedar	10	101.0	32.9	63	124.9	45.3
Chase	0	-	-	22	100.8	45.8
Cherry	5	80.6	35.9	25	80.0	37.1
Cheyenne	10	106.4	53.5	18	37.8	18.2
Clay	10	142.9	45.4	27	75.6	28.0
Colfax	3	33.0	8.9	53	116.8	43.7
Cuming	15	150.0	49.7	55	107	36.7
Custer	13	108.8	49.3	63	103.5	40.8
Dakota	17	100.0	64.9	66	77.9	51.6
Dawes	3	33.7	25.4	35	77.7	45.9
Dawson	12	57.4	27.0	74	73.1	39.8
Deuel	3	137.9	73.9	9	81.0	37.2
Dixon	6	100.0	44.1	36	117.5	41.8
Dodge	32	94.1	37.7	151	87.8	37.3
Fremont	27	114.5	48.0	111	93.9	41.6
Balance of Co.	5	47.6	17.2	40	74.7	28.7
Douglas	245	57.9	44.0	1,114	53.0	40.6
Omaha	232	67.8	45.8	1,040	61.5	41.7
Balance of Co.	13	16.2	31.1	74	18.4	35.2
Dundy	2	80.0	22.7	12	93.5	39.5
Fillmore	9	129.5	29.9	35	98.4	35.2
Franklin	1	26.3	3.6	22	113.5	24.5
Frontier	1	33.3	16.6	10	64.7	29.3
Furnas	5	93.5	41.2	31	112.9	25.7
Gage	25	111.1	45.2	117	103.1	39.9
Beatrice	11	90.2	28.2	68	110.6	37.7
Balance of Co.	14	138.6	69.7	49	94.9	44.6

TABLE 45: CEREBROVASCULAR DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	1	42.6	7.4	9	73.1	29.2
Garfield	1	48.2	16.4	13	123.6	36.2
Gosper	0	-	-	10	102.8	40.7
Grant	2	266.7	154.3	3	78.6	38.0
Greeley	3	101.7	41.8	23	152.3	53.2
Hall	39	78.9	43.6	184	74.8	45.0
Grand Island	33	80.0	44.0	153	76.5	45.9
Balance of Co.	6	74.6	42.7	31	68.6	44.1
Hamilton	10	113.6	56.9	40	90.2	42.7
Harlan	3	81.1	31.8	12	63.3	21.8
Hayes	1	83.3	103.8	1	16.6	18.6
Hitchcock	1	27.0	5.3	11	58.7	19.2
Holt	10	80.0	29.3	66	104.4	46.9
Hooker	2	275.9	51.8	5	122.9	30.5
Howard	9	151.3	49.3	44	145.0	54.0
Jefferson	7	82.4	28.5	33	75.7	27.9
Johnson	2	44.0	8.9	23	99.0	29.9
Kearney	3	45.8	32.2	18	54.5	28.7
Keith	4	47.3	20.2	31	72.9	37.8
Keya Paha	3	307.7	119.1	6	117.6	46.9
Kimball	3	75.0	32.5	15	72.6	35.3
Knox	15	163.0	59.1	48	100.0	31.3
Lancaster	105	47.8	34.4	538	49.7	37.2
Lincoln	100	50.5	36.5	508	52.4	38.9
Balance of Co.	5	22.8	16.0	30	27.6	22.1
Lincoln	31	95.4	55.8	136	83.1	45.4
North Platte	23	104.3	56.8	100	89.2	44.1
Balance of Co.	8	86.2	51.6	36	74.3	50.0
Logan	2	235.3	88.8	7	158.1	79.5
Loup	1	153.8	57.7	3	87.4	46.4
McPherson	1	181.8	64.2	2	71.5	28.9
Madison	47	142.4	73.8	190	115.6	58.9
Norfolk	33	149.4	86.1	134	123.6	66.5
Balance of Co.	14	127.8	52.3	56	100.9	45.8
Merrick	6	75.9	29.4	22	54.6	17.9
Morrill	6	113.2	32.8	23	84.6	38.0
Nance	4	95.2	30.5	24	112.5	38.2
Nemaha	9	113.9	41.6	35	87.4	34.4
Nuckolls	9	162.2	62.2	29	101.3	37.8
Otoe	18	128.1	42.1	54	76.1	25.0
Pawnee	5	158.7	30.5	15	91.4	20.5
Perkins	2	60.6	23.2	17	100.8	31.5
Phelps	7	71.8	39.4	47	96.8	40.5
Pierce	15	194.8	82.4	52	131.7	55.9

TABLE 45: CEREBROVASCULAR DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	24	78.4	42.6	127	83.6	49.4
Columbus	21	104.3	49.9	101	102.6	53.8
Balance of Co.	3	30.0	21.2	26	50.9	37.9
Polk	12	218.2	50.4	51	180.7	44.2
Red Willow	1	8.6	5.8	35	59.1	32.5
Richardson	8	83.3	24.4	48	98.7	34.7
Rock	1	51.3	13.3	7	69.2	25.3
Saline	19	150.8	50.8	64	100.8	33.8
Sarpy	31	29.0	49.8	107	20.6	37.1
Bellevue	11	32.6	48.2	35	21.9	30.7
Balance of Co.	20	27.1	52.6	72	19.9	42.2
Saunders	19	104.1	47.9	87	94.8	44.1
Scotts Bluff	26	72.4	38.2	144	79.7	42.3
Scottsbluff	13	95.7	50.7	70	102.4	52.2
Balance of Co.	13	59.8	30.5	74	66.9	35.8
Seward	6	39.0	21.8	39	50.2	20.7
Sheridan	11	167.9	70.1	39	115.4	48.3
Sherman	2	54.8	26.3	12	64.8	23.5
Sioux	0	-	-	2	26.0	14.0
Stanton	2	32.3	14.0	15	47.6	33.2
Thayer	2	31.0	9.7	27	81.9	24.4
Thomas	0	-	-	1	23.3	39.9
Thurston	8	114.3	56.9	39	111.6	66.4
Valley	2	39.2	15.4	26	100.3	38.0
Washington	17	101.5	48.3	71	85.6	44.7
Wayne	6	63.8	32.3	26	55.0	23.9
Webster	4	96.4	18.6	22	103.9	22.9
Wheeler	1	105.3	87.6	4	83.4	54.8
York	10	69.4	31.0	47	64.8	27.9
United States, 1989:	145,551	59.0	43.9			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 6

PNEUMONIA DEATH RATES BY COUNTY OF RESIDENCE

NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 10.8
10.9 to 21.8
21.9 to 32.7
32.8 to 43.8

TABLE 46: PNEUMONIA DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	616	38.7	20.1	3,046	38.3	20.7
Adams	12	40.7	16.6	57	38.4	16.2
Hastings	11	48.3	17.0	50	43.8	17.3
Balance of Co.	1	15.3	11.9	7	20.9	12.1
Antelope	2	25.8	11.1	17	42.8	17.0
Arthur	1	222.2	144.4	1	43.3	24.7
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	14	213.7	75.3	29	87.2	31.1
Box Butte	6	46.2	19.3	32	48.4	19.4
Boyd	4	148.1	21.2	13	92.3	26.3
Brown	2	57.1	22.1	12	66.8	22.0
Buffalo	11	28.9	15.5	76	40.4	24.3
Kearney	7	27.6	18.6	52	42.1	28.6
Balance of Co.	4	31.1	12.2	24	36.9	18.7
Burt	5	64.9	15.5	32	81.2	23.2
Butler	4	47.1	9.8	16	37.0	10.9
Cass	10	46.2	30.4	36	33.3	19.1
Cedar	4	40.4	10.7	27	53.5	18.0
Chase	2	46.5	10.3	12	55.0	17.4
Cherry	3	48.4	23.5	9	28.8	11.4
Cheyenne	4	42.6	16.1	12	25.2	12.0
Clay	2	28.6	15.2	20	56.0	19.6
Colfax	7	76.9	18.9	32	70.5	22.6
Cuming	6	60.0	16.9	27	52.7	16.8
Custer	6	50.2	12.5	47	77.1	24.3
Dakota	6	35.3	17.0	33	39.0	25.4
Dawes	8	89.9	40.3	28	62.1	28.7
Dawson	3	14.4	7.9	46	45.4	20.8
Deuel	3	137.9	51.0	5	45.0	15.4
Dixon	7	116.7	42.0	19	62.0	18.9
Dodge	12	35.3	11.4	73	42.5	15.6
Fremont	8	33.9	12.6	52	44.0	17.1
Balance of Co.	4	38.1	8.1	21	39.2	12.7
Douglas	139	32.9	23.2	650	30.9	22.9
Omaha	126	36.8	23.0	596	35.3	23.1
Balance of Co.	13	16.2	31.3	54	13.4	26.4
Dundy	3	120.0	42.7	11	85.7	24.4
Fillmore	1	14.4	3.1	7	19.7	6.6
Franklin	4	105.3	18.9	10	51.6	15.8
Frontier	2	66.7	15.2	10	64.7	25.3
Furnas	6	112.1	30.4	24	87.4	22.3
Gage	19	84.4	36.1	75	66.1	22.7
Beatrice	12	98.4	32.9	53	86.2	24.4
Balance of Co.	7	69.3	42.1	22	42.6	19.4

TABLE 46: PNEUMONIA DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	3	127.7	29.6	8	65.0	16.3
Garfield	2	96.4	14.2	8	76.1	15.8
Gosper	1	52.6	21.2	11	113.1	35.5
Grant	0	-	-	1	26.2	21.4
Greeley	2	67.8	19.5	11	72.8	21.2
Hall	25	50.6	25.9	122	49.6	29.1
Grand Island	23	55.8	28.3	106	53.0	30.6
Balance of Co.	2	24.9	13.3	16	35.4	22.9
Hamilton	4	45.5	17.8	16	36.1	14.6
Harlan	2	54.1	36.1	7	36.9	14.3
Hayes	0	-	-	2	33.2	14.9
Hitchcock	2	54.1	15.6	8	42.7	16.5
Holt	6	48.0	17.8	29	45.9	20.7
Hooker	1	137.9	18.5	5	122.9	22.3
Howard	4	67.2	18.9	19	62.6	25.7
Jefferson	8	94.1	31.2	39	89.4	23.7
Johnson	3	65.9	16.0	20	86.1	22.2
Kearney	5	76.3	26.3	24	72.7	29.0
Keith	0	-	-	16	37.6	20.1
Keya Paha	1	102.6	34.6	1	19.6	7.4
Kimball	1	25.0	8.0	8	38.7	14.8
Knox	6	65.2	18.6	24	50.0	14.8
Lancaster	54	24.6	17.4	235	21.7	16.5
Lincoln	46	23.2	16.6	215	22.2	16.7
Balance of Co.	8	36.6	30.0	20	18.4	16.3
Lincoln	11	33.8	20.2	75	45.8	25.0
North Platte	9	40.8	21.6	63	56.2	28.1
Balance of Co.	2	21.5	13.5	12	24.8	16.1
Logan	0	-	-	0	-	-
Loup	0	-	-	1	29.1	13.6
McPherson	1	181.8	63.8	1	35.8	13.6
Madison	15	45.5	20.9	46	28.0	14.3
Norfolk	5	22.6	11.0	21	19.4	10.4
Balance of Co.	10	91.3	36.7	25	45.0	20.3
Merrick	5	63.3	25.5	33	81.9	28.1
Morrill	3	56.6	23.3	14	51.5	23.6
Nance	8	190.5	120.5	19	89.1	43.8
Nemaha	4	50.6	14.0	24	60.0	22.7
Nuckolls	4	72.1	26.1	21	73.3	20.0
Otoe	7	49.8	16.1	54	76.1	24.1
Pawnee	4	127.0	21.1	6	36.5	9.7
Perkins	1	30.3	43.5	9	53.4	21.6
Phelps	8	82.1	42.0	24	49.4	17.6
Pierce	2	26.0	8.6	27	68.4	26.1

TABLE 46: PNEUMONIA DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	8	26.1	14.2	45	29.6	17.6
Columbus	6	29.8	13.2	38	38.6	20.6
Balance of Co.	2	20.0	15.4	7	13.7	10.3
Polk	1	18.2	3.1	7	24.8	10.5
Red Willow	6	51.7	23.8	31	52.4	23.1
Richardson	3	31.3	5.6	26	53.1	14.1
Rock	0	-	-	5	49.4	19.7
Saline	6	47.6	18.1	28	44.1	14.8
Sarpy	17	15.9	27.8	88	17.0	30.4
Bellevue	6	17.8	26.8	36	22.6	33.1
Balance of Co.	11	14.9	29.9	52	14.4	29.1
Saunders	7	38.4	15.1	36	39.2	17.0
Scotts Bluff	5	13.9	6.1	75	41.5	21.0
Scottsbluff	1	7.4	2.6	27	39.5	17.2
Balance of Co.	4	18.4	8.2	48	43.4	23.5
Seward	6	39.0	23.3	26	33.5	17.2
Sheridan	2	30.5	7.2	15	44.4	14.6
Sherman	5	137.0	50.6	21	113.4	40.2
Sioux	0	-	-	1	13.0	9.0
Stanton	6	96.8	47.7	16	50.8	26.2
Thayer	1	15.5	2.2	23	69.7	20.3
Thomas	0	-	-	1	23.3	12.1
Thurston	1	14.3	5.8	17	48.7	37.7
Valley	2	39.2	10.4	14	54.0	15.8
Washington	5	29.9	18.4	34	41.0	21.1
Wayne	1	10.6	6.1	9	19.0	9.1
Webster	6	144.6	40.3	32	151.1	42.0
Wheeler	0	-	-	2	41.7	21.4
York	7	48.6	16.8	28	38.6	15.3
United States, 1989:	74,957	30.4	21.9			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 7

ACCIDENTAL DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 29.8
29.9 to 40.7
40.8 to 59.3
59.4 to 173.0

TABLE 47: ACCIDENTAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	610	38.4	33.2	2,941	37.0	32.2
Adams	11	37.3	25.5	54	36.4	26.8
Hastings	9	39.5	25.3	46	40.3	27.6
Balance of Co.	2	30.6	27.2	8	23.9	22.7
Antelope	6	77.4	76.0	23	57.9	48.2
Arthur	0	-	-	0	-	-
Banner	0	-	-	1	22.7	18.5
Blaine	0	-	-	2	60.2	26.5
Boone	3	45.8	44.1	11	33.1	26.3
Box Butte	5	38.5	26.3	39	59.0	59.4
Boyd	2	74.1	38.4	6	42.6	58.0
Brown	3	85.7	142.3	14	78.0	82.5
Buffalo	19	50.0	39.6	75	39.9	33.1
Kearney	9	35.5	24.1	44	35.6	30.3
Balance of Co.	10	77.7	84.8	31	47.7	50.0
Burt	6	77.9	55.8	18	45.7	36.3
Butler	4	47.1	64.4	21	48.5	43.4
Cass	9	41.6	33.2	45	41.6	37.0
Cedar	4	40.4	29.9	25	49.6	36.6
Chase	1	23.3	14.3	7	32.1	29.1
Cherry	8	129.0	225.4	26	83.2	99.6
Cheyenne	2	21.3	49.3	20	42.0	39.6
Clay	2	28.6	6.4	22	61.6	56.9
Colfax	7	76.9	67.0	19	41.9	35.9
Cuming	7	70.0	61.7	38	74.2	75.8
Custer	10	83.7	51.3	42	68.9	62.7
Dakota	6	35.3	38.0	33	39.0	38.1
Dawes	4	44.9	33.6	12	26.6	21.0
Dawson	14	67.0	93.9	48	47.4	45.6
Deuel	0	-	-	4	36.0	24.5
Dixon	2	33.3	22.8	9	29.4	21.1
Dodge	13	38.2	32.8	64	37.2	32.7
Fremont	7	29.7	19.5	41	34.7	28.9
Balance of Co.	6	57.1	82.8	23	42.9	43.7
Douglas	118	27.9	25.3	600	28.5	25.8
Omaha	106	31.0	27.1	524	31.0	26.8
Balance of Co.	12	15.0	17.7	76	18.9	25.0
Dundy	2	80.0	96.5	13	101.3	119.8
Fillmore	7	100.7	44.5	22	61.9	44.0
Franklin	2	52.6	33.4	10	51.6	43.4
Frontier	1	33.3	25.2	5	32.4	20.4
Furnas	0	-	-	19	69.2	60.4
Gage	13	57.8	56.6	62	54.7	44.9
Beatrice	8	65.6	79.2	34	55.3	45.4
Balance of Co.	5	49.5	36.1	28	54.2	45.5

TABLE 47: ACCIDENTAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	2	85.1	28.9	7	56.9	64.1
Garfield	4	192.8	82.6	8	76.1	52.4
Gosper	2	105.3	67.3	5	51.4	26.2
Grant	1	133.3	110.6	4	104.7	173.0
Greeley	1	33.9	47.2	9	59.6	45.6
Hall	22	44.5	37.3	98	39.8	36.7
Grand Island	13	31.5	24.4	76	38.0	33.9
Balance of Co.	9	111.8	104.5	22	48.7	48.8
Hamilton	5	56.8	35.9	34	76.6	55.2
Harlan	4	108.1	49.5	12	63.3	31.2
Hayes	0	-	-	4	66.4	112.4
Hitchcock	3	81.1	48.9	10	53.3	42.0
Holt	2	16.0	16.3	31	49.1	56.1
Hooker	0	-	-	2	49.2	43.1
Howard	7	117.6	101.3	24	79.1	70.2
Jefferson	4	47.1	61.0	24	55.0	48.4
Johnson	0	-	-	13	56.0	59.7
Kearney	7	106.9	101.3	27	81.7	70.5
Keith	1	11.8	6.0	24	56.4	62.2
Keya Paha	0	-	-	1	19.6	8.2
Kimball	4	100.0	213.6	12	62.9	57.5
Knox	9	97.8	75.1	37	77.1	70.9
Lancaster	53	24.1	21.9	284	26.3	23.1
Lincoln	45	22.7	19.8	239	24.6	21.4
Balance of Co.	8	36.6	43.9	45	41.4	40.9
Lincoln	6	18.5	20.2	50	30.6	31.0
North Platte	3	13.6	11.0	28	25.0	24.6
Balance of Co.	3	32.3	45.7	22	45.4	48.7
Logan	0	-	-	2	45.2	22.0
Loup	0	-	-	1	29.1	145.2
McPherson	0	-	-	1	35.8	38.8
Madison	22	66.7	65.6	67	40.8	38.3
Norfolk	12	54.3	44.0	38	35.1	32.6
Balance of Co.	10	91.3	138.8	29	52.2	50.3
Merrick	6	75.9	88.4	22	54.6	53.0
Morrill	3	56.6	46.0	15	55.2	52.5
Nance	3	71.4	15.7	11	51.6	29.9
Nemaha	3	38.0	35.4	18	45.0	38.0
Nuckolls	5	90.1	139.5	17	59.4	61.9
Otoe	6	42.7	35.3	32	45.1	36.0
Pawnee	1	31.7	29.2	8	48.7	40.8
Perkins	0	-	-	4	23.7	23.8
Phelps	4	41.0	40.1	19	39.1	36.2
Pierce	6	77.9	40.8	30	76.0	65.1

TABLE 47: ACCIDENTAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	12	39.2	33.4	60	39.5	37.4
Columbus	5	24.8	20.2	35	35.5	30.5
Balance of Co.	7	70.1	61.7	25	48.9	50.5
Polk	2	36.4	13.3	11	39.0	27.4
Red Willow	4	34.5	30.6	19	32.1	25.2
Richardson	7	72.9	72.8	26	53.1	42.9
Rock	2	102.6	70.6	6	59.3	98.2
Saline	5	39.7	32.7	34	53.6	43.5
Sarpy	17	15.9	22.1	88	17.0	21.2
Bellevue	5	14.8	20.5	26	16.3	18.7
Balance of Co.	12	16.3	22.9	62	17.1	22.4
Saunders	8	43.8	33.7	36	39.2	34.6
Scotts Bluff	16	44.6	36.3	64	36.0	33.3
Scottsbluff	5	36.8	29.4	24	35.1	31.2
Balance of Co.	11	50.6	38.2	40	36.2	33.8
Seward	7	45.5	42.9	32	41.2	36.0
Sheridan	5	76.3	98.6	21	62.1	67.8
Sherman	2	54.8	45.2	16	86.4	73.8
Sioux	1	66.7	51.1	3	39.0	36.3
Stanton	1	16.1	12.9	8	25.4	27.4
Thayer	3	46.5	64.4	17	51.5	43.6
Thomas	1	117.6	84.9	2	46.5	35.0
Thurston	8	114.3	129.8	27	77.3	82.3
Valley	4	78.4	45.4	14	54.0	49.1
Washington	6	35.8	24.1	24	28.9	27.2
Wayne	3	31.9	35.4	14	29.6	22.3
Webster	2	48.2	18.3	15	70.8	65.4
Wheeler	1	105.3	87.6	3	62.5	53.4
York	6	41.7	37.4	25	34.4	29.2
United States, 1989:	95,028	38.5	35.0			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 8

CHRONIC LUNG DISEASE DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 10.0
10.1 to 20.2
20.3 to 30.3
30.4 to 40.6

TABLE 48: CHRONIC LUNG DISEASE DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	537	33.8	23.1	2,469	31.1	21.2
Adams	5	16.9	9.3	31	20.9	12.3
Hastings	5	22.0	11.5	29	25.4	14.7
Balance of Co.	0	-	-	2	6.0	3.4
Antelope	2	25.8	13.5	12	30.2	12.3
Arthur	0	-	-	1	43.3	24.5
Banner	0	-	-	2	45.4	32.1
Blaine	0	-	-	1	30.1	23.8
Boone	0	-	-	13	39.1	15.0
Box Butte	5	38.5	29.9	19	28.7	24.0
Boyd	1	37.0	19.2	2	14.2	7.4
Brown	2	57.1	29.9	12	66.8	27.5
Buffalo	12	31.6	25.5	39	20.8	17.4
Kearney	9	35.5	31.5	28	22.7	21.5
Balance of Co.	3	23.3	17.5	11	16.9	12.0
Burt	2	26.0	12.8	13	33.0	14.7
Butler	1	11.8	4.7	12	27.7	11.2
Cass	9	41.6	32.0	33	30.5	23.3
Cedar	3	30.3	14.0	26	51.6	21.2
Chase	1	23.3	11.1	10	45.8	22.6
Cherry	3	48.4	26.7	11	35.2	20.1
Cheyenne	4	42.6	25.5	24	50.4	28.3
Clay	2	28.6	24.1	11	30.8	17.8
Colfax	1	11.0	3.9	7	15.4	6.4
Cuming	0	-	-	9	17.6	9.3
Custer	4	33.5	12.5	31	50.8	21.8
Dakota	3	17.6	12.5	23	27.2	22.3
Dawes	2	22.5	12.4	19	42.2	26.7
Dawson	11	52.6	26.8	45	44.4	24.1
Deuel	2	92.0	58.4	3	27.0	14.1
Dixon	0	-	-	13	42.4	18.4
Dodge	16	47.1	24.0	69	40.1	19.7
Fremont	12	50.9	27.8	50	42.3	22.3
Balance of Co.	4	38.1	15.8	19	35.5	14.3
Douglas	129	30.5	26.1	585	27.8	24.3
Omaha	123	35.9	27.9	536	31.7	24.5
Balance of Co.	6	7.5	14.6	49	12.2	23.4
Dundy	0	-	-	4	31.2	13.9
Fillmore	3	43.2	18.7	13	36.6	17.2
Franklin	3	78.9	44.3	10	51.6	18.3
Frontier	1	33.3	16.6	6	38.8	19.7
Furnas	7	130.8	50.8	23	83.8	28.3
Gage	11	48.9	24.3	49	43.2	20.8
Beatrice	8	65.6	31.1	38	61.8	26.2
Balance of Co.	3	29.7	17.5	11	21.3	12.7

TABLE 48: CHRONIC LUNG DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	2	85.1	36.2	14	113.7	40.5
Garfield	4	192.8	76.1	8	76.1	22.7
Gosper	0	-	-	1	10.3	4.4
Grant	0	-	-	0	-	-
Greeley	1	33.9	12.8	7	46.3	21.4
Hall	21	42.5	28.3	96	39.0	25.9
Grand Island	19	46.1	31.1	87	43.5	28.5
Balance of Co.	2	24.9	16.2	9	19.9	[illegible]
Hamilton	0	-	-	9	20.3	11.8
Harlan	1	27.0	9.7	6	31.6	15.8
Hayes	0	-	-	1	16.6	9.1
Hitchcock	0	-	-	4	21.3	9.4
Holt	3	24.0	18.8	15	23.7	14.7
Hooker	1	137.9	33.3	3	73.7	26.2
Howard	3	50.4	15.2	9	29.6	13.4
Jefferson	4	47.1	22.2	19	43.6	19.3
Johnson	1	22.0	7.1	5	21.5	8.9
Kearney	4	61.1	39.6	10	30.3	16.0
Keith	3	35.5	25.4	20	47.0	27.5
Keya Paha	0	-	-	0	-	-
Kimball	4	100.0	49.1	13	62.9	29.9
Knox	7	76.1	22.7	19	39.6	14.6
Lancaster	51	23.2	20.6	253	23.4	20.4
Lincoln	51	25.8	22.9	245	25.3	22.0
Balance of Co.	0	-	-	8	7.4	6.4
Lincoln	18	55.4	30.2	77	47.1	28.5
North Platte	13	59.0	28.7	57	50.9	28.4
Balance of Co.	5	53.9	33.6	20	41.3	28.2
Logan	0	-	-	1	22.6	12.9
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	16	48.5	28.6	59	35.9	22.8
Norfolk	13	58.9	35.3	41	37.8	26.1
Balance of Co.	3	27.4	16.6	18	32.4	17.7
Merrick	5	63.3	30.6	13	32.3	16.1
Morrill	5	94.3	54.8	14	51.5	28.1
Nance	1	23.8	15.6	10	46.9	24.2
Nemaha	5	63.3	27.6	24	60.0	30.3
Nuckolls	4	72.1	28.0	13	45.4	21.4
Otoe	7	49.8	24.2	20	28.2	13.1
Pawnee	1	31.7	5.3	5	30.5	11.6
Perkins	0	-	-	5	29.6	11.0
Phelps	6	61.5	34.9	30	61.8	35.2
Pierce	4	51.9	17.7	17	43.1	21.3

TABLE 48: CHRONIC LUNG DISEASE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	9	29.4	21.3	37	24.4	17.0
Columbus	6	29.8	21.0	28	28.4	18.2
Balance of Co.	3	30.0	23.1	9	17.6	14.4
Polk	1	18.2	3.1	4	14.2	4.5
Red Willow	9	77.6	42.3	26	43.9	25.8
Richardson	9	93.8	49.6	36	73.5	32.0
Rock	0	-	-	3	29.6	11.1
Saline	7	55.6	21.4	28	44.1	18.4
Sarpy	7	6.5	11.7	41	7.9	15.3
Bellevue	3	8.9	10.9	16	10.0	13.3
Balance of Co.	4	5.4	11.9	25	6.9	16.1
Saunders	2	11.0	7.5	25	27.2	14.5
Scotts Bluff	22	61.3	37.0	126	69.8	40.6
Scottsbluff	8	58.9	41.4	51	74.6	42.1
Balance of Co.	14	64.4	36.0	75	67.8	40.0
Seward	11	71.4	46.0	28	36.1	20.9
Sheridan	4	61.1	28.6	22	65.1	28.6
Sherman	4	109.6	56.2	10	54.0	23.7
Sioux	1	66.7	47.0	1	13.0	9.0
Stanton	1	16.1	17.6	2	6.4	7.0
Thayer	3	46.5	9.2	12	36.4	10.7
Thomas	0	-	-	1	23.3	17.0
Thurston	1	14.3	12.4	11	31.5	24.5
Valley	6	117.6	31.2	13	50.2	18.9
Washington	2	11.9	7.2	16	19.3	12.6
Wayne	8	85.1	66.0	18	38.0	25.8
Webster	1	24.1	11.2	9	42.5	21.0
Wheeler	0	-	-	2	41.7	28.0
York	2	13.9	8.1	17	23.4	13.1
United States, 1989:	60,249	24.4	19.5			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 9

DIABETES MELLITUS DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 13.4
13.5 to 27.0
27.1 to 40.6
40.7 to 54.3

TABLE 49: DIABETES MELLITUS DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	281	17.7	12.2	1,344	16.9	11.9
Adams	4	13.6	10.0	19	12.8	8.2
Hastings	3	13.2	10.0	15	13.1	7.6
Balance of Co.	1	15.3	11.9	4	11.9	9.4
Antelope	7	90.3	49.9	18	45.3	25.6
Arthur	0	-	-	0	-	-
Banner	0	-	-	1	22.7	12.0
Blaine	0	-	-	0	-	-
Boone	2	30.5	22.8	7	21.0	10.8
Box Butte	2	15.4	7.5	8	12.1	9.9
Boyd	0	-	-	3	21.3	8.5
Brown	0	-	-	2	11.1	5.8
Buffalo	2	5.3	2.8	25	13.3	10.5
Kearney	2	7.9	4.6	16	12.9	13.2
Balance of Co.	0	-	-	9	13.9	7.5
Burt	1	13.0	4.5	10	25.4	14.7
Butler	1	11.8	4.7	11	25.4	9.9
Cass	5	23.1	16.4	17	15.7	10.9
Cedar	4	40.4	21.3	18	35.7	19.8
Chase	0	-	-	3	13.7	6.2
Cherry	0	-	-	7	22.4	13.3
Cheyenne	3	31.9	15.2	17	35.7	17.0
Clay	2	28.6	9.8	3	8.4	3.3
Colfax	2	22.0	18.1	11	24.2	15.9
Cuming	0	-	-	3	5.9	2.6
Custer	3	25.1	16.4	12	19.7	8.1
Dakota	2	11.8	11.3	13	15.3	12.1
Dawes	3	33.7	12.5	6	13.3	6.5
Dawson	6	28.7	20.1	21	20.7	11.3
Deuel	0	-	-	8	72.0	26.6
Dixon	2	33.3	36.3	2	6.5	7.0
Dodge	6	17.6	10.2	26	15.1	8.3
Fremont	4	17.0	12.1	18	15.2	9.4
Balance of Co.	2	19.0	6.6	8	14.9	6.2
Douglas	68	16.1	14.3	307	14.6	13.2
Omaha	63	18.4	15.1	280	16.6	13.6
Balance of Co.	5	6.2	12.0	27	6.7	11.9
Dundy	1	40.0	14.8	5	39.0	25.1
Fillmore	2	28.8	10.1	10	28.1	9.3
Franklin	1	26.3	8.1	7	36.1	13.1
Frontier	0	-	-	5	32.4	18.8
Furnas	1	18.7	2.3	5	18.2	6.5
Gage	8	35.6	16.7	32	28.2	12.5
Beatrice	6	49.2	22.9	22	35.8	14.8
Balance of Co.	2	19.8	9.8	10	19.4	9.9

TABLE 49: DIABETES MELLITUS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	0	-	-
Garfield	1	48.2	26.8	3	28.5	17.1
Gosper	3	157.9	60.4	6	61.7	28.8
Grant	0	-	-	2	52.4	25.0
Greeley	0	-	-	1	6.6	4.2
Hall	10	20.2	14.6	43	17.5	12.0
Grand Island	8	19.4	14.5	36	18.0	12.6
Balance of Co.	2	24.9	16.2	7	15.5	10.1
Hamilton	5	56.8	26.3	13	29.3	14.8
Harlan	0	-	-	5	26.4	15.9
Hayes	0	-	-	1	16.6	9.2
Hitchcock	1	27.0	5.3	5	26.7	14.8
Holt	2	16.0	7.5	11	17.4	10.0
Hooker	2	275.9	37.0	2	49.2	7.6
Howard	2	33.6	7.5	8	26.4	15.9
Jefferson	0	-	-	3	6.9	4.9
Johnson	1	22.0	12.0	10	43.1	20.6
Kearney	2	30.5	11.2	6	18.2	10.4
Keith	2	23.7	11.5	12	28.2	19.3
Keya Paha	0	-	-	0	-	-
Kimball	1	25.0	10.9	4	19.4	8.4
Knox	0	-	-	10	20.8	8.6
Lancaster	31	14.1	11.6	157	14.5	12.3
Lincoln	29	14.6	12.0	147	15.2	12.7
Balance of Co.	2	9.1	9.3	10	9.2	8.8
Lincoln	5	15.4	8.9	33	20.2	13.2
North Platte	5	22.7	12.2	26	23.2	14.3
Balance of Co.	0	-	-	7	14.4	10.5
Logan	0	-	-	3	67.8	54.3
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	8	24.2	17.7	35	21.3	15.1
Norfolk	6	27.2	19.9	25	23.1	17.8
Balance of Co.	2	18.3	15.0	10	18.0	10.6
Merrick	0	-	-	6	14.9	7.3
Morrill	1	18.9	12.9	5	18.4	11.2
Nance	0	-	-	1	4.7	3.6
Nemaha	2	25.3	8.6	11	27.5	13.2
Nuckolls	0	-	-	5	17.5	5.1
Otoe	2	14.2	4.4	13	18.3	7.1
Pawnee	0	-	-	1	6.1	1.1
Perkins	0	-	-	2	11.9	5.9
Phelps	6	61.5	25.4	20	41.2	21.1
Pierce	1	13.0	8.2	3	7.6	3.4

TABLE 49: DIABETES MELLITUS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	6	19.6	14.9	20	13.2	10.8
Columbus	5	24.8	16.9	18	18.3	14.3
Balance of Co.	1	10.0	9.5	2	3.9	3.4
Polk	3	54.5	27.7	6	21.3	10.0
Red Willow	3	25.9	14.4	15	25.3	14.6
Richardson	2	20.8	7.5	10	20.4	8.4
Rock	0	-	-	1	9.9	4.1
Saline	2	15.9	8.1	13	20.5	10.6
Sarpy	7	6.5	10.9	24	4.6	8.2
Bellevue	4	11.9	16.6	10	6.3	8.4
Balance of Co.	3	4.1	7.3	14	3.9	8.2
Saunders	2	11.0	5.5	21	22.9	14.4
Scotts Bluff	14	39.0	23.5	55	30.4	20.3
Scottsbluff	4	29.5	13.7	28	41.0	28.1
Balance of Co.	10	46.0	29.0	27	24.4	15.6
Seward	2	13.0	5.2	12	15.5	8.6
Sheridan	0	-	-	8	23.7	11.9
Sherman	0	-	-	1	5.4	1.5
Sioux	0	-	-	0	-	-
Stanton	3	48.4	46.9	4	12.7	10.7
Thayer	0	-	-	9	27.3	14.8
Thomas	0	-	-	0	-	-
Thurston	2	28.6	19.9	12	34.3	31.9
Valley	0	-	-	9	34.7	12.9
Washington	4	23.9	15.9	19	22.9	15.8
Wayne	1	10.6	6.1	5	10.6	5.1
Webster	0	-	-	3	14.2	9.2
Wheeler	1	105.3	53.6	1	20.8	11.3
York	3	20.8	16.8	14	19.3	12.8
United States, 1989:	46,833	19.0	15.5			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 10

ATHEROSCLEROSIS DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 12.2
12.3 to 24.5
24.6 to 36.8
36.9 to 49.2

TABLE 50: ATHEROSCLEROSIS DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	241	15.2	7.3	1,098	13.8	6.9
Adams	5	16.9	10.0	14	9.4	4.0
Hastings	4	17.6	11.3	10	8.8	3.8
Balance of Co.	1	15.3	7.1	4	11.9	6.3
Antelope	0	-	-	13	32.7	14.6
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	1	15.3	6.5	3	9.0	3.8
Box Butte	0	-	-	4	6.0	2.4
Boyd	0	-	-	2	14.2	3.5
Brown	0	-	-	0	-	-
Buffalo	1	2.6	1.0	12	6.4	3.6
Kearney	1	3.9	1.6	4	3.2	2.2
Balance of Co.	0	-	-	8	12.3	5.8
Burt	4	51.9	12.8	14	35.5	11.7
Butler	4	47.1	14.4	17	39.3	12.3
Cass	1	4.6	3.1	7	6.5	4.0
Cedar	4	40.4	10.7	11	21.8	7.0
Chase	2	46.5	10.3	4	18.3	6.6
Cherry	0	-	-	1	3.2	0.9
Cheyenne	0	-	-	1	2.1	0.8
Clay	0	-	-	3	8.4	4.2
Colfax	0	-	-	5	11.0	3.1
Cuming	1	10.0	8.7	2	3.9	3.3
Custer	1	8.4	4.9	5	8.2	4.8
Dakota	3	17.6	9.5	12	14.2	7.5
Dawes	0	-	-	3	6.7	3.0
Dawson	12	57.4	25.1	44	43.5	18.2
Deuel	0	-	-	1	9.0	3.2
Dixon	2	33.3	6.2	9	29.4	5.8
Dodge	13	38.2	9.4	46	26.8	8.5
Fremont	8	33.9	9.0	27	22.8	8.1
Balance of Co.	5	47.6	10.1	19	35.5	9.0
Douglas	59	13.9	9.2	234	11.1	7.5
Omaha	55	16.1	9.2	221	13.1	7.6
Balance of Co.	4	5.0	9.3	13	3.2	6.4
Dundy	0	-	-	1	7.8	1.6
Fillmore	0	-	-	2	5.6	1.6
Franklin	0	-	-	3	15.5	8.1
Frontier	0	-	-	6	38.8	16.0
Furnas	1	18.7	2.3	8	29.1	5.6
Gage	5	22.2	8.3	30	26.4	10.4
Beatrice	2	16.4	9.7	14	22.8	9.2
Balance of Co.	3	29.7	8.6	16	31.0	13.0

TABLE 50: ATHEROSCLEROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	0	-	-
Garfield	0	-	-	6	57.1	11.1
Gosper	0	-	-	1	10.3	4.4
Grant	0	-	-	0	-	-
Greeley	0	-	-	3	19.9	6.5
Hall	7	14.2	6.8	30	12.2	5.6
Grand Island	7	17.0	7.9	26	13.0	5.8
Balance of Co.	0	-	-	4	8.8	5.4
Hamilton	1	11.4	3.1	3	6.8	1.9
Harlan	2	54.1	11.5	9	47.5	16.2
Hayes	0	-	-	0	-	-
Hitchcock	1	27.0	10.3	5	26.7	7.5
Holt	1	8.0	5.4	18	28.5	11.1
Hooker	0	-	-	2	49.2	15.8
Howard	0	-	-	1	3.3	0.8
Jefferson	1	11.8	3.9	2	4.6	1.3
Johnson	13	285.7	68.5	41	176.5	49.2
Kearney	0	-	-	2	6.1	1.6
Keith	5	59.2	22.4	33	77.6	33.7
Keya Paha	0	-	-	0	-	-
Kimball	2	50.0	18.9	8	38.7	14.8
Knox	1	10.9	1.9	5	10.4	2.7
Lancaster	26	11.8	7.8	135	12.5	8.6
Lincoln	26	13.1	8.6	119	12.3	8.4
Balance of Co.	0	-	-	16	14.7	11.5
Lincoln	0	-	-	6	3.7	1.6
North Platte	0	-	-	1	0.9	0.5
Balance of Co.	0	-	-	5	10.3	6.4
Logan	0	-	-	0	-	-
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	6	18.2	8.8	14	8.5	3.7
Norfolk	5	22.6	12.7	7	6.5	3.5
Balance of Co.	1	9.1	2.5	7	12.6	4.0
Merrick	0	-	-	0	-	-
Morrill	3	56.6	25.1	11	40.5	15.9
Nance	0	-	-	3	14.1	4.2
Nemaha	0	-	-	5	12.5	4.9
Nuckolls	0	-	-	0	-	-
Otoe	0	-	-	8	11.3	4.4
Pawnee	0	-	-	3	18.3	4.6
Perkins	0	-	-	7	41.5	12.3
Phelps	2	20.5	7.0	10	20.6	6.2
Pierce	1	13.0	5.4	5	12.7	4.2

TABLE 50: ATHEROSCLEROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	5	16.3	8.5	18	11.8	6.3
Columbus	5	24.8	11.4	14	14.2	5.9
Balance of Co.	0	-	-	4	7.8	6.3
Polk	1	18.2	3.1	5	17.7	3.8
Red Willow	3	25.9	9.5	21	35.5	15.7
Richardson	2	20.8	5.6	13	26.5	9.0
Rock	0	-	-	1	9.9	2.8
Saline	0	-	-	11	17.3	4.5
Sarpy	2	1.9	3.9	8	1.5	3.1
Bellevue	1	3.0	4.6	3	1.9	2.7
Balance of Co.	1	1.4	3.3	5	1.4	3.6
Saunders	4	21.9	9.7	14	15.3	7.6
Scotts Bluff	6	16.7	6.5	34	18.8	8.4
Scottsbluff	5	36.8	13.1	19	27.8	11.2
Balance of Co.	1	4.6	2.4	15	13.6	6.5
Seward	5	32.5	9.3	15	19.3	7.3
Sheridan	3	45.8	21.7	11	32.5	10.5
Sherman	1	27.4	7.7	1	5.4	1.5
Sioux	0	-	-	0	-	-
Stanton	1	16.1	7.0	1	3.2	1.4
Thayer	3	46.5	6.5	12	36.4	9.2
Thomas	0	-	-	0	-	-
Thurston	1	14.3	11.2	3	8.6	6.0
Valley	1	19.6	4.3	6	23.1	7.3
Washington	9	53.7	31.1	19	22.9	12.4
Wayne	3	31.9	9.8	10	21.1	8.0
Webster	0	-	-	0	-	-
Wheeler	0	-	-	0	-	-
York	0	-	-	2	2.8	0.9
United States, 1989:	19,357	7.8	5.4			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 11

SUICIDE DEATH RATES BY COUNTY OF RESIDENCE
NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 13.3
13.4 to 26.8
26.9 to 40.2
40.3 to 53.8

TABLE 51: SUICIDE DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	170	10.7	10.1	938	11.8	11.1
Adams	9	30.5	28.8	23	15.5	15.0
Hastings	7	30.7	29.2	19	16.7	16.2
Balance of Co.	2	30.6	25.1	4	11.9	10.2
Antelope	1	12.9	43.9	4	10.1	13.0
Arthur	0	-	-	0	-	-
Banner	0	-	-	1	22.7	31.9
Blaine	0	-	-	0	-	-
Boone	0	-	-	0	-	-
Box Butte	1	7.7	8.6	7	10.6	14.7
Boyd	1	37.0	60.5	2	14.2	44.3
Brown	1	28.6	22.9	3	16.7	15.3
Buffalo	5	13.2	10.2	23	12.2	10.8
Kearney	2	7.9	5.2	10	8.1	8.2
Balance of Co.	3	23.3	31.4	13	20.0	19.9
Burt	2	26.0	62.3	5	12.7	14.8
Butler	0	-	-	5	11.5	11.8
Cass	0	-	-	15	13.9	13.1
Cedar	2	20.2	31.4	6	11.9	12.6
Chase	1	23.3	17.6	4	18.3	23.3
Cherry	0	-	-	1	3.2	2.1
Cheyenne	1	10.6	13.9	6	12.6	13.2
Clay	1	14.3	11.5	6	16.8	18.7
Colfax	0	-	-	6	13.2	8.3
Cuming	2	20.0	18.9	5	9.8	7.7
Custer	2	16.7	13.7	4	6.6	6.4
Dakota	1	5.9	3.8	13	15.3	14.2
Dawes	1	11.2	8.7	5	11.1	7.6
Dawson	1	4.8	5.7	16	15.8	17.9
Deuel	0	-	-	0	-	-
Dixon	1	16.7	26.0	3	9.8	9.3
Dodge	1	2.9	2.2	14	8.1	7.3
Fremont	1	4.2	3.2	12	10.1	9.1
Balance of Co.	0	-	-	2	3.7	3.3
Douglas	43	10.2	9.3	248	11.8	11.0
Omaha	39	11.4	10.2	222	13.1	11.8
Balance of Co.	4	5.0	7.9	26	6.5	8.2
Dundy	0	-	-	2	15.6	6.0
Fillmore	2	28.8	35.8	4	11.3	11.4
Franklin	0	-	-	3	15.5	15.5
Frontier	0	-	-	1	6.5	6.7
Furnas	2	37.4	10.5	8	29.1	16.7
Gage	2	8.9	8.8	8	7.1	8.2
Beatrice	2	16.4	17.6	8	13.0	15.2
Balance of Co.	0	-	-	0	-	-

TABLE 51: SUICIDE DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	2	85.1	154.6	2	16.2	26.1
Garfield	0	-	-	4	38.0	47.5
Gosper	0	-	-	1	10.3	8.7
Grant	0	-	-	1	26.2	18.5
Greeley	1	33.9	6.8	2	13.2	7.4
Hall	5	10.1	10.0	32	13.0	11.3
Grand Island	4	9.7	10.2	27	13.5	12.3
Balance of Co.	1	12.4	8.9	5	11.1	8.2
Hamilton	2	22.7	15.7	6	13.5	11.8
Harlan	0	-	-	4	21.1	31.6
Hayes	0	-	-	0	-	-
Hitchcock	0	-	-	2	10.7	6.6
Holt	1	8.0	4.0	7	11.1	12.5
Hooker	0	-	-	0	-	-
Howard	1	16.8	10.7	7	23.1	17.6
Jefferson	1	11.8	3.9	6	13.8	14.9
Johnson	0	-	-	2	8.6	5.6
Kearney	2	30.5	29.0	8	24.2	22.3
Keith	0	-	-	5	11.8	12.7
Keya Paha	0	-	-	0	-	-
Kimball	2	50.0	27.5	5	24.2	14.0
Knox	0	-	-	1	2.1	6.2
Lancaster	32	14.6	12.6	145	13.5	11.9
Lincoln	27	13.6	12.2	132	13.6	12.1
Balance of Co.	5	22.8	21.6	13	12.0	12.2
Lincoln	2	6.2	6.7	18	11.0	12.0
North Platte	2	9.1	9.7	17	15.2	16.5
Balance of Co.	0	-	-	1	2.1	1.4
Logan	0	-	-	0	-	-
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	4	12.1	8.5	20	12.2	11.7
Norfolk	1	4.5	3.8	13	12.0	10.7
Balance of Co.	3	27.4	18.3	7	12.6	14.6
Merrick	1	12.7	9.6	8	19.9	16.4
Morrill	0	-	-	1	3.7	9.8
Nance	0	-	-	4	18.8	16.9
Nemaha	1	12.7	17.8	6	15.0	14.7
Nuckolls	2	36.0	35.2	7	24.4	24.5
Otoe	0	-	-	7	9.9	11.7
Pawnee	0	-	-	2	12.2	10.6
Perkins	1	30.3	22.6	2	11.9	11.2
Phelps	0	-	-	6	12.4	8.8
Pierce	0	-	-	3	7.6	4.1

TABLE 51: SUICIDE DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	2	6.5	8.3	15	9.9	10.9
Columbus	1	5.0	3.7	11	11.2	12.0
Balance of Co.	1	10.0	19.7	4	7.8	9.8
Polk	0	-	-	1	3.5	4.2
Red Willow	2	17.2	18.0	7	11.8	10.1
Richardson	0	-	-	2	4.1	3.1
Rock	0	-	-	3	29.6	53.8
Saline	1	7.9	6.6	10	15.8	10.4
Sarpy	4	3.7	4.7	46	8.9	10.1
Bellevue	3	8.9	10.4	17	10.7	11.5
Balance of Co.	1	1.4	1.7	29	8.0	10.1
Saunders	1	5.5	4.4	9	9.8	8.8
Scotts Bluff	9	25.1	33.8	24	13.3	14.2
Scottsbluff	4	29.5	30.4	8	11.7	11.7
Balance of Co.	5	23.0	39.4	16	14.5	16.7
Seward	1	6.5	5.1	10	12.9	11.4
Sheridan	1	15.3	23.9	4	11.8	13.9
Sherman	0	-	-	4	21.6	21.7
Sioux	0	-	-	2	26.0	48.2
Stanton	0	-	-	1	3.2	3.7
Thayer	0	-	-	0	-	-
Thomas	1	117.6	83.8	1	23.3	17.1
Thurston	0	-	-	1	2.9	4.2
Valley	0	-	-	3	11.6	15.4
Washington	2	11.9	9.6	8	9.6	9.6
Wayne	1	10.6	8.7	5	10.6	8.6
Webster	2	48.2	14.2	5	23.6	16.7
Wheeler	0	-	-	1	20.8	19.3
York	0	-	-	1	1.4	2.3
United States, 1989:	30,232	12.3	11.0			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

MAP 12

NEPHRITIS–NEPHROSIS DEATH RATES BY COUNTY OF RESIDENCE

NEBRASKA, 1989–1993


Age Adjusted Rate
0.0 to 5.5
5.6 to 11.2
11.3 to 16.8
16.9 to 22.6

TABLE 52: NEPHRITIS AND NEPHROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
STATE	162	10.2	6.0	820	10.4	6.2
Adams	1	3.4	2.5	14	9.5	5.6
Hastings	1	4.4	3.3	12	10.5	5.7
Balance of Co.	0	-	-	2	6.0	4.5
Antelope	1	12.9	3.0	7	17.7	6.2
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	1	30.5	13.2
Boone	2	31.0	7.0	7	21.2	6.2
Box Butte	2	15.4	7.5	11	16.8	9.9
Boyd	0	-	-	2	14.4	3.5
Brown	1	29.1	10.5	5	27.9	7.9
Buffalo	1	2.6	1.0	13	6.9	4.2
Kearney	1	3.9	1.6	7	5.7	3.2
Balance of Co.	0	-	-	6	9.2	5.4
Burt	6	79.1	26.7	12	30.9	9.7
Butler	0	-	-	2	4.7	1.5
Cass	2	9.2	8.1	8	7.5	5.7
Cedar	1	10.2	2.0	5	10.0	2.6
Chase	1	23.4	5.1	1	4.6	1.1
Cherry	0	-	-	10	31.9	13.7
Cheyenne	1	10.7	4.6	4	8.5	5.0
Clay	3	43.9	15.0	8	22.8	8.6
Colfax	0	-	-	5	11.0	3.4
Cuming	2	20.7	8.0	7	14.1	5.4
Custer	0	-	-	3	5.0	1.3
Dakota	1	6.0	4.5	5	6.0	4.9
Dawes	1	11.3	8.7	4	8.9	5.9
Dawson	4	20.8	11.5	17	17.3	9.0
Deuel	0	-	-	3	27.1	9.0
Dixon	1	17.1	3.1	4	13.2	7.9
Dodge	2	5.9	1.4	16	9.3	4.1
Fremont	1	4.2	1.1	11	9.3	4.3
Balance of Co.	1	9.5	2.0	5	9.3	4.0
Douglas	35	8.3	7.0	205	9.8	8.0
Omaha	35	10.2	7.8	198	11.7	8.6
Balance of Co.	0	-	-	7	1.7	3.6
Dundy	0	-	-	2	15.7	3.3
Fillmore	0	-	-	10	28.5	12.7
Franklin	3	78.8	15.3	9	46.2	14.0
Frontier	0	-	-	3	19.7	12.2
Furnas	3	56.9	9.9	7	25.6	4.5
Gage	1	4.5	1.0	16	14.1	5.7
Beatrice	1	8.2	1.5	11	17.9	6.1
Balance of Co.	0	-	-	5	9.7	4.5

TABLE 52: NEPHRITIS AND NEPHROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Garden	0	-	-	3	24.7	4.6
Garfield	0	-	-	1	9.4	1.6
Gosper	0	-	-	1	10.5	6.8
Grant	0	-	-	1	26.4	8.2
Greeley	2	69.7	35.0	4	27.0	9.6
Hall	3	6.1	4.0	18	7.3	4.4
Grand Island	3	7.3	4.8	16	8.0	5.0
Balance of Co.	0	-	-	2	4.4	2.7
Hamilton	3	34.4	9.3	6	13.6	4.9
Harlan	0	-	-	3	15.9	5.0
Hayes	0	-	-	1	16.5	5.6
Hitchcock	0	-	-	2	10.8	2.2
Holt	3	24.4	8.2	12	19.2	9.6
Hooker	1	136.3	18.5	1	25.9	3.8
Howard	1	17.1	3.8	7	23.4	9.2
Jefferson	3	35.5	8.6	6	13.9	3.5
Johnson	0	-	-	0	-	-
Kearney	3	46.1	21.6	5	15.2	5.8
Keith	0	-	-	4	9.4	3.8
Keya Paha	0	-	-	1	20.0	7.4
Kimball	0	-	-	0	-	-
Knox	1	11.2	3.8	6	12.8	6.0
Lancaster	9	4.1	3.4	78	7.2	5.6
Lincoln	9	4.5	3.8	72	7.4	5.7
Balance of Co.	0	-	-	6	5.5	4.6
Lincoln	5	16.0	8.5	22	13.7	9.1
North Platte	5	22.7	11.7	20	17.8	11.4
Balance of Co.	0	-	-	2	4.1	3.5
Logan	0	-	-	1	23.1	12.9
Loup	0	-	-	0	-	-
McPherson	0	-	-	1	36.9	22.6
Madison	8	24.2	14.8	20	12.2	7.7
Norfolk	4	18.1	12.5	9	8.3	5.6
Balance of Co.	4	36.5	17.6	11	19.8	11.2
Merrick	1	12.9	8.8	2	5.0	3.0
Morrill	1	19.1	8.1	5	18.7	6.7
Nance	1	24.2	10.0	2	9.5	3.1
Nemaha	3	38.1	17.5	8	20.1	8.0
Nuckolls	0	-	-	7	24.6	7.7
Otoe	5	35.8	11.3	15	21.2	8.4
Pawnee	0	-	-	2	12.3	3.7
Perkins	2	60.9	29.1	4	24.0	8.8
Phelps	0	-	-	4	8.2	2.4
Pierce	1	13.1	8.2	1	2.6	1.6

TABLE 52: NEPHRITIS AND NEPHROSIS DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993			1989-1993		
COUNTY	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**	TOTAL DEATHS	CRUDE RATE*	AGE-ADJUSTED RATE**
Platte	4	13.1	7.7	12	7.9	5.0
Columbus	4	19.9	10.5	11	11.2	6.3
Balance of Co.	0	-	-	1	2.0	1.9
Polk	0	-	-	3	10.6	3.7
Red Willow	0	-	-	5	8.4	3.7
Richardson	3	31.3	11.0	15	30.6	9.4
Rock	1	51.3	13.3	3	29.6	14.2
Saline	1	7.9	5.1	6	9.5	3.9
Sarpy	4	3.7	6.9	20	3.9	6.7
Bellevue	1	3.0	4.6	8	5.0	6.7
Balance of Co.	3	4.1	8.3	12	3.3	6.7
Saunders	1	5.5	1.6	12	13.1	5.5
Scotts Bluff	4	11.1	5.4	8	4.4	2.4
Scottsbluff	2	14.7	7.9	5	7.3	4.4
Balance of Co.	2	9.2	4.1	3	2.7	1.2
Seward	3	19.5	5.6	7	9.0	3.6
Sheridan	1	15.3	11.9	7	20.7	7.5
Sherman	0	-	-	4	21.6	7.1
Sioux	0	-	-	0	-	-
Stanton	0	-	-	1	3.2	1.4
Thayer	2	31.0	7.0	4	12.1	2.4
Thomas	0	-	-	0	-	-
Thurston	2	28.6	11.5	3	8.6	4.4
Valley	0	-	-	2	7.7	2.5
Washington	3	17.9	12.4	10	12.1	6.9
Wayne	0	-	-	3	6.3	3.4
Webster	0	-	-	6	28.3	6.1
Wheeler	0	-	-	0	-	-
York	2	13.9	6.4	9	12.4	5.9
United States, 1989:	21,118	8.6	6.6			

* - Per 100,000 estimated population. State population estimates provided by the U.S. Bureau of the Census. County and city estimates calculated by the Nebraska Department of Health

** - Per 100,000 projected population. Population projections calculated by the Nebraska Department of Health based on 1980 and 1990 Census data

Cities listed had over 10,000 population in 1980

NOTE: Rates based on small numbers may be unreliable

TABLE 53: ACCIDENTAL DEATHS BY CAUSE
NEBRASKA, 1989-1993

CAUSE OF DEATH	1989	1990	1991	1992	1993
Railway accidents (all forms)	4	5	2	4	4
*Motor vehicle traffic accidents	302	276	281	256	259
*Motor vehicle nontraffic accidents	6	4	13	9	11
Other road vehicle accidents	2	1	2	1	0
Water transport accidents	2	3	2	3	3
Air transport accidents	11	3	4	9	17
Poisoning by drugs	17	11	11	10	6
Poisoning by other solids and liquids	0	4	2	0	4
Poisoning by gases and vapors	12	8	6	3	2
Accidental falls	103	94	112	109	127
Injury by fire	14	15	22	14	11
Excessive heat	0	6	1	0	0
Excessive cold	2	6	3	2	5
Hunger and Thirst	0	2	0	1	2
Injury by animals	2	1	1	2	2
Lightning	0	1	0	1	1
Drowning (excluding water transport)	21	16	19	15	11
Obstruction, suffocation, or puncture by ingested objects	25	22	33	27	30
Mechanical suffocation	9	12	8	3	11
Struck against or by machinery or other object	7	6	7	6	11
Caught between or in machinery or other object	12	15	17	7	14
Injury by cutting or piercing instruments	1	0	0	0	0
Injury by firearms	11	7	11	8	9
Injury by electric current	7	4	3	5	7
Accidents due to medical or surgical intervention	20	18	21	31	27
**Other and unspecified accidents	20	28	16	32	36
TOTAL ACCIDENTAL DEATHS	610	568	597	558	610
MALE	388	362	376	338	403
FEMALE	222	206	221	220	207
Rate per 100,000 population	37.9	36.0	37.8	35.3	38.3

* - Motor vehicle accidents include collision between auto and train

** - Includes late effects of all types of accidents

GRAPH 24: ACCIDENTAL DEATHS
LEADING CAUSES
NEBRASKA, 1993



TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES BY PLACE OF RESIDENCE NEBRASKA, 1993

COUNTY	ALL ACCIDENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWN-+ING	FIRE+	ALL+ OTHERS
STATE	610	269	31	125	9	11	165
Adams	11	5	0	3	0	0	3
*Hastings	9	4	0	3	0	0	2
Balance of Co.	2	1	0	0	0	0	1
Antelope	6	4	2	0	0	0	0
Arthur	0	0	0	0	0	0	0
Banner	0	0	0	0	0	0	0
Blaine	0	0	0	0	0	0	0
Boone	3	1	0	1	0	0	1
Box Butte	5	4	0	0	1	0	0
Alliance	5	4	0	0	1	0	0
Balance of Co.	0	0	0	0	0	0	0
Boyd	2	0	2	0	0	0	0
Brown	3	2	0	0	1	0	0
Buffalo	19	8	2	5	0	0	4
*Kearney	9	4	0	3	0	0	2
Balance of Co.	10	4	2	2	0	0	2
Burt	6	2	0	3	0	1	0
Butler	4	3	0	0	0	0	1
David City	1	1	0	0	0	0	0
Balance of Co.	3	2	0	0	0	0	1
Cass	9	2	1	2	0	1	3
Plattsmouth	4	2	0	1	0	1	0
Balance of Co.	5	0	1	1	0	0	3
Cedar	4	2	1	1	0	0	0
Chase	1	0	0	0	0	0	1
Cherry	8	2	1	0	0	0	5
Valentine	4	0	1	0	0	0	3
Balance of Co.	4	2	0	0	0	0	2
Cheyenne	2	2	0	0	0	0	0
Sidney	2	2	0	0	0	0	0
Balance of Co.	0	0	0	0	0	0	0
Clay	2	1	0	1	0	0	0
Colfax	7	2	1	2	0	0	2
Schuyler	4	1	0	2	0	0	1
Balance of Co.	3	1	1	0	0	0	1
Cuming	7	5	0	0	0	0	2
West Point	4	3	0	0	0	0	1
Balance of Co.	3	2	0	0	0	0	1
Custer	10	2	0	5	0	0	3
Broken Bow	3	0	0	2	0	0	1
Balance of Co.	7	2	0	3	0	0	2
Dakota	6	3	0	1	1	0	1
So. Sioux City	4	2	0	1	1	0	0
Balance of Co.	2	1	0	0	0	0	1
Dawes	4	3	0	1	0	0	0
Chadron	2	2	0	0	0	0	0
Balance of Co.	2	1	0	1	0	0	0

TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES BY PLACE OF RESIDENCE NEBRASKA, 1993 (continued)

COUNTY	ALL ACCI-DENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWN-+ ING	FIRE+	ALL+ OTHERS
Dawson	14	11	1	0	0	0	2
Cozad	4	4	0	0	0	0	0
Gothenburg	5	3	0	0	0	0	2
Lexington	3	3	0	0	0	0	0
Balance of Co.	2	1	1	0	0	0	0
Deuel	0	0	0	0	0	0	0
Dixon	2	0	0	0	0	0	2
Dodge	13	9	0	2	0	0	2
*Fremont	7	4	0	1	0	0	2
Balance of Co.	6	5	0	1	0	0	0
Douglas	118	48	0	27	2	4	37
*Omaha	106	42	0	23	2	4	35
Ralston	0	0	0	0	0	0	0
Balance of Co.	12	6	0	4	0	0	2
Dundy	2	1	1	0	0	0	0
Fillmore	7	2	0	3	0	1	1
Franklin	2	0	1	0	0	0	1
Frontier	1	1	0	0	0	0	0
Furnas	0	0	0	0	0	0	0
Gage	13	10	1	1	0	0	1
*Beatrice	8	6	0	1	0	0	1
Balance of Co.	5	4	1	0	0	0	0
Garden	2	0	0	0	0	0	2
Garfield	4	2	1	1	0	0	0
Gosper	2	2	0	0	0	0	0
Grant	1	0	0	0	0	0	1
Greeley	1	1	0	0	0	0	0
Hall	22	6	1	3	2	0	10
*Grand Island	13	4	0	1	1	0	7
Balance of Co.	9	2	1	2	1	0	3
Hamilton	5	2	0	2	0	0	1
Aurora	2	1	0	1	0	0	0
Balance of Co.	3	1	0	1	0	0	1
Harlan	4	2	0	1	0	0	1
Hayes	0	0	0	0	0	0	0
Hitchcock	3	1	0	1	0	0	1
Holt	2	2	0	0	0	0	0
O'Neill	0	0	0	0	0	0	0
Balance of Co.	2	2	0	0	0	0	0
Hooker	0	0	0	0	0	0	0
Howard	7	4	0	0	0	0	3
Jefferson	4	1	1	0	1	0	1
Fairbury	2	1	0	0	1	0	0
Balance of Co.	2	0	1	0	0	0	1
Johnson	0	0	0	0	0	0	0
Kearney	7	4	0	0	0	0	3
Minden	2	1	0	0	0	0	1
Balance of Co.	5	3	0	0	0	0	2

TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES BY PLACE OF RESIDENCE NEBRASKA, 1993 (continued)

COUNTY	ALL ACCI-DENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWN-+ ING	FIRE+	ALL+ OTHERS
Keith	1	1	0	0	0	0	0
Ogallala	0	0	0	0	0	0	0
Balance of Co.	1	1	0	0	0	0	0
Keya Paha	0	0	0	0	0	0	0
Kimball	4	2	0	1	0	0	1
Kimball	3	1	0	1	0	0	1
Balance of Co.	1	1	0	0	0	0	0
Knox	9	4	2	3	0	0	0
Lancaster	53	17	1	15	0	1	19
*Lincoln	45	12	0	13	0	1	19
Balance of Co.	8	5	1	2	0	0	0
Lincoln	6	4	0	1	0	0	1
*North Platte	3	2	0	1	0	0	0
Balance of Co.	3	2	0	0	0	0	1
Logan	0	0	0	0	0	0	0
Loup	0	0	0	0	0	0	0
McPherson	0	0	0	0	0	0	0
Madison	22	10	1	3	0	0	8
*Norfolk	12	5	0	3	0	0	4
Balance of Co.	10	5	1	0	0	0	4
Merrick	6	3	0	1	0	1	1
Central City	4	1	0	1	0	1	1
Balance of Co.	2	2	0	0	0	0	0
Morrill	3	2	0	1	0	0	0
Nance	3	0	1	2	0	0	0
Nemaha	3	0	0	1	0	0	2
Auburn	1	0	0	0	0	0	1
Balance of Co.	2	0	0	1	0	0	1
Nuckolls	5	3	0	2	0	0	0
Superior	2	2	0	0	0	0	0
Balance of Co.	3	1	0	2	0	0	0
Otoe	6	3	0	2	0	0	1
Nebraska City	3	1	0	1	0	0	1
Balance of Co.	3	2	0	1	0	0	0
Pawnee	1	0	0	1	0	0	0
Perkins	0	0	0	0	0	0	0
Phelps	4	2	1	1	0	0	0
Holdrege	2	1	0	1	0	0	0
Balance of Co.	2	1	1	0	0	0	0
Pierce	6	3	1	0	0	0	2
Platte	12	5	1	2	0	0	4
*Columbus	5	1	0	2	0	0	2
Balance of Co.	7	4	1	0	0	0	2
Polk	2	1	0	1	0	0	0
Red Willow	4	0	1	0	0	1	2
McCook	4	0	1	0	0	1	2
Balance of Co.	0	0	0	0	0	0	0

TABLE 54: ACCIDENTAL DEATHS BY PRINCIPAL AND OTHER CAUSES
BY PLACE OF RESIDENCE
NEBRASKA, 1993 (continued)

COUNTY	ALL ACCIDENTS	MOTOR+ VEHICLE	FARM	FALL+	DROWNING+	FIRE+	ALL+ OTHERS
Richardson	7	2	0	0	0	0	5
Falls City	3	0	0	0	0	0	3
Balance of Co.	4	2	0	0	0	0	2
Rock	2	0	0	2	0	0	0
Saline	5	5	0	0	0	0	0
Crete	0	0	0	0	0	0	0
Balance of Co.	5	5	0	0	0	0	0
Sarpy	17	9	0	5	0	0	3
*Bellevue	5	2	0	2	0	0	1
LaVista	1	1	0	0	0	0	0
Papillion	3	0	0	3	0	0	0
Balance of Co.	8	6	0	0	0	0	2
Saunders	8	2	0	2	0	0	4
Wahoo	1	0	0	0	0	0	1
Balance of Co.	7	2	0	2	0	0	3
Scotts Bluff	16	9	0	2	1	0	4
Gering	1	1	0	0	0	0	0
*Scottsbluff	5	4	0	0	0	0	1
Balance of Co.	10	4	0	2	1	0	3
Seward	7	4	0	1	0	0	2
Seward	0	0	0	0	0	0	0
Balance of Co.	7	4	0	1	0	0	2
Sheridan	5	2	0	0	0	0	3
Sherman	2	1	0	1	0	0	0
Sioux	1	0	1	0	0	0	0
Stanton	1	1	0	0	0	0	0
Thayer	3	1	0	1	0	0	1
Thomas	1	0	0	1	0	0	0
Thurston	8	5	1	0	0	0	2
Valley	4	1	0	2	0	0	1
Ord	2	0	0	2	0	0	0
Balance of Co.	2	1	0	0	0	0	1
Washington	6	1	1	2	0	0	2
Blair	3	1	0	1	0	0	1
Balance of Co.	3	0	1	1	0	0	1
Wayne	3	0	2	0	0	0	1
Wayne	0	0	0	0	0	0	0
Balance of Co.	3	0	2	0	0	0	1
Webster	2	1	0	1	0	0	0
Wheeler	1	1	0	0	0	0	0
York	6	2	0	2	0	1	1
York	5	1	0	2	0	1	1
Balance of Co.	1	1	0	0	0	0	0

* - Cities over 10,000 population in 1980
Other cities listed had 2,500 - 10,000 population in 1980
+ - Excludes cases which occur on a farm

TABLE 55: DROWNINGS BY SITE, SEX AND AGE GROUP
NEBRASKA, 1993

SITE	MALE	FEMALE	TOTAL	≤14	15-29	30-44	45-59	≥60
Lake	1	1	2	1			1	
Swimming Pool	1	0	1		1			
River	3	0	3		3			
Reservoir	2	0	2			2		
Other	3	0	3	1		1	1	
TOTAL	10	1	11	2	4	3	2	0

TABLE 56: FARM FATALITIES BY TYPE, SEX AND AGE GROUP
NEBRASKA, 1993

TYPE OF ACCIDENT	MALE	FEMALE	TOTAL	≤14	15-29	30-44	45-59	≥60
Tractor	6	0	6	2			1	3
Machinery	8	1	9	1		2	5	1
Electrocution	2	0	2		1		1	
Drowning	3	0	3	1	1	1		
Suffocation	5	0	5	1	3			1
Other	6	0	6			1		5
TOTAL	30	1	31	5	5	4	7	10

GRAPH 25
SUICIDE MORTALITY
NEBRASKA, 1918-1993



TABLE 57: SUICIDES BY TYPE, SEX AND AGE GROUPS
NEBRASKA, 1993

TYPE	SEX	TOTAL	YEARS 5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	≥80
Gunshot	M	95			3	13	10	7	8	8	10	2	4	8	4	4	9	5
	F	10			3	1	1		2		1		1			1		
Hanging	M	13			2		4	2		1	2	1					1	
	F	3						1		2								
Carbon Monoxide	M	20			1	1		4	5	1	2	1	2	1				2
	F	9			1	1	1		2		2	1			1			
Drugs	M	5				1			2		1						1	
	F	4			1		1	1				1						
Laceration	M	1									1							
	F	1									1							
Jumping	M	2		1				1										
Drowning	M	1								1								
Plastic Bag	M	1												1				
Other	M	5						1	1	1			1		1			
TOTAL		170	0	1	11	17	17	17	20	14	20	6	8	10	6	5	11	7
MALE		143																
FEMALE		27																

GRAPH 26
INFANT AND NEONATAL DEATHS
NEBRASKA, 1925-1993



TABLE 58: INFANT AND NEONATAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993		1989-1993		1993		1989-1993	
COUNTY	INFANT DEATHS	RATE	INFANT DEATHS	RATE	NEO-NATAL DEATHS	RATE	NEO-NATAL DEATHS	RATE
STATE	211	9.1	955	8.0	122	5.3	535	4.5
Adams	3	7.3	19	8.8	2	4.9	12	5.6
Hastings	3	9.4	15	9.2	2	6.3	10	6.1
Balance of Co.	0	-	4	7.6	0	-	2	3.8
Antelope	1	11.0	2	3.9	0	-	1	1.9
Arthur	0	-	0	-	0	-	0	-
Banner	0	-	1	27.8	0	-	1	27.8
Blaine	0	-	0	-	0	-	0	-
Boone	1	12.0	2	4.4	1	12.0	2	4.4
Box Butte	1	5.9	12	12.6	1	5.9	8	8.4
Boyd	0	-	1	5.9	0	-	1	5.9
Brown	1	18.9	1	4.4	1	18.9	1	4.4
Buffalo	6	11.7	22	8.2	4	7.8	14	5.2
Kearney	5	14.7	17	9.7	4	11.8	11	6.3
Balance of Co.	1	5.8	5	5.4	0	-	3	3.2
Burt	0	-	3	6.6	0	-	0	-
Butler	1	10.0	4	7.7	0	-	1	1.9
Cass	4	11.7	15	9.5	4	11.7	12	7.6
Cedar	1	7.0	5	6.6	1	7.0	3	4.0
Chase	0	-	0	-	0	-	0	-
Cherry	0	-	0	-	0	-	0	-
Cheyenne	1	8.0	3	4.8	1	8.0	3	4.8
Clay	1	13.2	4	9.8	0	-	2	4.9
Colfax	2	14.3	5	7.2	2	14.3	2	2.9
Cuming	1	7.9	6	9.1	1	7.9	5	7.6
Custer	0	-	8	10.2	0	-	6	7.7
Dakota	8	24.2	20	13.1	5	15.2	12	7.9
Dawes	0	-	4	7.0	0	-	2	3.5
Dawson	4	9.1	20	11.8	3	6.8	14	8.2
Deuel	0	-	1	9.7	0	-	0	-
Dixon	0	-	4	10.6	0	-	2	5.3
Dodge	4	10.1	21	9.4	2	5.1	12	5.4
Fremont	3	10.6	17	10.8	2	7.1	10	6.3
Balance of Co.	1	8.8	4	6.2	0	-	2	3.1
Douglas	69	10.0	318	8.9	40	5.8	181	5.1
Omaha	61	11.4	289	10.2	37	6.9	163	5.7
Balance of Co.	8	5.3	29	4.0	3	2.0	18	2.5
Dundy	0	-	0	-	0	-	0	-
Fillmore	1	11.5	5	11.7	0	-	4	9.3
Franklin	0	-	1	4.8	0	-	0	-
Frontier	0	-	0	-	0	-	0	-
Furnas	0	-	1	3.5	0	-	0	-
Gage	2	7.3	11	8.1	2	7.3	6	4.4
Beatrice	2	12.7	8	10.4	2	12.7	4	5.2
Balance of Co.	0	-	3	5.2	0	-	2	3.4

TABLE 58: INFANT AND NEONATAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993		1993		1989-1993	
COUNTY	INFANT DEATHS	RATE	INFANT DEATHS	RATE	NEO-NATAL DEATHS	RATE	NEO-NATAL DEATHS	RATE
Garden	0	-	0	-	0	-	0	-
Garfield	0	-	2	17.2	0	-	1	8.6
Gosper	0	-	0	-	0	-	0	-
Grant	0	-	0	-	0	-	0	-
Greeley	0	-	0	-	0	-	0	-
Hall	7	8.4	26	6.4	5	6.0	14	3.5
Grand Island	5	7.0	21	6.3	4	5.6	11	3.3
Balance of Co.	2	16.8	5	7.1	1	8.4	3	4.3
Hamilton	0	-	5	8.4	0	-	4	6.7
Harlan	0	-	0	-	0	-	0	-
Hayes	0	-	0	-	0	-	0	-
Hitchcock	2	48.8	3	15.3	1	24.4	1	5.1
Holt	1	6.6	3	3.3	0	-	0	-
Hooker	0	-	0	-	0	-	0	-
Howard	1	12.8	3	7.4	0	-	2	5.0
Jefferson	0	-	7	14.6	0	-	3	6.3
Johnson	0	-	2	8.4	0	-	2	8.4
Kearney	0	-	6	12.9	0	-	5	10.8
Keith	0	-	3	6.1	0	-	0	-
Keya Paha	1	66.7	1	15.6	1	66.7	1	15.6
Kimball	0	-	2	8.1	0	-	1	4.1
Knox	1	10.9	7	12.3	1	10.9	5	8.8
Lancaster	31	9.6	129	8.2	19	5.9	71	4.5
Lincoln	29	9.7	118	8.1	19	6.4	63	4.3
Balance of Co.	2	7.7	11	9.1	0	-	8	6.6
Lincoln	4	9.4	22	9.6	2	4.7	9	3.9
North Platte	4	13.1	18	10.9	2	6.5	8	4.9
Balance of Co.	0	-	4	6.2	0	-	1	1.6
Logan	0	-	0	-	0	-	0	-
Loup	0	-	0	-	0	-	0	-
McPherson	0	-	0	-	0	-	0	-
Madison	10	19.0	26	9.4	4	7.6	13	4.7
Norfolk	8	21.2	22	11.4	3	7.9	11	5.7
Balance of Co.	2	13.6	4	4.7	1	6.8	2	2.4
Merrick	1	10.1	2	3.7	0	-	0	-
Morrill	0	-	2	5.7	0	-	1	2.9
Nance	0	-	2	7.2	0	-	1	3.6
Nemaha	0	-	3	7.2	0	-	1	2.4
Nuckolls	0	-	0	-	0	-	0	-
Otoe	0	-	5	5.7	0	-	1	1.1
Pawnee	0	-	0	-	0	-	0	-
Perkins	0	-	0	-	0	-	0	-
Phelps	3	24.0	4	6.1	1	8.0	2	3.0
Pierce	1	9.5	5	9.5	0	-	3	5.7
Platte	4	8.4	15	6.3	2	4.2	7	2.9
Columbus	2	6.2	10	6.3	1	3.1	4	2.5
Balance of Co.	2	13.2	5	6.3	1	6.6	3	3.8

TABLE 58: INFANT AND NEONATAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993		1993		1989-1993	
COUNTY	INFANT DEATHS	RATE	INFANT DEATHS	RATE	NEO-NATAL DEATHS	RATE	NEO-NATAL DEATHS	RATE
Polk	3	46.2	4	12.2	3	46.2	3	9.1
Red Willow	0	-	7	8.9	0	-	5	6.4
Richardson	0	-	3	4.9	0	-	1	1.6
Rock	0	-	0	-	0	-	0	-
Saline	2	14.8	6	8.2	0	-	1	1.4
Sarpy	16	8.8	63	6.7	10	5.5	39	4.1
Bellevue	9	20.8	28	12.6	6	13.9	13	5.8
Balance of Co.	7	5.0	35	4.8	4	2.9	26	3.6
Saunders	1	4.0	7	5.6	0	-	4	3.2
Scotts Bluff	3	5.5	20	7.1	2	3.6	11	3.9
Scottsbluff	1	4.0	9	7.0	0	-	4	3.1
Balance of Co.	2	6.7	11	7.1	2	6.7	7	4.5
Seward	0	-	1	1.1	0	-	0	-
Sheridan	1	11.9	5	12.0	1	11.9	4	9.6
Sherman	0	-	1	4.6	0	-	0	-
Sioux	0	-	0	-	0	-	0	-
Stanton	0	-	1	2.3	0	-	0	-
Thayer	0	-	0	-	0	-	0	-
Thomas	0	-	0	-	0	-	0	-
Thurston	1	6.8	12	15.2	0	-	4	5.1
Valley	0	-	1	3.4	0	-	1	3.4
Washington	2	10.8	6	6.4	0	-	2	2.1
Wayne	1	9.3	5	8.2	0	-	2	3.3
Webster	0	-	1	3.9	0	-	1	3.9
Wheeler	1	83.3	1	12.7	0	-	0	-
York	1	5.4	7	6.9	0	-	2	2.0

Cities listed had over 10,000 population in 1980

Rates based on small number may be unreliable

Infant and Neonatal death rates are per 1,000 live births

TABLE 59: DEATHS UNDER ONE YEAR OF AGE BY CAUSE

CAUSE	TOTAL	MALE	FEMALE
Heart Disease (390-398, 402, 404-429)	5	3	2
Pneumonia (480-486)	3	2	1
Birth Defects (740-759)	41	23	18
Maternal Complications of Pregnancy (761)	6	4	2
Complications of Placenta, Cord, and Membranes (762)	6	4	2
Prematurity (765)	21	14	7
Intrauterine Hypoxia and Birth Asphyxia (768)	5	1	4
Respiratory Distress Syndrome (769)	9	6	3
Other Respiratory Conditions (770)	12	6	6
Perinatal Infections (771)	6	3	3
Other Perinatal Conditions (772-779)	8	6	2
Sudden Infant Death Syndrome (798)	47	31	16
Violent or Accidental Causes (800-999)	8	4	4
All Other Causes	34	21	13
TOTAL INFANT DEATHS	211	128	83

TABLE 60: DEATHS UNDER ONE YEAR OF AGE BY RACE/HISPANIC ORIGIN** AND SEX

	MALE	FEMALE	TOTAL	RATE
White	103	72	175	8.3
Black	23	10	33	26.2
Indian	1	1	2	5.4
Other	1	0	1	2.5
TOTAL	128	83	211	9.1
Hispanic Origin**				
Mexican	4	1	5	5.2
Other	0	0	0	-
TOTAL	4	1	5	4.0

TABLE 61: DEATHS UNDER ONE YEAR OF AGE BY BIRTH WEIGHT GROUPS

WEIGHT	NUMBER	PERCENT
1 lb. and under	17	8.1
1 lb. 1 oz. - 2 lbs.	55	26.1
2 lbs. 1 oz. - 3 lbs. 8 ozs.	20	9.5
3 lbs. 9 ozs. - 4 lbs. 8 ozs.	11	5.2
4 lbs. 9 ozs. - 5 lbs. 8 ozs.	18	8.5
5 lbs. 9 ozs. - 5 lbs. 15 ozs.	13	6.2
6 lbs. - 6 lbs. 15 ozs.	26	12.3
7 lbs. - 7 lbs. 15 ozs.	30	14.2
8 lbs. - 8 lbs. 15 ozs.	13	6.2
9 lbs. or more	4	1.9
Unknown	4	1.9
TOTAL	211	100.0

WEIGHT	NUMBER	PERCENT
499 grams or less	22	10.4
500 - 999 grams	54	25.6
1000 - 1499 grams	14	6.6
1500 - 1999 grams	13	6.2
2000 - 2499 grams	18	8.5
2500 - 2999 grams	27	12.8
3000 - 3499 grams	34	16.1
3500 - 3999 grams	21	10.0
4000 grams or over	4	1.9
Unknown	4	1.9
TOTAL	211	100.0

*Does not add to 100.0 due to rounding
**Hispanic Origin may be of any race
Rate per 1,000 live births

TABLE 62: PERINATAL AND FETAL DEATHS BY PLACE OF RESIDENCE
NEBRASKA, 1993 AND 1989-1993

	1993		1989-1993		1993		1989-1993	
COUNTY	PERI-NATAL DEATHS	RATE	PERI-NATAL DEATHS	RATE	FETAL DEATHS	RATIO	FETAL DEATHS	RATIO
STATE	267	11.4	1,321	11.0	145	6.3	786	6.6
Adams	5	12.0	26	12.0	3	7.3	14	6.5
Hastings	3	9.4	21	12.8	1	3.1	11	6.7
Balance of Co.	2	21.1	5	9.5	2	21.5	3	5.7
Antelope	2	21.5	4	7.7	2	22.0	3	5.8
Arthur	0	-	0	-	0	-	0	-
Banner	0	-	1	27.8	0	-	0	-
Blaine	0	-	0	-	0	-	0	-
Boone	2	23.8	6	13.2	1	12.0	4	8.8
Box Butte	2	11.8	15	15.6	1	5.9	7	7.3
Boyd	0	-	2	11.8	0	-	1	5.9
Brown	1	18.9	1	4.4	0	-	0	-
Buffalo	7	13.6	29	10.8	3	5.9	15	5.6
Kearney	6	17.6	23	13.1	2	5.9	12	6.9
Balance of Co.	1	5.8	6	6.5	1	5.8	3	3.2
Burt	0	-	6	13.1	0	-	6	13.2
Butler	2	19.6	6	11.4	2	20.0	5	9.6
Cass	6	17.5	18	11.3	2	5.9	6	3.8
Cedar	1	7.0	10	13.1	0	-	7	9.3
Chase	0	-	3	10.9	0	-	3	11.0
Cherry	0	-	1	2.3	0	-	1	2.3
Cheyenne	3	23.6	11	17.2	2	16.0	8	12.7
Clay	1	13.0	5	12.2	1	13.2	3	7.4
Colfax	3	21.3	5	7.2	1	7.1	3	4.3
Cuming	3	23.4	11	16.5	2	15.9	6	9.1
Custer	1	7.7	11	14.0	1	7.8	5	6.4
Dakota	5	15.2	18	11.8	0	-	6	3.9
Dawes	0	-	7	12.2	0	-	5	8.8
Dawson	6	13.6	30	17.5	3	6.8	16	9.4
Deuel	0	-	0	-	0	-	0	-
Dixon	0	-	7	18.3	0	-	5	13.2
Dodge	3	7.6	23	10.3	1	2.5	11	4.9
Fremont	3	10.6	19	12.0	1	3.5	9	5.7
Balance of Co.	0	-	4	6.2	0	-	2	3.1
Douglas	82	11.9	441	12.3	42	6.1	260	7.3
Omaha	74	13.7	397	13.9	37	6.9	234	8.2
Balance of Co.	8	5.3	44	6.0	5	3.3	26	3.6
Dundy	0	-	2	15.2	0	-	2	15.4
Fillmore	0	-	8	18.5	0	-	4	9.3
Franklin	0	-	0	-	0	-	0	-
Frontier	0	-	0	-	0	-	0	-
Furnas	0	-	3	10.5	0	-	3	10.6
Gage	3	10.9	14	10.3	1	3.7	8	5.9
Beatrice	3	19.0	9	11.6	1	6.4	5	6.5
Balance of Co.	0	-	5	8.5	0	-	3	5.2

TABLE 62: PERINATAL AND FETAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993		1993		1989-1993	
COUNTY	PERI-NATAL DEATHS	RATE	PERI-NATAL DEATHS	RATE	FETAL DEATHS	RATIO	FETAL DEATHS	RATIO
Garden	1	71.4	3	23.1	1	76.9	3	23.6
Garfield	0	-	3	25.4	0	-	2	17.2
Gosper	0	-	0	-	0	-	0	-
Grant	0	-	0	-	0	-	0	-
Greeley	0	-	2	11.0	0	-	2	11.1
Hall	9	10.7	37	9.1	4	4.8	23	5.7
Grand Island	8	11.1	30	8.9	4	5.6	19	5.7
Balance of Co.	1	8.4	7	9.9	0	-	4	5.7
Hamilton	1	8.0	9	15.0	1	8.1	5	8.4
Harlan	0	-	0	-	0	-	0	-
Hayes	0	-	3	34.9	0	-	3	36.1
Hitchcock	1	24.3	1	5.1	0	-	0	-
Holt	1	6.6	5	5.4	1	6.6	5	5.4
Hooker	0	-	0	-	0	-	0	-
Howard	0	-	6	14.7	0	-	4	9.9
Jefferson	0	-	6	12.5	0	-	3	6.3
Johnson	0	-	4	16.7	0	-	2	8.4
Kearney	1	10.3	11	23.4	1	10.4	6	12.9
Keith	1	10.9	4	8.1	1	11.0	4	8.1
Keya Paha	1	66.7	2	30.8	0	-	1	15.6
Kimball	0	-	2	8.1	0	-	1	4.1
Knox	2	21.5	10	17.4	1	10.9	5	8.8
Lancaster	42	12.9	168	10.6	23	7.1	97	6.1
Lincoln	40	13.3	153	10.4	21	7.0	90	6.2
Balance of Co.	2	7.7	15	12.3	2	7.7	7	5.8
Lincoln	5	11.6	28	12.1	3	7.0	19	8.3
North Platte	4	13.0	22	13.2	2	6.5	14	8.5
Balance of Co.	1	8.2	6	9.3	1	8.3	5	7.8
Logan	1	166.7	2	45.5	1	200.0	2	47.6
Loup	0	-	1	33.3	0	-	1	34.5
McPherson	0	-	0	-	0	-	0	-
Madison	9	17.0	36	12.9	5	9.5	23	8.3
Norfolk	6	15.7	29	14.9	3	7.9	18	9.4
Balance of Co.	3	20.1	7	8.2	2	13.6	5	5.9
Merrick	1	10.0	7	12.7	1	10.1	7	12.9
Morrill	0	-	4	11.4	0	-	3	8.6
Nance	1	18.5	6	21.4	1	18.9	5	18.1
Nemaha	0	-	6	14.2	0	-	5	12.0
Nuckolls	0	-	2	7.3	0	-	2	7.3
Otoe	1	6.4	7	7.9	1	6.5	6	6.8
Pawnee	0	-	2	10.9	0	-	2	11.0
Perkins	0	-	0	-	0	-	0	-
Phelps	2	15.9	7	10.6	1	8.0	5	7.6
Pierce	1	9.4	8	15.1	1	9.5	5	9.5
Platte	5	10.4	15	6.3	3	6.3	8	3.4
Columbus	3	9.2	10	6.3	2	6.2	6	3.8
Balance of Co.	2	13.2	5	6.3	1	6.6	2	2.5

TABLE 62: PERINATAL AND FETAL DEATHS BY PLACE OF RESIDENCE NEBRASKA, 1993 AND 1989-1993 (continued)

	1993		1989-1993		1993		1989-1993	
COUNTY	PERI-NATAL DEATHS	RATE	PERI-NATAL DEATHS	RATE	FETAL DEATHS	RATIO	FETAL DEATHS	RATIO
Polk	3	46.2	5	15.2	0	-	2	6.1
Red Willow	2	13.7	11	13.9	2	13.9	6	7.6
Richardson	3	25.4	5	8.1	3	26.1	4	6.6
Rock	0	-	3	29.7	0	-	3	30.6
Saline	1	7.4	6	8.1	1	7.4	5	6.8
Sarpy	27	14.7	94	9.9	17	9.3	55	5.8
Bellevue	6	13.9	20	8.9	0	-	7	3.1
Balance of Co.	21	14.9	74	10.2	17	12.2	48	6.6
Saunders	0	-	8	6.3	0	-	4	3.2
Scotts Bluff	3	5.5	18	6.4	1	1.8	7	2.5
Scottsbluff	1	4.0	8	6.2	1	4.0	4	3.1
Balance of Co.	2	6.7	10	6.5	0	-	3	1.9
Seward	0	-	3	3.2	0	-	3	3.2
Sheridan	2	23.5	10	23.7	1	11.9	6	14.4
Sherman	0	-	1	4.6	0	-	1	4.6
Sioux	0	-	0	-	0	-	0	-
Stanton	0	-	2	4.7	0	-	2	4.7
Thayer	0	-	2	5.3	0	-	2	5.3
Thomas	0	-	1	20.0	0	-	1	20.4
Thurston	1	6.8	7	8.8	1	6.8	3	3.8
Valley	0	-	2	6.9	0	-	1	3.4
Washington	0	-	2	2.1	0	-	0	-
Wayne	1	9.2	5	8.2	1	9.3	3	4.9
Webster	0	-	1	3.9	0	-	0	-
Wheeler	0	-	0	-	0	-	0	-
York	0	-	4	3.9	0	-	2	2.0

Cities listed had over 10,000 population in 1980

Rates based on small number may be unreliable

Perinatal death rates are per 1,000 live births plus fetal deaths

Fetal death ratios are per 1,000 live births

TABLE 63: FETAL DEATHS BY CAUSE OF DEATH
NEBRASKA, 1993 AND 1989-1993

CAUSE	TOTAL 1993	TOTAL 1989-1993
BIRTH DEFECTS		
Anencephalus	2	11
Spina bifida with hydrocephalus	0	1
Spina bifida without mention of hydrocephalus	0	2
Reduction deformities of the brain	0	1
Congenital hydrocephalus	0	5
Other defects of the nervous system	0	1
Unspecified defects of the brain, spinal cord and nervous system	1	1
Defects of the ear	0	1
Common truncus	0	1
Tetralogy of Fallot	0	1
Congenital stenosis of aortic valve	0	1
Hypoplastic left heart syndrome	0	1
Other specified defects of the heart	1	1
Unspecified defects of the heart	0	1
Other defects of peripheral vascular system	1	1
Other defects of the lung	0	1
Atresia and stenosis of the large intestine, rectum and anal canal	0	1
Defects of intestinal fixation	0	1
Renal agenesis and dysgenesis	0	2
Other defects of the kidney	0	1
Osteodystrophies	0	1
Defects of the abdominal wall	1	2
Down's syndrome	1	4
Patau's syndrome	0	2
Edward's syndrome	3	6
Other conditions due to autosomal defects	0	1
Gonadal dysgenesis	1	5
Conditions due to defect of unspecified chromosome	1	4
Defects of other endocrine glands	1	1
Multiple defects, so described	4	13
Other specified defects	0	3
Defects, unspecified	1	2
MATERNAL CONDITIONS		
Hypertensive disorders	2	13
Infections	1	2
Injury	1	9
Noxious influences transmitted via placenta or breast milk	0	1
Other	2	3
MATERNAL COMPLICATIONS OF PREGNANCY		
Incompetent cervix	2	12
Premature rupture of membranes	6	22
Oligohydramnios	2	6
Ectopic pregnancy	0	1
Multiple pregnancy	0	7
Other complications	2	5
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES		
Placenta praevia	1	4
Placenta separation and hemorrhage	11	76
Other abnormalities of placenta	6	54
Placental transfusion syndrome	2	6
Prolapsed cord	0	7
Other compression of umbilical cord	13	80
Other and unspecified conditions of the umbilical cord	12	50
Chorioamnionitis	3	19
Other abnormalities of chorion and amnion	1	2
OTHER COMPLICATIONS OF LABOR OR DELIVERY		
Breech delivery and extraction	0	1
Malpresentation, malposition, and disproportion, excluding breech	0	1
Other complications of labor and delivery	1	2
SLOW FETAL GROWTH AND FETAL MALNUTRITION		
Fetal growth retardation, unspecified	0	3

TABLE 63: FETAL DEATHS BY CAUSE OF DEATH NEBRASKA, 1993 AND 1989-1993 (continued)

CAUSE	TOTAL 1993	TOTAL 1989-1993
DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT		
Extreme immaturity	0	7
Other preterm infants	4	30
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTH WEIGHT		
Post-term infant, not "heavy-for-dates"	1	1
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA		
Asphyxia or anoxia before labor	0	14
Asphyxia or anoxia during labor	0	1
Unspecified asphyxia in liveborn infant	1	11
RESPIRATORY CONDITIONS		
Other and unspecified atelectasis	0	1
Other respiratory problems after birth	0	1
INFECTIONS		
Congenital cytomegalovirus infection	0	1
Other infections	0	3
HEMOLYTIC DISEASE		
Hemolytic disease due to Rh isoimmunization	1	1
ENDOCRINE AND METABOLIC DISTURBANCES		
Syndrome of "infant of a diabetic mother"	2	12
Neonatal diabetes mellitus	0	1
HEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN		
Transient neonatal thrombocytopenia	1	1
PERINATAL DISORDERS OF DIGESTIVE SYSTEM		
Other meconium obstruction	1	1
CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION		
Hydrops fetalis not due to isoimmunization	0	10
OTHER AND ILL-DEFINED CONDITIONS	48	224
TOTAL	145	786

TABLE 64: FETAL DEATHS BY AGE GROUP OF MOTHER, SEX, RACE, HISPANIC ORIGIN AND PLACE OF DELIVERY NEBRASKA, 1993

AGE OF MOTHER	
≤19	13
20-24	40
25-29	42
30-34	34
35-39	14
≥40	2

SEX	
Male	78
Female	65
Unknown	2

RACE	
White	126
Black	11
Indian	7
Other	1

PLACE OF DELIVERY	
Hospital	144
Home	1

HISPANIC ORIGIN*	
Mexican	6
Other	0

*Hispanic Origin may be of any race.

MARRIAGE AND DIVORCE HIGHLIGHTS

In 1993, 12,337 marriages took place in Nebraska, a small decline from the 1992 tally of 12,437. The 1993 figure translates into a rate of 7.8 marriages per 1,000 population. Nebraska's 1993 marriage rate was lower than the national rate of 8.4, continuing a long-standing tradition.

During the past two decades, Nebraska marriage data have shown a strong trend toward decreasing numbers of first marriages and increasing numbers of remarriages. Twenty years ago, in 1973, 9,881 of the state's 13,957 marriages (70.8%) were the first marriage for both bride and groom; by 1993, only 7,003 (56.8%) of the marriages that took place in Nebraska were the first for both bride and groom. However, this trend experienced a slight reversal in 1993: for the first time since 1989, the number of first marriages in Nebraska actually increased (the 1992 figure was 6,762), while the number of remarriages declined (from 5,675 in 1992 to 5,334 in 1993). Whether these numbers signal the end of the trend toward more remarriages and fewer first marriages, or merely represent a one-year anomaly, remains to be seen.

Age at marriage continues to increase steadily in Nebraska. Two decades ago, in 1973, nearly one of every five (18.2%) Nebraska marriages involved either a teenaged bride or groom, but by 1993, this figure had fallen to fewer than one out of ten (9.7%). By contrast, the proportion of Nebraska marriages in which at least one partner was 30 or older increased from 30.9% in 1973 to 43.5% in 1993. This pattern remains when the data are limited to first marriages. In 1973, first marriages with at least one teenaged partner outnumbered first marriages in which either the bride or groom was over 30, but by 1993, the opposite had become true. This trend is due to several factors: the increasing frequency of divorce and remarriage, the postponement of first marriages among the current generation of young adults, and as a result of the "baby bust" of the 1970s, the smaller number of men and women who are now reaching marriageable age.

The number of divorces granted in Nebraska in 1993 declined for the second year in a row, to 6,254. This figure translates into a rate of 4.2 divorces per 1,000 population. Both the number of divorces and the divorce rate have stabilized in recent years. During the past decade, the number of divorces granted in Nebraska has ranged between 6,100 and 6,700, while the state's divorce rate has held between 3.9 and 4.2. In addition, Nebraska continues to record a divorce rate lower than the nation: the rate for the United States in 1993 was 4.4.

Marriages ending in divorce in 1993 were somewhat longer in duration than those terminating in divorce twenty years ago. In 1973, over one-third (35.4%) of all divorces granted in Nebraska ended marriages lasting three years or less, and more than half (55.9%) ended marriages lasting six years or less. By 1993, however, these figures had declined to 28.4% for marriages lasting three years or less, and to 47.2% for marriages lasting six years or less.

Nearly six of every ten (59.2%) divorces granted in Nebraska in 1993 involved couples with children. Excluding the 26 cases for which custody information is not available, custody of the children was awarded to the mother in 2,989 cases (79.3%), to the father in 510 cases (13.5%), to both parents jointly in 194 cases (5.1%), and to neither parent in 77 cases (2.0%).

MAP 13: MARRIAGES BY COUNTY OF OCCURRENCE
NEBRASKA, 1993


Sioux 7
Dawes 56
Box Butte 71
Sheridan 42
Cherry 41
Keya Paha 5
Boyd 15
Brown 27
Rock 9
Holt 83
Knox 53
Cedar 51
Dixon 50
Dakota 108
Antelope 52
Pierce 48
Wayne 73
Thurston 31
Scotts Bluff 282
Morrill 38
Garden 12
Banner 1
Kimball 30
Cheyenne 80
Deuel 18
Grant 3
Hooker 5
Thomas 3
Blaine 4
Loup 2
Garfield 17
Wheeler 1
Madison 280
Stanton 34
Cuming 71
Burt 68
Arthur 5
McPherson 5
Logan 3
Custer 87
Valley 38
Greeley 18
Boone 42
Platte 255
Colfax 66
Dodge 257
Washington 100
Keith 81
Lincoln 257
Sherman 18
Howard 53
Nance 33
Merrick 54
Polk 34
Butler 56
Saunders 141
Douglas 3598
Sarpy 688
Perkins 18
Dawson 218
Buffalo 366
Hall 495
Hamilton 55
York 121
Seward 135
Lancaster 1681
Cass 134
Chase 26
Hayes 4
Frontier 18
Gosper 20
Phelps 87
Kearney 41
Adams 254
Clay 37
Fillmore 42
Saline 84
Otoe 119
Dundy 17
Hitchcock 16
Red Willow 103
Furnas 49
Harlan 21
Franklin 20
Webster 29
Nuckolls 34
Thayer 41
Jefferson 61
Gage 162
Johnson 26
Nemaha 64
Pawnee 12
Richardson 67

STATE TOTAL = 12,337

TABLE 65: MARRIAGES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1990-1993

	1990		1991		1992		1993	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
STATE	12,625	8.0	12,555	7.9	12,437	7.9	12,337	7.8
Adams	255	8.6	269	9.1	275	9.3	254	8.6
Antelope	59	7.4	51	6.5	59	7.6	52	6.7
Arthur	2	4.3	0	-	3	6.7	5	11.1
Banner	2	2.3	3	3.5	1	1.2	1	1.2
Blaine	4	5.9	1	1.5	3	4.6	4	6.2
Boone	47	7.0	54	8.2	48	7.3	42	6.4
Box Butte	87	6.6	87	6.7	75	5.8	71	5.5
Boyd	18	6.3	14	5.0	21	7.6	15	5.6
Brown	29	7.9	25	6.9	31	8.9	27	7.7
Buffalo	329	8.8	309	8.2	329	8.7	366	9.6
Burt	54	6.9	49	6.2	52	6.8	68	8.8
Butler	47	5.5	35	4.1	48	5.6	56	6.6
Cass	139	6.5	169	7.9	153	7.1	134	6.2
Cedar	77	7.6	69	6.9	77	7.8	51	5.2
Chase	35	8.0	40	9.2	27	6.3	26	6.0
Cherry	42	6.7	51	8.2	42	6.8	41	6.6
Cheyenne	77	8.1	70	7.4	62	6.6	80	8.5
Clay	54	7.6	38	5.4	39	5.6	37	5.3
Colfax	76	8.3	72	7.9	62	6.9	66	7.3
Cuming	70	6.9	64	6.3	67	6.7	71	7.1
Custer	90	7.3	91	7.4	99	8.3	87	7.3
Dakota	132	7.9	118	7.0	124	7.4	108	6.4
Dawes	56	6.2	68	7.6	62	6.9	56	6.3
Dawson	189	9.5	183	9.2	183	9.2	218	10.4
Deuel	13	5.8	16	7.3	16	7.3	18	8.3
Dixon	39	6.3	60	9.8	45	7.5	50	8.3
Dodge	301	8.7	305	9.0	302	8.9	257	7.6
Douglas	3,628	8.7	3,570	8.5	3,621	8.6	3,598	8.5
Dundy	16	6.2	15	5.9	10	4.0	17	6.8
Fillmore	43	6.1	42	5.9	35	5.0	42	6.0
Franklin	19	4.8	16	4.1	21	5.5	20	5.3
Frontier	22	7.1	25	8.2	19	6.3	18	6.0
Furnas	38	6.8	50	9.2	54	10.0	49	9.2
Gage	180	7.9	192	8.5	171	7.6	162	7.2
Garden	22	8.9	16	6.7	12	5.0	12	5.1
Garfield	21	9.8	9	4.3	21	10.0	17	8.2
Gosper	12	6.2	21	11.1	20	10.5	20	10.5
Grant	8	10.4	7	9.3	8	10.7	3	4.0
Greeley	24	8.0	22	7.3	17	5.8	18	6.1
Hall	499	10.2	472	9.6	507	10.3	495	10.0
Hamilton	54	6.1	58	6.6	54	6.1	55	6.3
Harlan	33	8.7	13	3.5	21	5.7	21	5.7
Hayes	4	3.3	3	2.5	5	4.2	4	3.3
Hitchcock	8	2.1	20	5.4	16	4.3	16	4.3
Holt	94	7.5	84	6.7	82	6.6	83	6.6
Hooker	12	15.1	7	8.8	15	20.0	5	6.9
Howard	34	5.6	42	7.0	29	4.9	53	8.9
Jefferson	62	7.1	59	6.8	63	7.4	61	7.2
Johnson	27	5.8	36	7.7	34	7.5	26	5.7

TABLE 65: MARRIAGES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1990-1993 (continued)

	1990		1991		1992		1993	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
Kearney	52	7.8	47	7.1	38	5.8	41	6.3
Keith	79	9.2	80	9.4	71	8.4	81	9.6
Keya Paha	5	4.9	3	3.0	5	5.0	5	5.1
Kimball	32	7.8	28	6.9	37	9.3	30	7.5
Knox	80	8.4	66	7.0	61	6.6	53	5.8
Lancaster	1,808	8.5	1,809	8.4	1,720	7.9	1,681	7.6
Lincoln	276	8.5	290	8.9	283	8.7	257	7.9
Logan	6	6.8	4	4.7	2	2.4	3	3.5
Loup	3	4.4	3	4.6	3	4.6	2	3.1
McPherson	1	1.8	4	7.3	0	-	5	9.1
Madison	262	8.0	267	8.1	247	7.5	280	8.5
Merrick	48	6.0	49	6.2	49	6.2	54	6.8
Morrill	30	5.5	29	5.4	43	8.0	38	7.2
Nance	21	4.9	25	5.9	30	7.1	33	7.9
Nemaha	65	8.1	60	7.5	63	8.0	64	8.1
Nuckolls	40	6.9	36	6.3	35	6.3	34	6.1
Otoe	149	10.5	114	8.0	123	8.8	119	8.5
Pawnee	28	8.4	26	8.0	15	4.7	12	3.8
Perkins	19	5.6	26	7.9	19	5.8	18	5.5
Phelps	66	6.8	79	8.1	59	6.1	87	8.9
Pierce	57	7.3	42	5.4	43	5.6	48	6.2
Platte	248	8.3	270	9.0	252	8.3	255	8.3
Polk	39	6.9	37	6.6	25	4.5	34	6.2
Red Willow	92	7.9	113	9.7	96	8.3	103	8.9
Richardson	80	8.1	76	7.8	60	6.2	67	7.0
Rock	17	8.4	11	5.5	12	6.2	9	4.6
Saline	80	6.3	89	7.0	68	5.4	84	6.7
Sarpy	728	7.1	707	6.8	738	7.0	688	6.4
Saunders	124	6.8	133	7.3	137	7.5	141	7.7
Scotts Bluff	284	7.9	315	8.8	301	8.4	282	7.9
Seward	100	6.5	117	7.6	120	7.8	135	8.8
Sheridan	36	5.3	37	5.5	38	5.8	42	6.4
Sherman	36	9.7	26	7.0	29	7.9	13	4.9
Sioux	5	3.2	5	3.2	2	1.3	7	4.7
Stanton	30	4.8	27	4.3	20	3.2	34	5.5
Thayer	40	6.0	39	5.9	45	6.9	41	6.4
Thomas	10	11.8	9	10.6	7	8.2	3	3.5
Thurston	43	6.2	31	4.5	44	6.3	31	4.4
Valley	33	6.4	39	7.6	42	8.2	38	7.5
Washington	105	6.3	87	5.2	125	7.5	100	6.0
Wayne	48	5.1	62	6.6	48	5.1	73	7.8
Webster	25	5.8	30	7.1	23	5.5	29	7.0
Wheeler	2	2.1	3	3.2	4	4.2	1	1.1
York	110	7.6	115	8.0	115	8.0	121	8.4

* - The number of marriages per 1,000 population by place of occurrence

TABLE 66: NUMBER OF MARRIAGES BY RACE OF BRIDE AND GROOM

		BRIDE				
GROOM	TOTAL	WHITE	BLACK	INDIAN	ALL OTHER	UNKNOWN
White	11,421	11,270	27	50	74	
Black	537	133	389	5	9	1
Indian	71	41	1	29		
All Other	106	43	1		62	
Unknown	202					202
TOTAL	12,337	11,487	418	84	145	203

TABLE 67: NUMBER OF THIS MARRIAGE BRIDE AND GROOM

		BRIDE								
GROOM	TOTAL	1st	2nd	3rd	4th	5th	6th	7th	8th	Unknown
First	8,460	7,003	1,229	206	18	3		1		
Second	2,881	1,042	1,397	357	64	15	5			1
Third	654	147	333	141	24	8	1			
Fourth	110	12	38	41	16	2	1			
Fifth	22	3	8	8	1	2				
Sixth	9		2	6			1			
Seventh	2	1							1	
Unknown	199									199
TOTAL	12,337	8,208	3,007	759	123	30	8	1	1	200

TABLE 68: NUMBER OF MARRIAGES BY PREVIOUS MARITAL STATUS BRIDE AND GROOM

		BRIDE			
GROOM	TOTAL	NEVER MARRIED	WIDOWED	DIVORCED	UNKNOWN
Never Married	8,458	7,001	52	1,404	1
Widowed	296	29	141	126	
Divorced	3,379	1,174	116	2,088	1
Unknown	204	3			201
TOTAL	12,337	8,207	309	3,618	203

TABLE 69: NUMBER OF THIS MARRIAGE BY AGE OF BRIDE

AGE OF BRIDE	TOTAL	NUMBER OF MARRIAGES - BRIDE								
		1	2	3	4	5	6	7	8	UNKNOWN
≤19	1,076	1,058	7							11
20-24	4,635	4,225	333	10		1				66
25-29	2,771	2,009	639	72	6	1				44
30-34	1,611	644	758	159	17	3				30
35-39	872	184	457	175	34	3		1		18
40-44	579	59	317	144	27	10	5			17
45-49	343	17	205	88	17	7	1		1	7
50-54	168	7	104	46	9	2				
55-59	93	1	57	27	4		2			2
60-64	82	3	54	18	5	1				1
65-69	49		36	10	2					1
70-74	32	1	21	6	1	1				2
≥75	26		19	4	1	1				1
TOTAL	12,337	8,208	3,007	759	123	30	8	1	1	200

TABLE 70: NUMBER OF THIS MARRIAGE BY AGE OF GROOM

AGE OF GROOM	TOTAL	NUMBER OF MARRIAGES - GROOM							
		1	2	3	4	5	6	7	UNKNOWN
≤19	361	356							5
20-24	3,799	3,646	112	2					39
25-29	3,403	2,822	484	39	2				56
30-34	1,915	1,078	722	79	2				34
35-39	1,030	345	514	131	14	1			25
40-44	709	130	384	145	27	5			18
45-49	428	36	254	97	28	1	3		9
50-54	236	17	125	62	14	9	3		6
55-59	157	13	81	43	14	2	2	2	
60-64	118	7	78	23	5	2			3
65-69	84	8	54	17	2	1	1		1
70-74	53	1	42	7	1	1			1
≥75	44	1	31	9	1				2
TOTAL	12,337	8,460	2,881	654	110	22	9	2	199

TABLE 71: NUMBER OF MARRIAGES BY AGE OF BRIDE AND GROOM
NEBRASKA, 1993

AGE OF GROOM	TOTAL	AGE OF BRIDE																											
		≤17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75+
TOTAL	12,337	133	325	618	721	881	1,082	1,050	901	746	646	535	448	396	383	342	335	295	256	872	579	343	168	93	82	49	32	26
≤17	13	6	1	3		2														1								
18	95	22	28	26	7	6	4	1		1																		
19	253	20	49	80	54	20	11	2	3	2	6	1		3				1		1								
20	474	34	64	114	109	61	32	31	9	3	3	2	5	2	2	1		1		1								
21	627	19	64	76	131	121	97	50	20	13	10	5	7	5	2	3	1		1	1	1							
22	822	8	31	98	119	169	191	78	41	33	17	10	5	5	2	6	3	2	1	2	1							
23	960	9	24	75	87	139	185	212	84	42	23	29	13	6	6	3	6	3	6	8								
24	916	4	19	29	62	102	164	157	166	77	39	27	14	15	9	11	4	6	2	8		1						
25	804	2	10	23	43	69	112	141	131	96	60	26	26	10	17	6	7	8	4	9	3		1					
26	782	2	8	32	33	53	74	103	98	108	83	57	25	26	18	13	14	12	9	10	4							
27	651	1	9	15	18	30	47	71	79	83	72	59	44	30	17	16	22	13	8	14	2	1						
28	631	2	7	9	15	21	38	63	51	57	86	67	57	26	33	24	15	14	15	19	8	3	1					
29	535	1	5	7	8	22	39	42	54	40	42	43	55	47	32	23	13	12	13	31	4	2						
30	451	2	1	9	10	13	21	26	36	44	34	34	35	37	32	28	13	23	6	37	6	3	1					
31	441			5	8	14	18	20	27	30	34	40	35	33	35	27	39	17	14	32	9	4						
32	379		1	5	3	12	10	11	18	33	34	23	31	28	26	28	30	16	12	43	13	1		1				
33	346			5	4	7	9	10	18	21	23	32	20	22	35	29	28	24	14	31	12	1	1					
34	298			1		5	9	8	17	13	19	19	18	17	13	25	25	19	19	57	11	2	1					
35-39	1,030	1	4	4	7	10	16	16	34	38	45	44	37	50	69	54	68	78	67	243	112	23	7	3				
40-44	709			1	3	4	3	7	14	7	12	10	14	18	25	31	25	34	43	196	185	65	10	1				1
45-49	428					1	1	1		4	4	6	4	9	7	9	14	10	14	82	122	109	21	6	2	2		
50-54	236			1			1		1			1	3	5	2	4	5	2	7	24	49	68	45	13	3		2	
55-59	157													1	1	1	3		1	13	27	33	49	21	5	1		1
60-64	118													1						5	6	15	14	29	34	9	3	2
65-69	84									1										2	1	9	11	13	20	15	10	2
70-74	53																			1	3	2	4	2	13	14	8	6
75+	44																			1		1	2	4	5	8	9	14

TABLE 72: NUMBER OF FIRST MARRIAGES BY AGE OF BRIDE AND GROOM
NEBRASKA, 1993

AGE OF GROOM	TOTAL	AGE OF BRIDE																							
		≤17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64
TOTAL	7,003	126	310	562	647	764	925	872	663	526	411	304	220	159	118	91	79	68	40	83	27	4	1	0	3
≤17	11	5	1	3		1														1					
18	93	22	28	26	7	5	4	1																	
19	239	20	49	79	50	20	7	2	2	1	5			3				1							
20	448	34	63	111	106	58	30	30	6	2	1	2	2	2		1									
21	579	19	64	74	126	119	86	49	16	12	6	1	3	2		1				1					
22	735	8	28	93	112	157	180	71	34	24	13	5	4	3	1	1	1								
23	836	8	22	68	79	124	177	197	72	33	17	22	6	4	2		2		1	2					
24	774	3	18	25	56	91	151	145	147	71	30	16	6	6	1	3	2	1		2					
25	627	2	9	20	39	59	91	125	113	80	36	19	15	4	7	4	1	3							
26	572	2	7	24	29	42	66	82	81	79	69	41	13	16	8	4		5	2	1	1				
27	433	1	7	12	14	22	39	54	55	65	52	40	27	11	7	9	12	1	3	2					
28	392	1	7	7	9	17	25	51	37	45	62	48	33	12	14	9	2	5	5	2	1				
29	290		4	5	6	15	27	24	31	29	30	27	32	26	13	8	3	6	2	2					
30	215	1	1	6	4	9	15	11	20	24	20	24	20	17	15	10	8	4	1	5					
31	179			1	4	10	12	11	12	15	15	22	17	13	11	10	11	6	3	6					
32	139			3	2	5	6	5	10	20	16	8	14	13	7	8	7	7	5	3					
33	102			3	2	4	2	5	11	10	10	6	8	6	10	5	5	6	3	5	1				
34	75					3	3	3	6	5	6	10	5	3	7	3	4	5	2	10					
35-39	182		2	2	1	3	3	6	8	10	19	11	12	13	13	8	14	13	10	21	11	2			
40-44	54				1		1		2	1	1	2	3	5	2	4	5	3	3	13	8				
45-49	13										3					1		2		3	3	1			
50-54	6															2	2			1					1
55-59	5																			1	2	1	1		
60-64	2																			1					1
65-69	2																			1					1

MAP 14: DIVORCES BY COUNTY OF OCCURRENCE
NEBRASKA, 1993


1
33
14
32
5
12
1
5
39
11
19
13
-77
63
16
17
25
-21
145
23
12
2
1
3
1
1
6
4
142
21
21
35
0
1
1
2
52
14
5
9
136
31
150
-63
18
40
6
43
152
13
14
11
21
20
22
68
-1777
-485
11
94
155
246
27
56
31
945
72
54
11
1
9
4
38
13
98
12
30
39
93
11
35
6
3
46
7
12
10
12
18
14
18
7
41

STATE TOTAL = 6,254

TABLE 73: DIVORCES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1990-1993

	1990		1991		1992		1993	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
STATE	6,454	4.1	6,624	4.2	6,516	4.1	6,254	3.9
Adams	104	3.5	118	4.0	99	3.4	98	3.3
Antelope	23	2.9	16	2.0	19	2.4	16	2.1
Arthur	2	4.3	0	-	2	4.4	1	2.2
Banner	1	1.2	1	1.2	0	-	0	-
Blaine	3	4.4	4	6.2	2	3.1	1	1.5
Boone	13	1.9	18	2.7	14	2.1	9	1.4
Box Butte	73	5.6	55	4.2	68	5.2	63	4.8
Boyd	5	1.8	10	3.6	5	1.8	5	1.9
Brown	12	3.3	15	4.2	14	4.0	12	3.4
Buffalo	130	3.5	149	4.0	158	4.2	155	4.1
Burt	25	3.2	29	3.7	31	4.0	35	4.5
Butler	21	2.4	13	1.5	17	2.0	22	2.6
Cass	102	4.8	77	3.6	96	4.5	72	3.3
Cedar	16	1.6	14	1.4	17	1.7	19	1.9
Chase	12	2.7	8	1.8	13	3.0	11	2.6
Cherry	20	3.2	27	4.3	29	4.7	32	5.2
Cheyenne	45	4.7	44	4.7	46	4.9	40	4.3
Clay	21	2.9	19	2.7	17	2.4	12	1.7
Colfax	20	2.2	25	2.7	25	2.8	31	3.4
Cuming	22	2.2	26	2.6	23	2.3	21	2.1
Custer	36	2.9	30	2.4	35	2.9	52	4.4
Dakota	60	3.6	80	4.8	70	4.2	77	4.5
Dawes	37	4.1	41	4.6	24	2.7	33	3.7
Dawson	104	5.2	103	5.2	117	5.9	94	4.5
Deuel	10	4.5	6	2.7	11	5.0	6	2.8
Dixon	19	3.1	19	3.1	16	2.7	13	2.2
Dodge	174	5.0	169	5.0	141	4.1	150	4.4
Douglas	1,806	4.3	1,930	4.6	1,905	4.5	1,777	4.2
Dundy	8	3.1	6	2.4	5	2.0	6	2.4
Fillmore	20	2.8	24	3.4	25	3.6	30	4.3
Franklin	13	3.3	3	0.8	5	1.3	10	2.6
Frontier	8	2.6	4	1.3	12	4.0	9	3.0
Furnas	15	2.7	14	2.6	18	3.3	7	1.3
Gage	99	4.3	93	4.1	96	4.3	[illegible]	4.1
Garden	9	3.7	7	2.9	7	2.9	12	5.1
Garfield	2	0.9	6	2.9	10	4.8	6	2.9
Gosper	6	3.1	6	3.2	7	3.7	4	2.1
Grant	1	1.3	1	1.3	3	4.0	2	2.7
Greeley	4	1.3	2	0.7	1	0.3	5	1.7
Hall	271	5.5	256	5.2	244	5.0	246	5.0
Hamilton	20	2.3	25	2.8	23	2.6	27	3.1
Harlan	10	2.6	12	3.2	9	2.4	12	3.2
Hayes	1	0.8	2	1.7	0	-	1	0.8
Hitchcock	5	1.3	10	2.7	9	2.4	3	0.8
Holt	32	2.5	42	3.3	35	2.8	39	3.1
Hooker	4	5.0	3	3.8	1	1.3	1	1.4
Howard	16	2.6	16	2.7	16	2.7	14	2.4
Jefferson	31	3.5	33	3.8	29	3.4	18	2.1
Johnson	16	3.4	13	2.8	20	4.4	11	2.4

TABLE 73: DIVORCES BY NUMBER AND RATE BY COUNTY
NEBRASKA, 1990-1993 (continued)

	1990		1991		1992		1993	
COUNTY	NO.	RATE*	NO.	RATE*	NO.	RATE*	NO.	RATE*
Kearney	25	3.8	23	3.5	24	3.7	13	2.0
Keith	38	4.4	39	4.6	30	3.6	43	5.1
Keya Paha	0	-	2	2.0	2	2.0	5	5.1
Kimball	19	4.6	16	4.0	17	4.3	18	4.5
Knox	24	2.5	20	2.1	15	1.6	11	1.2
Lancaster	1,001	4.7	1,036	4.8	1,020	4.7	945	4.3
Lincoln	166	5.1	142	4.4	144	4.4	152	4.7
Logan	0	-	0	-	4	4.7	2	2.4
Loup	2	2.9	3	4.6	0	-	1	1.5
McPherson	1	1.8	0	-	1	1.8	1	1.8
Madison	134	4.1	127	3.9	126	3.8	142	4.3
Merrick	22	2.7	22	2.8	27	3.4	21	2.7
Morrill	14	2.6	20	3.7	19	3.6	23	4.3
Nance	6	1.4	16	3.8	11	2.6	11	2.6
Nemaha	27	3.4	39	4.9	32	4.1	35	4.4
Nuckolls	15	2.6	17	3.0	11	2.0	18	3.2
Otoe	67	4.7	61	4.3	59	4.2	54	3.8
Pawnee	14	4.2	9	2.8	8	2.5	7	2.2
Perkins	8	2.4	7	2.1	4	1.2	11	3.3
Phelps	26	2.7	38	3.9	35	3.6	38	3.9
Pierce	23	2.9	19	2.4	28	3.6	17	2.2
Platte	103	3.5	110	3.7	127	4.2	136	4.4
Polk	17	3.0	13	2.3	16	2.9	20	3.6
Red Willow	54	4.6	36	3.1	45	3.9	46	4.0
Richardson	47	4.7	54	5.5	42	4.4	41	4.3
Rock	9	4.5	2	1.0	5	2.6	1	0.5
Saline	38	3.0	52	4.1	42	3.3	39	3.1
Sarpy	476	4.6	502	4.8	511	4.8	485	4.5
Saunders	62	3.4	56	3.1	62	3.4	68	3.7
Scotts Bluff	195	5.4	197	5.5	167	4.7	145	4.0
Seward	49	3.2	45	2.9	41	2.7	31	2.0
Sheridan	20	3.0	21	3.1	21	3.2	14	2.1
Sherman	7	1.9	8	2.2	9	2.5	13	3.6
Sioux	7	4.5	0	-	0	-	1	0.7
Stanton	19	3.0	19	3.0	18	2.9	21	3.4
Thayer	16	2.4	25	3.8	19	2.9	14	2.2
Thomas	0	-	3	3.5	6	7.1	3	3.5
Thurston	25	3.6	30	4.3	22	3.2	21	3.0
Valley	10	1.9	16	3.1	10	2.0	14	2.7
Washington	53	3.2	56	3.4	70	4.2	63	3.8
Wayne	21	2.2	18	1.9	20	2.1	25	2.7
Webster	9	2.1	10	2.4	8	1.9	12	2.9
Wheeler	1	1.1	1	1.1	2	2.1	4	4.2
York	77	5.3	70	4.9	47	3.3	56	3.9

* - The number of divorces per 1,000 population by place of occurrence

TABLE 74: NUMBER OF DIVORCES BY AGE OF HUSBAND AND WIFE
NEBRASKA, 1993

AGE OF HUSBAND	TOTAL	AGE OF WIFE																													
		≤19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	≥75	Not Sta-ted
TOTAL	6,254	69	86	125	188	203	227	226	246	242	283	252	278	264	252	244	202	222	217	232	188	196	781	476	218	101	63	26	16	16	115
≤19	12	2	4				2			1		1											1								1
20	34	13	7	6	3	2		2						1																	
21	61	13	13	13	13	3	3			1								1													1
22	109	7	18	24	25	14	7	3	2	2	1		2																		4
23	128	13	12	14	31	18	16	3	5	3	2	3		1	1	2	1	1													2
24	166	4	8	15	34	31	30	17	11	4	4	1	1			1	1		2												2
25	194	3	10	15	21	32	32	28	23	10	6	3	3	1	1	1	1				1		2		1						
26	190	3	4	15	15	24	25	34	23	19	8	2	2	3	3	1	1		1	2		1									4
27	198	1	3	6	15	15	22	31	27	26	12	13	4	3	2	1		4	1	1		2	2								7
28	230	1	1	6	9	16	20	26	31	33	32	17	9	5	6		3	5	4	3		1	2								
29	248	2	3	2	6	11	19	17	33	35	33	25	18	13	6	5	3	2	4		2	2	2								5
30	273	2		3	3	8	12	15	15	24	39	44	26	25	15	12	4	6	2	3	3	2	8								2
31	259	1	1	4	3	3	5	13	19	25	40	28	33	23	14	15	5	6	6	2	1	2	4	2							4
32	272	1			3	8	4	6	14	12	24	26	40	35	34	17	15	5	5	9	2	3	5	2							2
33	255			1		4	6	6	14	7	25	24	29	37	23	28	12	7	8	7	2	3	8								4
34	262				1	6	5	5	7	9	12	16	29	22	26	30	25	18	13	10	3	6	12	3		1					3
35	243					3	6	5	6	10	9	8	18	22	25	32	17	32	6	7	4	5	15	9		1					3
36	222				1		1	3	4	4	10	14	12	16	21	14	24	25	22	17	8	7	9	5							5
37	242	1	1		1	1	2		4	3	7	5	12	15	22	15	18	30	28	22	15	9	21	3	4						3
38	185	1						4		3	2	7	7	5	3	12	18	18	22	23	18	13	24	2							3
39	228				1			1		3	8	3	2	5	11	14	7	14	27	27	28	27	37	10	1	1					1
40-44	876			1	1	2	4	2	3	5	7	6	18	24	20	31	33	33	46	66	72	85	341	55	9	2		1			9
45-49	598						1	1	1		1	2	6	5	14	8	7	11	14	21	19	19	209	220	29	5					5
50-54	317							1		1				2	3	2	5	4	4	10	5	5	42	128	87	9	1	1			7
55-59	161									1		1			1	1	1			1	4	2	20	20	53	38	13	2			3
60-64	98											1				1					1	1	7	12	22	26	22		3		2
65-69	59												1										1	2	7	10	18	10	7		3
70-74	19																							1	2	3	3	5	1	3	1
≥75	34											1							1							3	5	6	5	13	
Not Stated	81	1	1		2	2	5	3	4	1	1	1	6	1	1	1	1		1	1		1	9	2	3	2	1	1			29

TABLE 75: DIVORCES BY DURATION OF MARRIAGE
NEBRASKA, 1991-1993

DURATION OF MARRIAGE	1991 NUMBER	1991 PER CENT OF TOTAL	1992 NUMBER	1992 PER CENT OF TOTAL	1993 NUMBER	1993 PER CENT OF TOTAL
Under 1 year	190	2.9	182	2.8	167	2.7
1 year	502	7.6	523	8.0	457	7.3
2 years	561	8.5	599	9.2	575	9.2
3	525	7.9	535	8.2	579	9.3
4	524	7.9	450	6.9	445	7.1
5	458	6.9	387	5.9	364	5.8
6	368	5.6	373	5.7	363	5.8
7	353	5.3	337	5.2	312	5.0
8	348	5.3	285	4.4	316	5.1
9	329	5.0	283	4.3	248	4.0
10	238	3.6	245	3.8	246	3.9
11	247	3.7	232	3.6	227	3.6
12	193	2.9	192	2.9	165	2.6
13	162	2.4	184	2.8	196	3.1
14	143	2.2	147	2.3	146	2.3
15	129	1.9	141	2.2	155	2.5
16	119	1.8	117	1.8	97	1.6
17	131	2.0	124	1.9	129	2.1
18	127	1.9	134	2.1	94	1.5
19	106	1.6	120	1.8	102	1.6
20	121	1.8	116	1.8	102	1.6
21	94	1.4	105	1.6	90	1.4
22	84	1.3	91	1.4	72	1.2
23	67	1.0	81	1.2	103	1.6
24	66	1.0	83	1.3	67	1.1
25	60	0.9	53	0.8	61	1.0
26	45	0.7	55	0.8	49	0.8
27	48	0.7	46	0.7	38	0.6
28	27	0.4	40	0.6	34	0.5
29	43	0.6	37	0.6	40	0.6
30	34	0.5	26	0.4	19	0.3
31	19	0.3	25	0.4	23	0.4
32	16	0.2	18	0.3	23	0.4
33	20	0.3	28	0.4	17	0.3
34	16	0.2	23	0.4	19	0.3
35-39	54	0.8	49	0.8	48	0.8
40-44	32	0.5	20	0.3	26	0.4
45-49	8	0.1	12	0.2	6	0.1
50-54	8	0.1	4	0.1	4	0.1
55-59	1	0.0	0	-	1	0.0
60-64	0	-	0	-	3	0.0
70-74	0	-	0	-	1	0.0
Unknown	8	0.1	14	0.2	25	0.4
TOTAL	6,624	100.0	6,516	100.0	6,254	100.0

TABLE 76: NUMBER OF DIVORCES BY RACE OF HUSBAND AND WIFE

		WIFE				
		RACE				
HUSBAND	TOTAL	WHITE	BLACK	INDIAN	ALL OTHER	UNKNOWN
White	5,833	5,749	13	32	33	6
Black	315	57	249	3	3	3
Indian	43	25	0	16	0	2
All Other	27	11	2	0	14	0
Unknown	36	8	0	0	0	28
TOTAL	6,254	5,850	264	51	50	39

TABLE 77: NUMBER OF THIS MARRIAGE FOR HUSBAND AND WIFE

		WIFE							
HUSBAND	TOTAL	1st	2nd	3rd	4th	5th	6th	7th	Unknown
1st	4,444	3,751	570	95	18	4	0	0	6
2nd	1,315	495	608	163	29	7	6	0	7
3rd	311	78	148	63	13	1	1	1	6
4th	79	15	35	22	5	1	1	0	0
5th	14	3	6	3	1	1	0	0	0
6th	2	0	2	0	0	0	0	0	0
7th	3	0	1	2	0	0	0	0	0
8th	3	0	1	2	0	0	0	0	0
Unknown	83	9	8	2	0	0	0	0	64
TOTAL	6,254	4,351	1,379	352	66	14	8	1	83

TABLE 78: NUMBER OF DIVORCES BY SETTLEMENTS MADE

None	565
Alimony	27
Child Support	340
Property Settlement	2,211
Alimony and Child Support	47
Alimony and Property Settlement	271
Child Support and Property Settlement	2,356
Alimony, Child Support, and Property Settlement	435
Other	2
TOTAL	6,254

TABLE 79: NUMBER OF CHILDREN AFFECTED

TOTAL NUMBER OF COUPLES	NUMBER OF CHILDREN PER COUPLE	TOTAL NUMBER OF CHILDREN AFFECTED
2,549	0	0
1,431	1	1,431
1,525	2	3,050
574	3	1,722
130	4	520
35	5	175
8	6	48
2	Unknown	
6,254		6,946

TABLE 80: CUSTODY AND NUMBER OF CHILDREN AWARDED

		NUMBER OF CHILDREN AWARDED					
CUSTODY TO	TOTAL	1	2	3	4	5	6
Husband	510	265	178	54	9	4	
Wife	2,989	1,279	1,191	413	83	20	3
Joint	194	81	65	39	7	2	
Other	77	42	21	10	4		
TOTAL	3,770	1,667	1,455	516	103	26	3

Note: There were 26 cases in which it was unknown to whom custody was awarded